



Indore Smart City Development Limited Request for Proposal

“Widening and Maintenance of Existing Jairampur Bridge including design”

NIT No:19/ISCDL/19-20; Dated 27.01.2020

Indore Smart City Development Limited, Indore

Regd. Off.: Nehru Park, Indore (M. P.) 452 003, INDORE, Madhya Pradesh,

Ph. No.: 0731-2535572; *E-mail:* smartcityindore16@gmail.com

CIN: U75100MP2016SGC035528; *Website:* www.smartcityindore.org

INDORE SMART CITY DEVELOPMENT LIMITED

APPENDIX 2.10

TENDER DOCUMENT

FOR PERCENTAGE RATE ONLY IN WORKS DEPARTMENT AND OTHER DEPARTMENT

NIT No:19/ISCDL/19-20; Dated 27.01.2020

Agreement Number and Date : _____

Name of Work	:	“Widening and Maintenance of Existing Jairampur Bridge including design”
Name of the Contractor	:	
Probable Amount of Contract	:	
(Rs. In Figure)	:	Rs. 1.52 Cr.
(Rs. In Words)	:	Rs. One Point Five Two Crore Only
Contract Amount	:	
(Rs. In Figure)	:	_____
(Rs. In Words)	:	_____
Stipulated Period of Completion	:	6.0 Months

Tender Document Table of Contents

Section No	Particulars	Details
Section 1	Notice Inviting Tender	
Section 2	Instructions to Bidders (ITB)	
	Bid Data Sheet	
	Annexure – A	Key Dates
	Annexure – B	Affidavit
	Annexure – C	Prequalification Criteria
	Annexure – D	Special Eligibility Criteria
	Annexure – E	Specification
	Annexure – F	Procedure for participating in E-tendering
	Annexure – G	Joint Venture
	Annexure – H	Organizational Details
	Annexure – I	Technical Proposal
	Annexure – J	Financial Bid
	Annexure – K	Materials to be issued by department
	Annexure – L	Letter of Acceptance (LOA)
	Annexure – M	Performance Security
Section 3	Table of Clauses	
	Part-I	General Conditions of Contract (GCC)
	Contract Data	
	Annexure – N	Drawings
	Annexure – O	Detail of milestones
	Annexure – P	Compensation of Delay
	Annexure – Q	List of Equipment for Quality Control Lab
	Annexure – R	Price Adjustment
	Annexure – S	Bank Guarantee form for Mobilization & Machinery Advance
	Annexure – T	Bank Guarantee Form for Secured Advance
	Annexure – U	Physical Completion Certificate
	Annexure – V	Final Completion Certificate
	Annexure – W	Salient Features of Labour laws
	Part-II	Special Conditions of Contract (SCC)
Section 4	BILL OF QUANTITIES (B.O.Q.)	
Section 5	Agreement Form	

Section-1

INDORE SMART CITY DEVELOPMENT LIMITED

Nehru Park, Indore (M. P.) 452 003

NIT No:19/ISCDL/19-20; Dated 27.01.2020

Notice Inviting Tender

Online percentage rate tenders are invited for following works. Tender forms may be purchased online by the contractors registered in centralized registration of M.P. P.W.D. having relevant experience.

S. No.	Name of Work	Estimated Cost of Work	Cost of Tender Form	Earnest Money Deposit	Completion Period
1.	"Widening and Maintenance of Existing Jairampur Bridge including design"	Rs.1.52 Cr.	Rs. 12500.00	Rs. 1.52 Lakhs	6.0 Months

Key Dates: -

S. No.	Description	Date and Time
1.	Last date for Purchase of Tender (Online)	27.02.2020 till 1730 Hrs.
2.	Last date for submission of tender (Online)	27.02.2020 till 1730 Hrs.
3.	Technical bid opening (Online)	28.02.2020 from 1730 Hrs.
4.	Last date for Submission of Hard Copy of Technical Bid	02.03.2020 till 1730 Hrs.
5.	Prebid meeting	14.02.2020 at 1500 Hrs.

Notes: -

- i) Tender Document and other details shall be available on Website-www.mptenders.gov.in
- ii) Amendment to NIT, if any would be published on website only.
- iii) The EMD shall be deposited online through portal via Debit card /Credit card / Net banking or System Generated Challan.

Chief Executive Officer
Indore Smart City Development Limited, Indore

INDORE SMART CITY DEVELOPMENT LIMITED

Notice Inviting e-Tender

NIT No:19/ISCDL/19-20; Dated 27.01.2020

Online percentage rate bids for the following works are invited from registered contractors and firms of repute fulfilling registration criteria and having relevant experience.

S.No.	Name of Work	Estimated Cost of Work	Cost of Tender Form	Earnest Money Deposit	Completion Period
1.	"Widening and Maintenance of Existing Jairampur Bridge including design"	Rs.1.52 Cr.	Rs. 12500.00	Rs.1.52 Lakhs	6.0 Months

1. All details relating to the Bid Document(s) can be viewed and downloaded from the website mentioned in NIT.
2. Bid document can be purchased after making online payment of portal fees through Credit/Debit/Cash Card/Internet banking.
3. At the time of submission of the Bid the eligible bidder shall be required to:
 - i) Pay the cost of Bid Document;
 - ii) Deposit the Earnest Money;
 - iii) Submit a check list; and
 - iv) Submit an affidavit.

Details can be seen in the Bid Data Sheet

4. Eligibility for Bidders:
 - (a) At the time of submission of the Bid the bidder should have valid registration with the Government of Madhya Pradesh, PWD in appropriate class. However, such bidders who are not registered with the Government of Madhya Pradesh and are eligible for registration can also submit their bids after having applied for registration with appropriate authority.
 - (b) The bidder would be required to have valid registration with MPPWD in appropriate class at the time of signing of the Contract.
 - (c) Failure to sign the contract by the selected bidder, for whatsoever reason, shall result in forfeiture of the earnest money deposit.
5. Pre-qualification – Prequalification conditions, wherever applicable, are given in the Bid Data Sheet.
6. Special Eligibility - Special Eligibility Conditions, if any, are given in the Bid Data Sheet.
7. Amendment to NIT, if any, would be published on website only, and not in Newspaper.

Chief Executive Officer
Indore Smart City Development Limited, Indore

SECTION 2
INSTRUCTIONS TO BIDDERS (ITB)

A. GENERAL

1. SCOPE OF BID

The detailed description of work, hereinafter 'work', is given in the Bid Data Sheet.

2. General Quality of Work:

The work shall have to be executed in accordance with the drawings (prepared by Contractor and approved by the competent authority), technical specifications specified in the Bid Data Sheet/ Contract Data, and shall have to meet high standards of workmanship, safety and security of workmen and works.

3. PROCEDURE FOR PARTICIPATION IN E-TENDERING

The procedure for participation in e-tendering is given in the Bid Data Sheet.

4. ONE BID PER BIDDER

4.1 The bidder can be an individual entity or a joint venture (if permitted as per Bid Data sheet). In case J.V. is permitted, the requirement of joint venture shall be as per the Bid Data Sheet.

4.2 No bidder shall be entitled to submit more than one bid whether jointly or severally. If he does so, all bids wherein the bidder has participated shall stand disqualified.

5. Cost of Bidding

The bidder shall bear all costs associated with the preparation and submission of his bid, and no claim whatsoever for the same shall lie on the ULB.

6. Site Visit and examination of works

The bidder is advised to visit and examine the Site of Works and its surroundings and obtain for itself on its own responsibility all information that may be necessary for preparing the bid and entering into a contract for construction of the work. All costs shall have to be borne by the bidder.

B. BID DOCUMENTS

7. CONTENT OF BID DOCUMENTS

The Bid Document comprises of the following documents:

1. NIT with all amendments.
2. Instructions to Bidders,
3. Conditions of Contract:
 - i. Part I General Conditions of Contract and Contract Data; and
 - ii. Part II Special Conditions of Contract.
4. Specifications
5. Drawings,
6. Priced Bill of Quantities
7. Technical and Financial Bid
8. Letter of Acceptance
9. Agreement and
10. Any other document(s), as specified.

8. The bidder is expected to examine carefully all instructions, conditions of contract, the contract data, forms, terms and specifications, bill of quantities, forms and drawings in the Bid Document. Bidder shall be solely responsible for his failure to do so.

9. Pre-Bid Meeting (where applicable)

Wherever the Bid Data Sheet provides for pre-bid meeting:

9.1 Details of venue, date and time would be mentioned in the Bid Data Sheet. Any Change in the

schedule of pre-bid meeting would be communicated on the website only, and intimation to bidders would not be given separately.

9.2 Any prospective bidder may raise his queries and/or seek clarifications in writing before or during the pre-bid meeting. The purpose of such meeting is to clarify issues and answer questions on any matter that may be raised at that stage. The Employer may, at his option, give such clarifications as are felt necessary.

9.3 Minutes of the pre-bid meeting including the gist of the questions raised and the responses given together with any response prepared after the meeting will be hosted on the website.

9.4 Pursuant to the pre-bid meeting if the Employer deems it necessary to amend the Bid Document, it shall be done by issuing amendment to the online NIT.

10. **Amendment of Bid Documents**

10.1 Before the deadline for submission of bids, the Employer may amend or modify the Bid Documents by publication of the same on the website.

10.2 All amendments shall form part of the Bid Document.

10.3 The Employer may, at its discretion, extend the last date for submission of bids by publication of the same on the website.

C. PREPARATION OF BID

11. The bidders have to prepare their bids online, encrypt their Bid Data in the Bid Forms and submit Bid Seals (Hashes) of all the envelopes and documents related to the Bid required to be uploaded as per the time schedule mentioned in the key dates of the Notice Inviting e-Tenders after signing of the same by the Digital Signature of their authorized representative.

12. **DOCUMENTS COMPRISING THE BID**

The bid submitted online by the bidder shall be in the following parts:

Part 1 – This shall be known as **Envelope A** and would apply for all bids. **Envelope A** shall contain the following as per details given in the Bid Data Sheet:

- i. Registration number or proof of application for registration and organizational details in format given in the Bid Data sheet
- ii. Payment of the cost of Bid Document;
- iii. Earnest Money; and
- iv. EPF Registration
- v. An affidavit duly notarized.

Part 2 – This shall be known as **Envelope B** and required to be submitted only in works where pre-qualification conditions and/or special eligibility conditions are stipulated in the Bid Data Sheet. Online **Envelope B** shall contain a self-certified sheet duly supported by documents to demonstrate fulfillment of pre-qualification conditions.

Part 3 – This shall be known as Online **Envelope C** and would apply to all bids. **Envelope C** shall contain financial offer in the format prescribed enclosed with the Bid Data Sheet.

13. **LANGUAGE**

The bid as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Employer shall be in English or Hindi. Supporting documents and printed literature that are part of the Bid may be in another language provided they are accompanied by an accurate translation of the relevant passages in English. In such case, for the purposes of interpretation of the bid, such translation shall govern.

14. TECHNICAL PROPOSAL

14.1 Only, in case of bids with pre-qualification conditions defined in the Bid data sheet, the Technical Proposal shall comprise of formats and requirements given in the Bid Data Sheet.

14.2 All the documents/ information enclosed with the technical proposals should be self-attested and certified by the Bidder. The Bidder shall be liable for forfeiture of his earnest money deposit, if any document/ information are found false/ fake/ untrue before acceptance of Bid. If it is found after acceptance of the Bid, the sanctioning authority may at his discretion forfeit his performance security/ guarantee, security deposit, enlistment deposit and take any other suitable action.

15. FINANCIAL BID

i. The bidder shall have to quote rates in format referred in Bid Data sheet, in overall percentage, and not item wise. If the bid is in absolute amount, overall percentage would be arrived at in relation to the probable amount of contract given in NIT. The overall percentage rate would apply for all items of work.

ii. Percentage shall be quoted in figures as well as in words. If any difference in figures and words found, lower of the two shall be taken as valid and correct.

iii. The bidder shall have to quote rates inclusive of all duties, taxes, royalties and other levies; and the Employer shall not be liable for the same., **GST shall be paid extra as per prevailing rates.**

iv. The material along with the units and rates, which shall be issued, if any, by the department to the contractor, is mentioned in the Bid Data Sheet.

16. PERIOD OF VALIDITY OF BIDS

The bids shall remain valid for a period specified in Bid Data Sheet after the date of "close for bidding" as prescribed by the Employer. The validity of the bid can be extended by mutual consent in writing.

17. EARNEST MONEY DEPOSIT (EMD)

17.1 The Bidder shall furnish, as part of the Bid, Earnest Money Deposit (EMD), of the amount specified in the Bid Data Sheet.

17.2 The EMD shall be deposited online through portal via Debit card /Credit card / Net banking or System Generated Challan. Deposit Receipt shall attach in hard copy submission.

17.3 Failure to sign the contract by the selected bidder, for whatsoever reason, shall result in forfeiture of the Earnest money deposit.

D. SUBMISSION OF BID

18. The bidder is required to submit online bid duly signed digitally, and **Envelope "A"** in physical form also at the place prescribed in the Bid Data Sheet.

E. OPENING AND EVALUATION OF BID

19. PROCEDURE

19.1 **Envelope 'A'** shall be opened first online at the time and date notified and its contents shall be checked. In cases where Envelope 'A' does not contain all requisite documents, such bid shall be treated as nonresponsive, and **Envelope "B" and/or "C"** of such bid shall not be opened.

19.2 Wherever **Envelope 'B'** (Technical Bid) is required to be submitted, the same shall be opened online

at the time and date notified. The bidder shall have freedom to witness opening of the **Envelope 'B'**. **Envelope 'C'** (Financial Bid) of bidders who are not qualified in Technical Bid (**Envelope 'B'**) shall not be opened.

19.3 **Envelope 'C'** (Financial Bid) of the qualified bidders shall be opened online at the time & date notified. The bidder shall have freedom to witness opening of the **Envelope 'C'**.

19.4 After opening **Envelope 'C'** all responsive bids shall be compared to determine the lowest evaluated bid.

19.5 The Employer reserves the right to accept or reject any bid, and to annul the bidding process and reject all the bids at any time prior to contract award, without incurring any liability. In all such cases reasons shall be recorded.

19.6 The Employer reserves the right of accepting the bid for the whole work or for a distinct part of it.

20. Confidentiality

20.1 Information relating to examination, evaluation, comparison and recommendation of contract award shall not be disclosed to bidders or any other person not officially concerned with such process until final decision on the bid.

20.2 Any attempt by a bidder to influence the Employer in the evaluation of the bids or contract award decisions may result in the rejection of its bid.

F. AWARD OF CONTRACT

21. Award of Contract

The Employer shall notify the successful bidder by issuing a 'Letter of Acceptance' (LOA) that his bid has been accepted.

22. Performance Security

22.1 Prior to signing of the Contract the bidder to whom LOA has been issued shall have to furnish performance Security of the amount, form and duration, etc. as specified in the Bid Data Sheet.

22.2 Additional performance security, if applicable, is mentioned in the Bid Data Sheet and shall be in the form and for the duration etc. similar to performance security

23. Signing of Contract Agreement

23.1 The successful bidder shall have to furnish Performance security and additional performance security, if any, and sign the contract agreement within 15 days of issue of LOA.

23.2 The signing of contract agreement shall be reckoned as intimation to commencement of work. No separate work order shall be issued by the Employer to the contractor for commencement of work.

23.3 In the event of failure of the successful bidder to submit Performance Security and additional performance security if any or sign the Contract Agreement, his EMD shall stand forfeited without prejudice to the right of the employer for taking action against the bidder.

24. CORRUPT PRACTICES

The Employer requires that bidders observe the highest standard of ethics during the procurement and execution of contracts. In pursuance of this policy, the Employer:

- i. may reject the bid for award if it determines that the bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive, or coercive practices in competing for the Contract; and
- ii. may debar the bidder declaring ineligible, either indefinitely or for a stated period of time, to participate in bids, if it at any time determines that the bidder has, directly or through an agent, engaged in corrupt, fraudulent, collusive, or coercive practices in competing for, or in executing, a contract.

For the purposes of this provision, the terms set forth above are defined as follows:

- a. **"corrupt practice"** means the offering, giving, receiving, or soliciting, directly or indirectly, anything of value to influence improperly the actions of another party;
- b. **"fraudulent practice"** means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
- c. **"coercive practice"** means impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
- d. **"Collusive practice"** means an arrangement between two or more parties designed to achieve an improper purpose, including influencing improperly the actions of another party.

End of ITB

BID DATA SHEET

General

S.N.	Particulars	Data
1	Office inviting Tender	Indore Smart City Development Ltd., Indore
2,3	NIT No and Date	NIT No:19/ISCDL/19-20; Dated 27.01.2020
4	Bid document download Available from date & time	-
5	Website link	www.mptenders.gov.in

Section 1 – NIT

S.No.	Particulars	Data
1	Portal fees	Rs. _____ (shall be reflected on the portal)
2	Cost of bid document	Rs 12500.0
	Cost of bid document payable at	Bidders shall be directed to the payment gateway through the portal
	Cost of bid document in favor of	-
3	Affidavit format	Annexure B
4	Pre-qualifications required	Yes
	If Yes, details	As per Annexure C
5	Special Eligibility	-
	If Yes, details	As per Annexure D
6	Key Dates	Annexure A

Section 2 – ITB

Clause Reference	Particulars	Data
1	Name of work	"Widening and Maintenance of Existing Jairampur Bridge including design"
2	Specifications	Annexure E
3	Procedure for participation in e-tendering	Annexure F
4	Whether Joint-venture is allowed	No
	If yes, requirement for Joint venture	As per ANNEXURE-G
9	Pre-bid meeting to held	Yes
	If Yes, Date, Time & Place	14.02.2020 at 1500 Hrs at the office of Chief Executive Officer Nehru Park, Indore (MP), India Pin 452003
12	Envelope –A containing: i.Registration number or proof of application for registration & organizational details as per Annexure 'H' ii.Cost of Bid Document iii.EMD iv.An affidavit duly notarized as per Annexure –B Should reach in physical form	At the office of Chief Executive Officer Nehru Park, Indore (MP), India Pin 452003

Clause Reference	Particulars	Data
14	Envelope-B Technical Proposal	Annexure-I (Format I-1 to I-5)
	Envelope-C Financial Bid	Annexure – J
15	Materials to be issued by the department	Nil
16	Period of Validity of Bid	120 Days
	Earnest Money Deposit	Rs. 1.52 Lakh
17	Forms of Earnest Money Deposit	The EMD shall be deposited online through portal via Debit card /Credit card / Net banking or System Generated Challan.
	EMD valid for a period of	120 days
21	Letter of Acceptance (LoA)	Annexure L
	Amount of Performance Security	5% of contract amount
22	Additional Performance Security, if any	Equal percentage /(Amount) below,15% of bid
	Performance security in the format	Annexure M
	Performance security in favour of	Executive Director, ISCDL, Indore
	Performance security valid up to	Till issue of Physical Completion Certificate as per clause 35.1

Key Dates & Events

S No.	Department Stage	Bidder's Stage	Start		Expiry		Envelopes
			Date	Time	Date	Time	
1.		Purchase of Tender – Online			27.02.2020	1730 Hours	
2.		Bid Submission – Online			27.02.2020	1730 Hours	
3.		Submission of Hard copy			02.03.2020	1730 Hours	Envelope A,B
4.	Technical Bid/ Proposal Open (Envelope A and B)		28.02.2020	1730 Hours			Envelope A,B

Original term fixed deposit receipt of earnest money deposit and affidavit shall be submitted by the bidder so as to reach the office as prescribed in Bid Data Sheet, at least one calendar day before specified start time and date in key dates for opening of technical proposal as per key dates in Bid Data Sheet.

|| **AFFIDAVIT** ||

(To be contained in Envelope A)
(On Non-Judicial Stamp of Rs.100)

I/we _____ who is/are _____ (status in the firm/company) and competent for submission of the affidavit on behalf of M/S _____ (contractor) do solemnly affirm an oath and state that: I/we are fully satisfied for the correctness of the certificates/records submitted in support of the following information in bid documents which are being submitted in response to notice inviting e-tender No. _____ for _____ (name of work) dated _____ issued by the _____ (name of the ULB).

I/we are fully responsible for the correctness of following self-certified information/ documents and certificates:

1. That the self-certified information given in the bid document is fully true and authentic.
2. That:
 - a. Copy of deposit receipt as earnest money, cost of bid document and other relevant documents provided by the Bank are authentic.
 - b. Information regarding financial qualification and annual turn-over is correct.
 - c. Information regarding various physical qualifications is correct.
3. No close relative of the undersigned and our firm/company is working in the department.

OR

Following close relatives are working in the department:

Name _____ Post _____ Present Posting _____

4. In response to the tender Reference No: _____ I as an owner/ Partner/ Director of <<Name of Bidder>>, I/We hereby declare that <<Name of Bidder>>, is having unblemished past record and was not declared ineligible for corrupt and fraudulent practices and/ or blacklisted either indefinitely or for a particular period of time by any State Government/ Central Government/ Semi Government/ PSU/ Municipal agencies in India.

Signature with Seal of the Deponent (bidder)

I/ We, _____ above deponent do hereby certify that the facts mentioned in above paras 1 to 4 are correct to the best of my knowledge and belief.

Verified today _____ (dated) at _____ (place).

Signature with Seal of the Deponent (bidder)

(See clause 5 of Section 1 NIT)

PRE-QUALIFICATIONS CRITERIA

A) The bidder should have an Average Annual Financial Turnover for Construction Works not less than 50% of the probable amount of contract during last 3 financial years.

B) The bidder should have executed at least One Bridge/ Culvert Work costing not less than 50% of the probable amount of contract within last 3 years.

Note:

Bidders are required to submit the corresponding Work Order copies & Execution/Completion Certificates issued by the respective clients. The Certificates should be issued by respective authority (Not below Executive Engineer) of client. ISCDL may call for original certificates for verification.

SPECIAL ELIGIBILITY CRITERIA

(See clause 2 of Section 2-ITB & Clause 10 of GCC)

1. MPUADD Specifications for Civil Works

(The soft copy of the specifications is available at departmental website <http://www.mpurban.gov.in/StandardSchedule.asp>)

2. MORTH latest specification for road /bridge works.

3. MPPKVCO.LTD SPECIFICATIONS FOR ELECTRICAL WORKS

The Provisions of General/ Special Conditions of Contract, those specified elsewhere in the bid document, as well as execution drawings and notes, or other specifications issued in writing by the employer shall form part of the technical specifications of this work.

Procedure for participation in e-Tendering

Procedure for participation in e-Tendering

1. Bidder should do Online Enrolment in this Portal using the option Click Here to Enroll available in the Home Page. Then the Digital Signature enrollment has to be done with the e-token, after logging into the portal. The e-token may be obtained from one of the authorized Certifying Authorities such as eMudhraCA/GNFC/IDRBT/MtnlTrustline/SafeScript/TCS.
2. Bidder then logs into the portal giving user id / password chosen during enrolment.
3. The e-token that is registered should be used by the bidder and should not be misused by others.
4. DSC once mapped to an account cannot be remapped to any other account. It can only be Inactivated.
5. The Bidders can update well in advance, the documents such as certificates, purchase order details etc., under My Documents option and these can be selected as per tender requirements and then attached along with bid documents during bid submission. This will ensure lesser upload of bid documents.
6. After downloading / getting the tender schedules, the Bidder should go through them carefully and then submit the documents as per the tender document, otherwise, the bid will be rejected.
7. The BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for that tender. Bidders are allowed to enter the Bidder Name and Values only.
8. If there are any clarifications, this may be obtained online through the eProcurement Portal, or through the contact details given in the tender document. Bidder should take into account of the corrigendum published before submitting the bids online.
9. Bidder, in advance, should prepare the bid documents to be submitted as indicated in the tender schedule and they should be in PDF/XLS/RAR/DWF formats. If there is more than one document, they can be clubbed together.
10. Bidder should arrange for the EMD as specified in the tender. The original should be posted/couriered/given in person to the Tender Inviting Authority, within the bid submission date and time for the tender.
11. The bidder reads the terms and conditions and accepts the same to proceed further to submit the bids
12. The bidder has to submit the tender document(s) online well in advance before the prescribed time to avoid any delay or problem during the bid submission process.
13. There is no limit on the size of the file uploaded at the server end. However, the upload is decided on the Memory available at the Client System as well as the Network bandwidth available at the client side at that point of time. In order to reduce the file size, bidders are suggested to scan the documents in 75-100 DPI so that the clarity is maintained and also the size of file also gets reduced. This will help in quick uploading even at very low bandwidth speeds.
14. It is important to note that, the bidder has to Click on the Freeze Bid Button, to ensure that he/she completes the Bid Submission Process. Bids Which are not Frozen are considered as Incomplete/Invalid bids and are not considered for evaluation purposes.
15. In case of Offline payments, the details of the Earnest Money Deposit (EMD) document submitted physically to the Department and the scanned copies furnished at the time of bid submission online should be the same otherwise the Tender will be summarily rejected
16. The Tender Inviting Authority (TIA) will not be held responsible for any sort of delay or the difficulties faced during the submission of bids online by the bidders due to local issues.
17. The bidder may submit the bid documents online mode only, through this portal. Offline documents will not be handled through this system.
18. At the time of freezing the bid, the eProcurement system will give a successful bid updation message after uploading all the bid documents submitted and then a bid summary will be shown with the bid no,

date & time of submission of the bid with all other relevant details. The documents submitted by the bidders will be digitally signed using the e-token of the bidder and then submitted.

19. After the bid submission, the bid summary has to be printed and kept as an acknowledgement as a token of the submission of the bid. The bid summary will act as a proof of bid submission for a tender floated and will also act as an entry point to participate in the bid opening event.
20. Successful bid submission from the system means, the bids as uploaded by the bidder is received and stored in the system. System does not certify for its correctness.
21. The bidder should see that the bid documents submitted should be free from virus and if the documents could not be opened, due to virus, during tender opening, the bid is liable to be rejected
22. The time that is displayed from the server clock at the top of the tender Portal, will be valid for all actions of requesting bid submission, bid opening etc., in the e-Procurement portal. The Time followed in this portal is as per Indian Standard Time (IST) which is GMT+5:30. The bidders should adhere to this time during bid submission.
23. All the data being entered by the bidders would be encrypted at the client end, and the software uses PKI encryption techniques to ensure the secrecy of the data. The data entered will not be viewable by unauthorized persons during bid submission and not viewable by any one until the time of bid opening. Overall, the submitted bid documents become readable only after the tender opening by the authorized individual.
24. During transmission of bid document, the confidentiality of the bids is maintained since the data is transferred over secured Socket Layer (SSL) with 256 bit encryption technology. Data encryption of sensitive fields is also done.
25. The bidders are requested to submit the bids through online eProcurement system to the TIA well before the bid submission end date and time (as per Server System Clock).

JOINT VENTURE (J.V.)

If J.V. is allowed following conditions and requirements must be fulfilled –

1. Bids submitted by a joint venture of two or more firms as partners shall comply with the following requirements:
 - a. one of the partners shall be nominated as being Lead Partner, and this authorization shall be evidenced by submitting a power of attorney signed by legally authorized signatories of all the partners;
 - b. the bid and, in case of a successful bid, the Agreement, shall be signed so as to be legally binding on all partners;
 - c. the partner in charge shall be authorized to incur liabilities and receive instructions for and on behalf of any and all partners of the joint venture and the entire execution of the contract, including payment, shall be done exclusively with the partner in charge;
 - d. all partners of the joint venture shall be liable jointly and severally for the execution of the contract in accordance with the contract terms, and a statement to this effect shall be included in the authorization mentioned under [c] above, as well as in the bid and in the Agreement [in case of a successful bid];
 - e. The joint venture agreement should indicate the role of all members of JV in respect of planning, design, construction equipment, key personnel, work execution and completion of the project. All members of JV should have active participation in execution during the currency of the contract. This should not be varied/modified subsequently without prior approval of the employer;
 - f. The joint venture agreement should be registered, so as to be legally valid and binding on all partners; and g. a copy of the Joint Venture Agreement entered into by the partners shall be submitted with the bid.
2. The figures for each of the partners of a joint venture shall be added together to determine the Bidder's compliance with the minimum qualifying criteria required for the bid. All the partners collectively must meet the criteria specified in full. Failure to comply with this requirement will result in rejection of the joint venture's bid.
3. The performance security of a Joint Venture shall be in the name of the partner Lead Partner/joint venture.
4. Attach the power of attorney of the partners authorizing the Bid signatory(ies) on behalf of the joint venture
5. Attach the agreement among all partners of the joint venture [and which is legally binding on all partners], which shows the requirements as indicated in the Instructions to Bidders'.
6. Furnish details of participation proposed in the joint venture as below:

DETAILS OF PARTICIPATION IN THE JOINT VENTURE FIRM

PARTICIPATION DETAILS	A' (Lead Partner)	'FIRM 'B'	FIRM 'C'
Financial			
Name of the Banker(s)			
Planning			
Construction Equipment			
Key Personnel			
Execution of Work (Give details on contribution of each			

The partners of J.V. should satisfy the qualification criteria as below,

- a. The Lead Partner must meet at least 50% requirement of technical and financial eligibility criteria required for the bid.
 - b. The other partner(s) must meet at least 25% requirement of technical and financial eligibility criteria required for the bid.
 - c. The lead partner and the other partners should together meet 100% of all the eligibility criteria required for the bid.
- 8 For meeting the minimum qualification criteria of experience of similar nature work, every partner can have experience of different works as defined in similar nature works and together should have the experience of all types of works described in similar nature works.

ANNEXURE-H

(See clause 12 of Section 2 ITB & clause 4 of GCC)

ORGANIZATIONAL DETAILS

(To be enclosed with technical proposal)

S.N.	Particulars	Details
1.	Registration No. issued by centralized registration system of Govt. of MP or proof of application for registration	(If applicable, scanned copy of proof of application for registration to be uploaded)
2.	Valid registration of Bidder in appropriate class through centralized registration of Govt. of MP Registration no..... date.....	(Scanned copy of Registration to be uploaded)
3.	Name of Organization/ Individual	
4.	Entity of Organization Individual/Proprietary Firm/Partnership Firm (Registered under Partnership Act)/ Limited Company (Registered under the Companies Act-1956)/ Corporation	
5.	Address of Communication	
6.	Telephone Number with STD Code	
7.	Fax Number with STD Code	
8.	Mobile Number	
9.	E-mail Address for all communications	
	Details of Authorized Representative	
10.	Name	
11.	Designation	
12.	Postal Address	
13.	Telephone Number with STD Code	
14.	Fax Number with STD Code	
15.	Mobile Number	
16.	E-mail Address	
17.	GST NO.	

Note: *In case of partnership firm and limited company certified copy of partnership deed/ Articles of Association and Memorandum of Association along with registration certificate of the company shall have to be enclosed.*

Signature of Bidder with Seal

Date:

Annexure – I

(See clause 14 of Section 2 of ITB)

Envelope – B, Technical Proposal

Technical Proposal shall comprise the following documents:

S.N.	Particulars to be submitted	Format
1.	Financial and Physical Experience	(Format: I - 1)
2.	Annual Turnover	(Format: I - 2)
3.	List of technical personnel for the key positions	(Format: I - 3)
4.	List of Key equipment's/ machine/s quality control labs	(Format: I - 4)
5.	List of Key equipment's/ Machines for Construction Work.	(Format: I - 5)

Note:

1. Technical Proposal should be uploaded duly page numbered and indexed.
2. Technical Proposal should be uploaded otherwise will not be considered

Annexure – I (Format: I - 1)

(See clause 14 of Section 2 of ITB)

FINANCIAL & PHYSICAL EXPERIENCE DETAILS

Annexure – I (Format: I - 2)

(See clause 14 of Section 2 of ITB)

ANNUAL TURN OVER

Requirements:

Average annual construction turnover for the construction works to be provided in the following format for the last 3 financial years;

Financial Information			
Financial Year	2016-17	2017-18	2018-19
Annual Turnover (in INR)			
AVERAGE ANNUAL TURNOVER			
Note: i. Annual turnover of construction works should be certified by chartered accountant. Mandatory Supporting Documents: ii. Audited balance sheet including all related notes and income statements for the above financial years to be enclosed.			

Annexure – I (Format: I - 3)

(See clause 14 of Section 2 of ITB)

LIST OF TECHNICAL PERSONNEL FOR THE KEY POSITIONS

Contractor will have to appoint the following key personnel during the execution and entire contract period.

The qualification and experience requirements are as under.

S.N.	Details	Required nos.
1.	Project Engineer/ Billing Engineer with Degree/ Diploma in Civil Engineering having minimum 5 years of relevant experience.	1

Annexure – I (Format: I - 4)

(See clause 14 of Section 2 of ITB)

List of Key Equipment/ Machines for Quality Control Labs

Annexure – I (Format: I - 5)

(See clause 14 of Section 2 of ITB)

LIST OF EQUIPMENTS / MACHINES FOR CONSTRUCTION WORK

FINANCIAL BID
(TO BE CONTAINED IN ENVELOPE C)

NAME OF WORK: _____
(Name of the work as appearing in the bid for the work)

I/We do hereby BID to execution of the above work within the time specified at the rate (In figures) _____ (In words) _____ percent below / above or at par based on the Bill of Quantities and item wise rates given therein in all respects and in accordance with the specifications, designs, drawings and instructions in writing in all respects in accordance with such conditions so far as applicable.

I/We have visited the site of work and am/are fully aware of all the difficulties and conditions likely to affect carrying out the work. I/We have fully acquainted myself/ourselves about the conditions in regard to accessibility of site and quarries/ kilns, nature and the extent of ground, working conditions including stacking of materials, installation of tools and plant conditions effecting accommodation and movement of labour etc. required for the satisfactory execution of contract.

Should this bid be accepted, I/We hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so far as applicable, or in default thereof to forfeit and pay to the Executive Director, Indore Smart City Development Limited, Indore or his successors in office the sums of money mentioned in the said conditions.

Note:

- i. *Only one rate of percentage above or below or at par based on the Bill of Quantities and item wise rates given therein shall be quoted.*
- ii. *Percentage shall be quoted in figures as well as in words. If any difference in figures and words is found lower of the two shall be taken as valid and correct rate. If the bidder is not ready to accept such valid and correct rate and declines to furnish performance security and sign the agreement his earnest money deposit shall be forfeited.*
- iii. *In case the percentage "above" or "below" is not given by a bidder, his bid shall be treated as non-responsive.*
- iv. *All duties, taxes, and other levies payable by the bidder shall be included in the percentage quoted by the bidder. **GST shall be paid extra as per Prevailing rates.***

Signature of Bidder
Name of Bidder

The above bid is hereby accepted by me on behalf of the Executive Director, Indore Smart City Development Limited, Indore dated the _____ day of _____ 20__

Signature of Officer by whom accepted

MATERIALS TO BE ISSUED BY THE DEPARTMENT

S.No	Name of material	Rate (Issue rate)	Unit	Remarks

DELETED

Annexure – L
(See clause 21 of Section 2 of ITB)

No. _____

Dated: _____

LETTER OF ACCEPTANCE (LOA)

M/s. _____

(Name and address of the contractor)

Subject: _____
(Name of the work as appearing in the bid for the work)

Dear Sir (s),

Your bid for the work mentioned above has been accepted on behalf of the (Name of ULB), at your bided offer as per scope of work given therein. You are requested to submit within 15 (Fifteen) days from the date of issue of this letter:

a. The performance security/ performance guarantee of Rs. _____ (in figures) Rupees _____ (in words only). The performance security shall be in the shape of term deposit receipt/ bank guarantee of any nationalized / schedule commercial bank.

b. Sign the contract agreement.

Please note that the time allowed for carrying out the work as entered in the bid is _____ months including/excluding rainy season, shall be reckoned from the date of signing the contract agreement.

Signing the contract agreement shall be reckoned as intimation to commencement of work and no separate letter for commencement of work is required. Therefore, after signing of the agreement, you are directed to contact Engineer-in-charge for taking the possession of site and necessary instructions to start the work.

Yours faithfully,

Chief Executive Officer
Indore Smart City Development, Indore

PERFORMANCE SECURITY

To _____ [Name of Employer]

_____ [Address of Employer]

WHEREAS _____ [name and Address of Contractor] (Hereinafter called "the Contractor") has undertaken, in pursuance of Letter of Acceptance No. _____ Dated _____ to execute _____ [Name of Contract and brief description of works] (herein after called "the Contract").

AND WHEREAS it has been stipulated by you in the said Contract that the contractor shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligation in accordance with the contract;

AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee:

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you on behalf of the Contractor, up to a total of _____ [amount of Guarantee]* _____ (in words), such sum being payable in the types and proportions of currencies in which the contract price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of _____ [amount of Guarantee] as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the contractor before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract of the Works to be performed there under or of any of the Contract documents which may be made between you and the Contractor shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any such change, addition or modification.

This guarantee shall be valid till issue of physical completion certificate.

Signature, Name and Seal of the Guarantor _____

Name of Bank _____

Address _____

Phone No., Fax No., E-mail Address, of Signing

Authority _____

Date _____

** An amount shall be inserted by the Guarantor, representing the percentage the Contract Price specified in the Contract including additional security for unbalanced Bids, if any and denominated in Indian Rupees.*

SECTION 3
Conditions of Contract

Part – I General Conditions of Contract [GCC]

Table of Clauses of GCC

Clause No.	Particulars	Clause No.	Particulars
	A. General	21	Payments for Variations and / or Extra Quantities
1	Definitions		
2	Interpretations and Documents	22	No compensation for alterations in or restriction of work to be carried out.
3	Language and Law	23	No Interest payable
4	Communications	24	Recovery from Contractors
5	Subcontracting	25	Tax
6	Personnel	26	Check Measurements
7	Force Majeure	27	Termination by Engineer in charge
8	Contractor's Risks	28	Payment upon Termination
9	Liability For Accidents To Person	29	Performance Security
10	Contractor to Construct the Works	30	Security Deposit
11	Discoveries	31	Price Adjustment
12	Dispute Resolution System	32	Mobilization and Construction Machinery Advance
	B. Time Control	33	Secured Advance
13	Programme	34	Payment certificates
14	Extension of Time		E. Finishing the Contract
15	Compensation for Delay	35	Completion Certificate
16	Contractor's Quoted percentage	36	Final Account
	C. Quality Control		F. Other Conditions of Contract
17	Tests	37	Currencies
18	Correction of Defects noticed	38	Labour
	D. Cost Control	39	Compliance with Labour Regulations Defect Liability Period
19	Variations - Change in original	40	Audit and Technical
20	Extra Items	41	Deaths and Permanent Invalidity of Specifications, Designs, Drawings etc. Contractor
		42	Jurisdiction

A. General

1. DEFINITIONS

- 1.1 **"Bill of Quantities"** means the priced and completed Bill of Quantities forming part of the Bid.
- 1.2 **"Chief Executive Officer"** means the Chief executive officer as defined under the relevant section of the article of association;
- 1.3 **"Completion"** means completion of the work as certified by the Engineer-in-Charge, in accordance with provisions of agreement.
- 1.4 **"Contract"** means the Contract between the Employer and the Contractor to execute, complete and/or maintain the work. Agreement is synonym of Contract and carries the same meaning wherever used.
- 1.5 **"Contract Data Sheet"** means the documents and other information which comprise of the Contract.
- 1.6 **"Contractor"** means a person or legal entity whose bid to carry out the work has been accepted by the Employer.
- 1.7 **"Contractor's bid"** means the completed bid document submitted by the Contractor to the Employer.
- 1.8 **"Contract amount"** means the amount of contract worked out on the basis of accepted bid.
- 1.9 **"Completion of work"** means completion of the entire contracted work. Exhaustion of quantity of any particular item mentioned in the bid document shall not imply completion of work or any component thereof.
- 1.10 **"Day"** means the calendar day.
- 1.11 **"Defect"** means any part of the work not completed in accordance with the specifications included in the contract.
- 1.12 **"Drawings"** means drawings including calculations and other information provided or approved by the Engineer-in-Charge.
- 1.13 **"Department"** means Indore Smart City Development Limited, Indore as the case may be.
- 1.14 **"Employer"** means the party as defined in the Contract Data, who employs the Contractor to carry out the work. The employer may delegate any or all functions to a person or body nominated by him for specified functions. The word Employer/Government/Department wherever used denote the Employer.
- 1.15 **"Engineer"** means the person named in contract data sheet.
- 1.16 **"Engineer in charge"** means the person named in the contract data.
- 1.17 **"Equipment"** means the Contractor's machinery and vehicles brought temporarily to the Site for execution of work.
- 1.18 **"Executive Director"** means the executive director of the Board as appointed under the provision of the article of association;
- 1.19 **"Government"** means Government of Madhya Pradesh.
- 1.20 **"In Writing"** means communicated in written form and delivered against receipt.
- 1.21 **"Material"** means all supplies including consumables used by the Contractor for incorporation in the work.
- 1.22 **"Stipulated date of completion"** means the date on which the Contractor is required to complete the work. The stipulated date is specified in the Contract Data.
- 1.23 **"Specification"** means the specification of the work included in the Contract and any modification or addition made or approved by the Engineer-in-Charge.
- 1.24 **"Start Date"** means the date 14 days after the signing of agreement for the work. However, the employer may extend this time limit by another 14 days, as and when required.
- 1.25 **"Sub-Contractor"** means a person or corporate body who has a Contract (duly authorized by the employer) with the Contractor to carry out a part of the construction work under the Contract.

1.26 “Temporary Work” means work designed, constructed, installed, and removed by the Contractor that are needed for construction or installation of the work.

1.27 “Tender/ Bid, Tenderer/ Bidder” are the synonyms and carry the same meaning where ever used.

1.28 “Variation ”means any change in the work which is instructed or approved as variation under this contract.

1.29 “Work” the expression **"work" or "works"** where used in these conditions shall unless there be something either in the subject or context repugnant to such construction, be construed and taken to mean the work by virtue of contract, contracted to be executed, whether temporary or permanent and whether original, altered, substituted or additional.

2. INTERPRETATIONS AND DOCUMENTS

2.1 Interpretations: In the contract, except where the context requires otherwise:

- a. words indicating one gender include all genders;
- b. words indicating the singular also include the plural and vice versa.
- c. provisions including the word “agree”, “agreed” or “agreement” require the agreement to be recorded in writing;
- d. written” or “in writing” means hand-written, type-written, printed or electronically made, and resulting in a permanent record;

2.2 Documents Forming Part of Contract:

1. NIT with all amendments.
2. Instructions to Bidders
3. Conditions of Contract:
 - i. Part I General Conditions of Contract and Contract Data; with all Annexures
 - ii. Part II Special Conditions of Contract.
4. Specifications
5. Drawings
6. Bill of Quantities
7. Technical and Financial Bid
8. Agreement
9. Any other document (s), as specified.

3. Language and Law

The language of the Contract and the law governing the Contract are stated in the Contract Data.

4. Communications

All certificates, notice or instruction to be given to the Contractor by Employer/Engineer shall be sent on the address or contact details given by the Contractor in [Annexure H of ITB]. The address and contract details for communication with the Employer/Engineer shall be as per the details given in Contract Data Sheet. Communication between parties that are referred to in the conditions shall be in writing. The notice sent by facsimile (fax) or other electronic means (email) shall also be effective on confirmation of the transmission. The notice sent by registered post or speed post shall be effective on delivery or at the expiry of the normal delivery period as undertaken by the postal service. In case of any change in address for communication, the same shall be immediately notified to Engineer-in-Charge

5. Subcontracting

Subcontracting shall be permitted for contracts value more than amount specified in the Contract Data with following conditions.

- a. The Contractor may subcontract up to 25 percent of the contract price, only with and after the approval of the Employer in writing, but will not assign the Contract. Subcontracting shall not alter the Contractor's obligations.
- b. The following shall not form part of the sub-contracting:
 - i. hiring of labour through a labour contractor,
 - ii. hiring of plant & machinery
- c. The sub-contractor will have to be registered in the appropriate category in the centralized registration system for contractors of the GoMP.

6. Personnel

- 6.1 The Contractor shall employ for the construction work and routine maintenance the technical personnel as provided in the Annexure I-3 of Bid Data sheet, if applicable. If the Contractor fails to deploy required number of technical staff, recovery as specified in the Contract Data will be made from the Contractor.
- 6.2 If the Engineer asks the Contractor to remove a person who is a member of the Contractor's staff or work force, stating the reasons, the Contractor shall ensure that the person leaves the Site within three days and has no further connection with the Works in the Contract.

7. Force Majeure

- 7.1 The term "Force Majeure" means an exceptional event or circumstance:
 - a) Which is beyond a party's control,
 - b) Which such party could not reasonably have provided against before entering into the contract,
 - c) Which, having arisen, such party could not reasonably have avoided or overcome, and
 - d) Which is not substantially attributed to the other Party

Force Majeure may include, but is not limited to, exceptional events or circumstances of the kind listed below, so long as conditions (a) to (d) above are satisfied:

- (i) War, hostilities (whether war be declared or not), invasion, act of foreign enemies),
 - (ii) Rebellion, terrorism, sabotage by persons other than the contractor's Personnel, revolution, insurrection, military or usurped power, or civil war,
 - (iii) Riot, commotion, disorder, strike or lockout by persons other than the Contractor's Personnel,
 - (iv) Munitions of war, explosive materials, ionizing radiation or contamination by radio activity, except as may be attributed to the Contractor's use of such munitions, explosives, radiation or radio activity, and
 - (v) Natural catastrophes such as earthquake, hurricane, typhoon or volcanic activity,
- 7.2 In the event of either party being rendered unable by force majeure to perform any duty or discharge any responsibility arising out of the contract, the relative obligation of the party affected by such force majeure shall upon notification to the other party be suspended for the period during which force majeure event lasts. The cost and loss sustained by either party shall be borne by respective parties.
- 7.3 For the period of extension granted to the Contractor due to Force Majeure the price adjustment clause shall apply but the penalty clause shall not apply. It is clarified that this sub clause shall not give eligibility for price adjustment to contracts which are otherwise not subject to the benefit of Price adjustment clause.
- 7.4 The time for performance of the relative obligation suspended by the force majeure shall stand extended by the period for which such cause lasts. Should the delay caused by force majeure exceed twelve

months, the parties to the contract shall be at liberty to foreclose the contract after holding mutual discussions.

8. Contractor's Risks

- 8.1 All risks of loss of or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract are the responsibility of the Contractor.
- 8.2 All risks and consequences arising from the inaccuracies or falseness of the documents and/or information submitted by the contractor shall be the responsibility of the Contractor alone, notwithstanding the fact that designs/drawings or other documents have been approved by the department.

9. Liability for Accidents to Person

The contractor shall be deemed to have indemnified and saved harmless the Government and/or the employer, against all action, suits, claims, demands, costs etc. arising in connection with injuries suffered by any persons employed by the contractor or his subcontractor for the works whether under the General law or under workman's compensation Act, or any other statute in force at the time of dealing with the question of the liability of employees for the injuries suffered by employees and to have taken steps properly to ensure against any claim there under.

10. Contractor to Construct the Works

- 10.1 The Contractor shall construct, install and maintain the Works in accordance with the Specifications and Drawings as specified in the Contract Data
- 10.2 In the case of any class of work for which there is no such specification as is mentioned in contract Data, such work shall be carried out in accordance with the instructions and requirement of the Engineer-in-charge.
- 10.3 The contractor shall supply and take upon himself the entire responsibility of the sufficiency of the scaffolding, timbering, Machinery, tools implement and generally of all means used for the fulfillment of this contract whether such means may or may not approved of or recommended by the Engineer.

11. Discoveries

Anything of historical or other interest or of significant value unexpectedly discovered on the Site shall be the property of the Employer. The Contractor shall notify the Engineer of such discoveries and carry out the Engineer's instructions for dealing with them.

12. Dispute Resolution System

- 12.1 No dispute can be raised except before the Competent Authority as defined in Contract data in writing giving full description and grounds of Dispute. It is clarified that merely recording protest while accepting measurement and/or payment shall not be taken as raising a dispute.
- 12.2 No issue of dispute can be raised after 45 days of its occurrence. Any dispute raised after expiry of 45 days of its first occurrence shall not be entertained and the Employer shall not be liable for claims arising out of such disputes.
- 12.3 The Competent Authority shall decide the matter within 45 days.
- 12.4 Appeal against the order of the Competent Authority can be preferred within 30 days to the Appellate Authority as defined in the Contract data. The Appellate Authority shall decide the dispute within 45 days.
- 12.5 Appeal against the order of the Appellate Authority can be preferred before the Madhya Pradesh Arbitration Tribunal constituted under Madhya Pradesh Madhyastham Adhikaran Adhiniyam, 1983.
- 12.6 The contractor shall have to continue execution of the works with due diligence notwithstanding pendency of a dispute before any authority or forum.

B. Time Control

13. Programme

- 13.1 Within the time stated in the Contract Data, the Contractor shall submit to the Engineer for approval a Programme showing the general methods, arrangements, order, and timing for all the activities in the Works for the construction of works.
- 13.2 The program shall be supported with all the details regarding key personnel, equipment and machinery proposed to be deployed on the works for its execution. The contractor shall submit the list of equipment and machinery being brought to site, the list of key personnel being deployed, the list of machinery/equipment's being placed in field laboratory and the location of field laboratory along with the Programme
- 13.3 An update of the Programme shall be a Programme showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining Works, including any changes to the sequence of the activities.
- 13.4 The Contractor shall submit to the Engineer for approval an updated Programme at intervals no longer than the period stated in the Contract Data. If the Contractor does not submit an updated Programme within this period, the Engineer may withhold the amount stated in the Contract Data from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Programme has been submitted.
- 13.5 The Engineer's approval of the Programme shall not alter the Contractor's obligations

14. Extension of Time

- 14.1 If the Contractor desires an extension of time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other grounds, he shall apply, in writing, to the Engineer-in-charge, on account of which he desires such extension. Engineer-in-charge shall forward the aforesaid application to the competent authority as prescribed.
- 14.2 The competent authority shall grant such extension at each such occasion within a period of 30 days of receipt of application from contractor and shall not wait for finality of work. Such extensions shall be granted in accordance with provisions under clause- 15 of this agreement.
- 14.3 In case of the work already in progress, the contractor shall proceed with the execution of the works, including maintenance thereof, pending receipt of the decision of the competent authority as aforesaid with all due diligence.

15. Compensation for delay

- 15.1 The time allowed for carrying out the work, as entered in the agreement, shall be strictly observed by the Contractor.
- 15.2 The time allowed for execution of the contract shall commence from the date of signing of the agreement. It is clarified that the need for issue of work order is dispensed with.
- 15.3 In the event milestones are laid down in the Contract Data for execution of the works, the contractor shall have to ensure strict adherence to the same.
- 15.4 Failure of the Contractor to adhere to the timelines and/or milestones shall attract such liquidated damages as is laid down in the Contract Data
- 15.5 In the event of delay in execution of the works as per the timelines mentioned in the contract data the Engineer-in-charge shall retain from the bills of the Contractor Amount equal to the liquidated damages leviable until the contractor makes such delays good. However, the Engineer-in-charge shall accept bankable security in lieu of retaining such amount.
- 15.6 If the contractor is given extension of time after liquidated damages have been paid, the engineer in charge shall correct any over payment of liquidated damages by the Contractor in the next payment certificate.

- 15.7 In the event the contractor fails to make good the delay until completion of the stipulated contract period (including extension of time) the sum so retained shall be adjusted against liquidated damages levied.

16. Contractor's quoted percentage

The contractor's quoted percentage rate referred to in the "Bid for works" will be deducted/ added from/to the net amount of the bill after deducting the cost of material supplied by the department.

C. Quality Control

17. Tests

17.1 The Contractor shall be responsible for:

- a. Carrying out the tests prescribed in specifications, and
- b. For the correctness of the test results, whether preformed in his laboratory or elsewhere.

17.2 The contractor shall have to establish field laboratory within the time specified and having such equipment's as are specified in the Contract Data.

17.3 Failure of the contractor to establish laboratory shall attract such penalty as is specified in the Contract Data.

17.4 Ten percent of the mandatory tests prescribed under the specifications shall be got carried out through Laboratories accredited by National Accreditation Board of Laboratories (NABL) by the Engineer-In – Charge and the cost of the such testing shall be deducted from the payments due to Contractor.

18. Correction of Defects noticed during the Defect Liability Period

18.1 The defect liability period of work in the contract shall be the Contract Data

18.2 The Contractor shall promptly rectify all defects pointed out by the Engineer well before the end of the Defect Liability Period. The Defect Liability Period shall automatically stand extended until the defect is rectified.

18.3 If the Contractor has not corrected a Defect pertaining to the Defect Liability Period to the satisfaction of the Engineer, within the time specified by the Engineer, the Engineer will assess the cost of having the Defect corrected, and the cost of correction of the Defect shall be recovered from the Performance Security or any amount due or that may become due to the contractor and other available securities.

D. Cost Control

19. Variations - Change in original Specifications, Designs, Drawings etc.

19.1 The Engineer in charge shall have power to make any alterations, omissions or additions to or substitutions for the original specifications, drawings, designs and instructions, that may appear to him to be necessary during the progress of the work and the contractor shall carry out the work in accordance with any instructions which may be given to him in writing signed by the Employer, and such alterations, omission, additions or substitutions shall not invalidate the contract and any altered, additional or substituted work, which the contractor may be directed to do in the manner above specified, as part of the work, shall be carried out by the contractor on the same conditions in all respects on which he agree to do the main work.

19.2 The time for the completion of the work shall be extended in the proportion that the altered, additional or substituted work bears to the original contract work and the certificate of the Engineer in charge shall be conclusive as to such proportion.

20. Extra items

20.1 All such items which are not in the priced BOQ and UADD SOR VOL-I TO IV shall be treated as extra items.

21. Payments for Variations and/ or Extra Quantities

21.1 The rates for the additional (Extra Quantities), altered or substituted work/ extra items under this clause shall be worked out in accordance with the following provisions in their respective order: -

- a. The contractor is bound to carry out the additional (Extra quantity), work at the same rates as are specified in the contract for the work.
- b. If the item is not in the priced BOQ and is included in the SOR of the department, the rate shall be arrived at by applying the quoted tender percentage on the SOR rate.
- c. If the rates of the altered or substituted work are not provided in applicable SOR-such rates will be derived from the rates for a similar class (type) of work as is provided in the contract (priced BOQ) for the work.
- d. If the rates are for the altered, substituted work cannot be determined in the manner specified in the sub clause (c) above-then the rates for such composite work item shall be worked out on the basis of the concerned schedule of rates minus/plus the percentage quoted by the contractor.
- e. If the rates of a particular part or parts of the item is not in the schedule of rates and the rates for the altered, or substituted work item cannot be determined in the manner specified in sub clause (b) to (d) above, the rate for such part or parts will be determined by the Competent Authority as defined in the Contract data on the basis of the rate analysis derived out of prevailing market rates when the work was done.
- f. But under no circumstances, the contractor shall suspend the work on the plea of non-acceptability of rates on items falling under sub clause (a) to (d). In case the contractor does not accept the rate approved by Engineer in charge for a particular item, the contractor shall continue to carry out the item at the rates determined by the Competent Authority. The decision on the final rates payable shall be arrived at through the dispute settlement procedure.

22. No compensation for alterations in or restriction of work to be carried out.

22.1 If at any time after the commencement of the work, the Government, for any reason whatsoever, not require the whole or any part of the work as specified in the bid to be carried out, the Engineer in charge shall give notice in writing of the fact to the Contractor and withdraw that whole or any part of the work.

22.2 The Contractor shall have no claim to any payments or compensation whatsoever, on account of any profit or advantage which he might have derived from the execution of work in full or on account of any loss incurred for idle men and machinery due to any alteration or restriction of work for whatsoever reason.

22.3 The Engineer in charge may supplement the work by engaging another agency to execute such portion of the work, without prejudice to his rights.

23. No Interest Payable

No interest shall be payable to the Contractor on any payment due or awarded by any authority.

24. Recovery from Contractors

Whenever any claim against the Contractor for the payment arises under the contract, the Department shall be entitled to recover such sum by:

- a) Appropriating, in part or whole of the Performance Security and additional Performance Security, if any; and/or Security deposit and/or any sums payable under the contract to the contractor.

- b) If the amount recovered in accordance with (a) above is not sufficient, the balance sum may be recovered from any payment due to the contractor under any other contractor of the department, including the securities which become due for release.
- c) The department shall, further have an additional right to effect recoveries as arrears of land revenue under the M.P. Land revenue Code.

25. Tax

- 25.1 The rates quoted by the Contractor shall be deemed to be inclusive of the sales and other levies, duties, cess, toll, taxes of Central and State Governments, local bodies and authorities. **GST shall be paid extra as per prevailing rates.** But the rates shall be excluding excise duty exemption on pipes as per Norms
- 25.2 The liability, if any, on account of quarry fees, royalties, octroi and any other taxes and duties in respect of materials actually consumed on public work, shall be borne by the Contractor. Any Changes in the taxes due to change in legislation or for any other reason shall not be payable to the contractor.

26. Check Measurements

- 26.1 The department reserves to itself the right to prescribe a scale of check measurement of work in general or specific scale for specific works or by other special orders.
- 26.2 Checking of measurement by superior officer shall supersede measurements by subordinate officer(s), and the former will become the basis of the payment.
- 26.3 Any over/excess payments detected, as a result of such check measurement or otherwise at any stage up to the date of completion of the defect liability period specified in this contract, shall be recoverable from the Contractor, as per clause 24 above.

27. Termination by Engineer in Charge

- 27.1 If the contractor fails to carry out any obligation under the Contract, the Engineer in charge may by notice require the Contractor to make good the failure and to remedy it within a specified reasonable time.
- 27.2 The Engineer in charge shall be entitled to terminate the contract if the Contractor
 - a. Abandons the works or otherwise plainly demonstrates the intention not to continue performance of his obligations under the contract;
 - b. the Contractor is declared as bankrupt or goes into liquidation other than for approved reconstruction or amalgamation;
 - c. without reasonable excuse fails to comply with the notice to correct a particular defect within a reasonable period of time;
 - d. the Contractor does not maintain a valid instrument of financial Security, as prescribed;
 - e. the Contractor has delayed the completion of the Works by such duration for which the maximum amount of liquidated damages is recoverable;
 - f. If the Contractor fails to deploy machinery and equipment or personnel or set up a field laboratory as specified in the Contract Data.
 - g. if the Contractor, in judgment of the engineer in charge has engaged in corrupt or fraudulent practices in competing for or in executing the contract;
 - h. Any other fundamental breaches as specified in the Contract Data.
- 27.3 In any of these events or circumstances, the engineer in charge may, upon giving 14 days' notice to the contractor, terminate the contract and expel the Contractor from the site. However, in the case of sub paragraph (b) or (g) of clause 27.2, the Engineer in charge may terminate the contract immediately.
- 27.4 Notwithstanding the above, the Engineer in charge may terminate the contract for convenience by giving notice to the contractor.

28. Payment upon Termination

- 28.1 If the contract is terminated under clause 27.3, the Engineer shall issue a certificate for value of the work accepted on final measurements, less advance payments and penalty as indicated in the Contract Data. The amount so arrived at shall be determined by the Engineer-in-charge and shall be final and binding on both the parties.
- 28.2 Payment on termination under clause 27.4 above, the Engineer shall issue a certificate for the value of the work done, the reasonable cost of removal of Equipment, repatriation of the contractor's personnel employed solely on the works, and the contractor's costs of protecting and securing the works and less advance payments received up to the date of the certificate, less other recoveries due in terms of the contract and less taxes due to be deducted at source as per applicable law.
- 28.3 If the total amount due to the Employer exceeds any payment due to the Contractor, the difference shall be recovered as per clause 24 above.

29. Performance Security

The Contractor shall have to submit performance security and additional performance security, if any, as specified in Bid data sheet at the time of signing of the contract. The contractor shall have to ensure that such performance security and Additional performance, if any, security remains valid for the period as specified in the Contract data.

30. Security Deposit

- 30.1 Security deposit shall be deducted from each running bill at the rate as specified in the contract data. The total amount of security deposit so deducted shall not exceed the percentage of contract price specified in the Contract data.
- 30.2 The Security may be replaced by equivalent amount of bank guarantee or fixed deposit receipt assigned to the Employer, with validity up to 3(three) months beyond the completion of defect Liability Period/ Extended Defect Liability Period.
- 30.3 The Security deposit shall be refunded on completion of defect liability period.

31. Price Adjustment

31.1 Applicability

1. Price adjustment shall be applicable only provided for in the contract data.
2. The price adjustment clause shall apply the works executed from the date of signing of the agreement until the end of the intended completion date or extensions granted for reasons
3. attributed to the Employer by Engineer The contractor shall not be entitled any benefit arising from the price adjustment clause for
4. extension in the contract period reasons attributed to the contractor. In the Force Majeure event price escalation clause shall apply.

31.2 Procedure

1. Contract price shall be adjusted for increase or decrease in rates and price of labour, materials, fuels and lubricants in accordance with following and procedures and as per formula given in the contract data.
 2. The price adjustable shall be determined from the formula given in the contract data.
 3. Following expression and meaning are assigned to done during each quarter:
R= Total value of work during the quarter include the amount of secured advance granted, if any, during the secured advance recovered, if any during 3 the quarter, less value of department, if any during the quarter. Weightages of various components they shall be as per the Contract Data.
- 31.3 To the extent that full compensation any rise or fall in costs to the contractor is not covered by the provisions of this or clauses in the contact, the unit rates and prices included in the contract shall be deemed amounts to cover the contingency of such other rise or fall in costs.

- 31.4 The index relevant to any quarter, for which such compensation is paid, shall be the arithmetical average of the indices relevant of the calendar month.
- 31.5 For the purpose of clarity it is pointed out that the adjustment may be either positive or negative, i.e. if the price adjustment is in favor the same shall be recovered from the sums payable to the Contractor.

32. Mobilization and Construction Machinery

- 32.1 Payment of advances shall be applicable if provided in Contract Data.
- 32.2 If applicable, the Engineer bearing advance payment to the contractor of the against provision by the contractor of an unconditional Bank in nationalized/Scheduled banks, in the name as stated in the in the advance payment. The Guarantee shall remain effective been repaid, but the amount of the guarantee shall be progressively repaid by the contractor.
- 32.3 The rate of interest shall be as per Contract data.
- 32.4 The construction machinery advance, if applicable, shall be limited to 80% of the cost of new construction machinery.
- 32.5 The advance shall be recovered as stated in the Contract data by deducting proportionate amounts from payment otherwise due to the Contractor. No account shall be taken of the advance payment or its recovery in assessing valuations of work done, variations, price adjustments, compensation events, or liquidated damages.

33. Secured Advance

- 33.1 Payment of secured advance shall be applicable if provided in Contract data.
- 33.2 If applicable, the Engineer shall make advance materials intended for but not yet incorporated in the works and against of an unconditional bank guarantee in a form and by a nationalized/scheduled name as stated in the contract data, in amounts equal to the guarantee shall remain effective until the advance payment has been of the guarantee shall be progressively reduced by the amounts adjusted contractor.
- 33.3 The amount of secured advance and conditions to be fulfilled shall be as stipulated in the Contract Data.
- 33.4 The secured advance paid shall be recovered as stated in the Contract data.

34. Payment Certificates

The payment to the contractor will be as follows for construction work:

- a. The contractor shall submit to the engineer monthly statement of the value of the work executed less the cumulative amount certified previously, supported with detailed measurement of the items of work executed.
- b. The engineer shall check the Contractor's monthly statement and certify the amount to be paid to the contractor.
- c. The value of work executed shall be determined, based on the measurements approved by the Engineer/ Engineer in charge.
- d. The value of work executed shall comprise the value of the quantities of the items in the Bill of quantities completed.
- e. The value of work executed shall also include the valuation of variations and compensation events.
- f. All payments shall be adjusted for deductions for advance payment, security deposit, other recoveries in terms of contract and taxes at source as applicable under the law.
- g. The Engineer may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.
- h. Payment of intermediate certificate shall be regarded as payments by way of advance against the final payment and not as payments for work actually done and completed.

- i. Intermediate payment shall not preclude the requiring of bad, unsound and imperfect or unskilled work to be removed and taken away and reconstructed or be considered as an admission of the due performance of the contractor any part thereof, in any respect or the occurring of any claim.
- j. The payment of final bill shall be governed by the provisions of clause 36 of GCC.

E. Finishing the Contract

35. Completion Certificate

- 35.1 A completion certificate in the prescribed format in Contract data shall be issued by the Engineer in charge after physical completion of the work.
- 35.2 After final payment to the contractor, a final completion certificate in the prescribed format in the contract data shall be issued by the Engineer in charge.

36. Final Account

- 36.1 The Contractor shall supply the Engineer with a detailed account of the total amount that the Contractor considers payable for works under the Contract within 21 days of issue of certificate of physical completion of works. The Engineer shall issue a Defects Liability Certificate and certify any payment that is due to the Contractor within 45 days of receiving the Contractor's account if it is correct and complete. If the account is not correct or complete, the Engineer shall issue within 45 days a schedule that states the scope of the corrections or additions that are necessary. If the Account is still unsatisfactory after it has been resubmitted, the matter shall be referred to the competent authority as defined in the Contract data, who shall decide on the amount payable to the contractor after hearing the Contractor and the Engineer in Charge.
- 36.2 In case the account is not received within 21 days of issue of Certificate of Completion as provided in clause 32.1 above, the Engineer shall proceed to finalize the account and issue a payment certificate within 28 days. G. Other Conditions of Contract.

F. Other Conditions of Contract

37. Currencies

All payments will be made in Indian Rupees.

38. Labour

- 38.1 The Contractor shall, unless otherwise provided in the Contract, make his own arrangements for the engagement of all staff and labour, local or other, and for their payment, housing, feeding and transport.
- 38.2 The Contractor shall, if required by the Engineer, deliver to the Engineer a return in detail, in such form and at such intervals as the Engineer may prescribe, showing the staff and the numbers of the several classes of labour from time to time employed by the Contractor on the Site and such other information as the Engineer may require.

39. COMPLIANCE WITH LABOUR REGULATIONS

- 39.1 During continuance of the Contract, the Contractor and his sub-Contractors shall abide at all times by all existing labour enactments and rules made there under, regulations, notifications and bye laws of the State or Central Government or local authority and any other labour law (including rules), regulations, bye laws that may be passed or notification that may be issued under any labour law in future either by the State or the Central Government or the local authority. Salient features of some of the major labour laws that are applicable to construction industry are given in the Contract data. The Contractor shall keep the Employer indemnified in case any action is taken against the Employer by the competent authority on account of contravention of any of the provisions of any Act or rules made there under, regulations or notifications including amendments. If the Employer is caused to pay or reimburse, such amounts as may be necessary to cause or observe, or for non-observance of the provisions

stipulated in the notifications/byelaws/Acts/Rules/ regulations including amendments, if any, on the part of the Contractor, the Engineer/Employer shall have the right to deduct any money due to the Contractor including his amount of performance security. The Employer/Engineer shall also have right to recover from the Contractor any sum required or estimated to be required for making good the loss or damage suffered by the Employer. The employees of the Contractor and the Sub-Contractor in no case shall be treated as the employees of the Employer at any point of time.

40. Audit and Technical examination

Government shall have the right to cause an audit and technical examination of the works and the final bill of the contract including all supporting vouchers, abstract etc. To be made after payment of the final bill and if as a result of such audit and technical examination nay sum is found to have been overpaid in respect of any work done by the contractor under the contract or nay work claimed by him to have been done under the contract and found not to, have been executed, the contractor shall be liable to refund the amount of overpayment and it shall be lawful for government to recover the same from him in the manner prescribed in clause 24 above and if it is found that the contractor was paid less than what was due to him, under the contract in respect of any work executed by him under it, the amount of such under payment shall be duly paid by government to the Contractor.

41. Death or permanent invalidity of contractor

During continuance of the contract, the contractor and his sub- contractors shall abide at all times by all existing labour enactments and rules made there under, regulations, notifications, and bye laws of the state or central government or local authority and any other labour law (including rules), regulations, bye laws that may be passed or notification that may be issued under any labour law in future either by the state or the major labour laws that are applicable to construction industry are given in the contract data. The contractor shall keep the employer indemnified in case any action is taken against the employer by the competent authority on account of contravention of any of the provisions of any Act or rules made their under, regulations or notifications including amendments. If the Employer is caused to pay or reimburse, such amounts as may be necessary to cause or observe, or for non-observance of the provisions stipulated in the notifications/bye laws/Acts/Rules regulations including amendments, if any, on the part of the contractor, the engineer/employer shall have the right to deduct from any money due to the contractor including his amount of performance of security. The employer/engineer shall also have right to recover from the contractor any sum required or estimated to be required for making good the loss or damage suffered by the employer. The employees of the contractor and the sub-contractor in no case shall be treated as the employees of the employer at any point of time.

42. Jurisdiction

This contract has been entered into the State of Madhya Pradesh and its validity, construction, interpretation and legal effect shall be subjected to the exclusive jurisdiction of the courts in Indore or of the courts at the place where this agreement is entered into. No other jurisdiction shall be applicable.

[End of GCC]

CONTRACT DATA SHEET

Clause Reference	Particulars	Data
1.14	Employer	Indore Smart City Development Limited, Indore
1.15	Engineer	Engineer as notified by employer
1.16	Engineer In Charge	Executive Engineer of ISCDL
1.22	Stipulated period of completion	6.0 Months
3	Language & Law of Contract	English and Indian Contract Act 1872
4	Address & contact details of the Contractor	As per "Annexure – "H"
	Address & contact details of the Employer/Engineer-phone, Fax, e-mail.	-
5	Subcontracting permitted for contract value	Not permitted
6	Technical Personnel to be provided by the contractor	As per 'Annexure-I' (Format I-3)
	Penalty, if required Technical personal not employed	Rs.25,000/- per month for Project engineer.
10	Specifications	As per "Annexure – E"
	Drawings	As per "Annexure – N"
12	Competent authority for deciding dispute under Dispute resolution system	Chief Executive Office, ISCDL, Indore
	Appellate Authority for deciding dispute under Dispute resolution system	Executive Director, ISCDL, Indore
13	Period of submission of updated construction program	7 Days
14	Competent authority for granting time permission	Executive Director, ISCDL, Indore
15	Milestones laid down for the contract	Yes
	If yes, details of milestone	As per "Annexure O"
	Liquidated damages	As per "Annexure P"
17	List of equipment for lab	-
	Time to establish	-
	Penalty for not establishing lab	-
18	Defects Liability Period	12 months after physical completion of the work.
21	Competent authority for determining the rate	Executive Director, ISCDL, Indore
27	Any other condition for breach of contract	-
28	Penalty	Penalty shall be recovered from a. Security deposit as per clause 30 of General Conditions of Contract; and b. Liquidated damages imposed as per clause 15 from performance security (Guarantee) including additional Performance Security (Guarantee), if any, as per clause 29 of General Conditions of

Clause Reference	Particulars	Data
		Contract, whichever is higher.
29	Performance guarantee (Security) shall be valid up to	Till completion of physical period as per Clause 35.1.
30	Security deposit to be deducted from each running bill	At the rate of 5%
	Maximum limit of deduction of Security Deposit	5% of final contract amount
31	Price adjustment formula and procedure to calculate	Not Applicable
31.1 (1)	Price adjustment shall be applicable	Not Applicable
32	32.1 Mobilization and Construction Machinery Advance applicable	No Mobilization Advance and Construction Machinery Advance payable
	32.2 If yes, unconditional Bank Guarantee	-
	32.3 If Yes Rate of Interest	-
	32.4 If Yes, Type and Amount that can be paid	-
	32.5 If Yes, Recovery of Payment	-
33	33.1 Secured Advance Payable	No Secured Advance Payable
	33.2 If Yes, Amount of Secured Advance	-
	33.3 If Yes, Conditions for Secured Advance	-
	33.4 If Yes, Recovery of Secured Advance	-
35	Completion Certificate – after physical completion of work	As per Annexure – U
	Final Completion Certificate – after final payment on completion of the work.	As per Annexure – V
39	Salient features of some of the major labour laws that are applicable	As per Annexure – W

(See clause 10 of Section 3 of GCC)

DRAWING

(Tentative General Arrangement Drawing Attached)

Annexure – O

(See clause 13 of Section 3 of GCC)

DETAILS OF MILESTONE

S. No.	Period	Financial Progress
1.	1.5 Months	25%
2.	3.0 Months	75%
3.	4.5 Months	75%
4.	6.0 Months	100%

COMPENSATION FOR DELAY

LIST OF EQUIPMENT FOR QUALITY CONTROL LAB

Price Adjustment
(Not Applicable)

Annexure – S

(See clause 32 of Section 3 of GCC)

BANK GUARANTEE FORM FOR MOBILIZATION AND CONSTRUCTION MACHINERY ADVANCE

(Not Applicable)

BANK GUARANTEE FORM FOR SECURED ADVANCE

(Not Applicable)

Annexure - U

(See clause 35 of section 3 -GCC)

Physical Completion Certificate

Name of Work:

Agreement No. _____ Date _____

Amount of Contract Rs _____

Name of Agency: _____

Used MB No.: _____

Last measurement recorded

a. Page No. & MB No.: _____

b. Date: _____

Certified that the above-mentioned work was physically completed on..... (Date) and taken over on..... (Date) and that I have satisfied myself to best of my ability that the work has been done properly.

Date of issue

Engineer

Final Completion Certificate

Name of Work:

Agreement No. _____ Date: _____

Name of Agency: _____

Used MB No. _____

Last Measurement recorded

a. Page No. & MB No. _____

b. Date _____

Certified that the above-mentioned work was physically completed
on _____ (date) and taken over on _____ (date).

Agreement amount Rs. _____

Final amount paid to contractor Rs. _____

Incumbency of officers for the work

I have satisfied myself to best of my ability that the work has been done properly.

Date of Issue: _____

Engineer in Charge _____

Indore Smart City Development Limited, Indore

Salient Features of Some Major Labour Laws Applicable

- (a) Workmen Compensation Act 1923: - The Act provides for compensation in case of injury by accident arising out of and during the course of employment.
- (b) Payment of Gratuity Act 1972: - Gratuity is payable to an employee under the Act on satisfaction of certain conditions on separation if an employee has completed the prescribed minimum years (say, five years) of service or more or on death the rate of prescribed minimum days'(say, 15 days) wages for every completed year of service. The Act is applicable to all establishments employing the prescribed minimum number (say, 10) or more employees.
- (c) Employees P.F. and Miscellaneous Provision Act 1952: The Act Provides for monthly contributions by the Employer plus workers at the rate prescribed (say, 10% or 8.33%). The benefits payable under the Act are:
 - i. Pension or family pension on retirement or death as the case may be. '
 - ii. Deposit linked insurance on the death in harness of the worker.
 - iii. Payment of P.F. accumulation on retirement/death etc.
- (d) Maternity Benefit Act 1951: - The Act provides for leave and some other benefits to women employees in case of confinement or miscarriage etc.
- (e) Contract Labour (Regulation & Abolition) Act 1970: - The Act provides for certain welfare measures to be provided by the Contractor to contract labour and in case the Contractor fails to provide, the same are required to be provided, by the Principal Employer by Law. The principal Employer is required to take Certificate of Registration and the Contractor is, required to take license from the designated Officer. The Act is applicable to the establishments or Contractor of Principal Employer if they employ prescribed minimum (say 20) or more contract labour.
- (f) Minimum Wages Act 1948: - The Employer is to pay not less than the Minimum Wages fixed by appropriate Government as per provisions of the Act if the employment is a scheduled employment. Construction of buildings, roads, runways is scheduled employment.
- (g) Payment of Wages Act 1936: - It lays down as to by what date the wages are to be paid, when it will be paid and what deductions can be made from the wages of the workers.
- (h) Equal Remuneration Act 1979: - The Act provides for payment of equal wages for work of equal nature to male and female workers and for not making discrimination against female employees in the matters of transfers, training and promotions etc.
- (i) Payment of Bonus Act 1965: - The Act is applicable to all establishments employing prescribed minimum (say, 20) or more workmen. The Act provides for payments of annual bonus 'within the prescribed range of percentage of wages to employees drawing up to the prescribed amount of wages, calculated in the prescribed manner. The Act does not apply to certain establishments. The newly set-up establishments are exempted for five years in certain circumstances. States may have different number of employment size.

- (j) Industrial Disputes Act 1947: - The Act lays down the machinery and procedure for resolution of industrial disputes, in what situations a strike or lock-out becomes illegal and what are the requirements for laying off or retrenching the employees or closing down the establishment.
- (k) Industrial Employment (Standing Orders) Act 1946: - It is applicable to all establishments employing prescribed minimum (say, 100, or 50). The Act provides for laying down rules governing the conditions of employment by the Employer on matters provided in the Act and gets these certified by the designated Authority.
- (l) Trade Unions Act 1926: - The Act lays down the procedure for registration of trade unions of workmen and Employers. The Trade Unions registered under the Act have been given certain immunities from civil and criminal liabilities.
- (m) Child Labour (Prohibition & Regulation) Act 1986: - The Act prohibits employment of children below 14 years of age in certain occupations and processes and provides for regulations for employment of children in all other occupations and processes. Employment of child labour is prohibited in building and construction industry.
- (n) Inter -State Migrant Workmen's (Regulation of Employment & Conditions of Service) Act 1979: - The Act is applicable to an establishment which employs prescribed minimum (say, five) or more inter-state migrant workmen through an intermediary (who has recruited workmen in one state for employment in the establishment situated in another state). The inter- State migrant workmen, in an establishment to which this Act becomes applicable, are required to be provided certain facilities such as Housing, Medical-Aid, Travelling expenses from home up to the establishment and back etc.
- (o) The Building and Other Construction workers (Regulation of Employment and Conditions of Service) Act 1996 and the Cess Act of 1996: - All the establishments who carry on any building or other construction work and employs the prescribed minimum (say, 10) or more workers are covered under this Act. All such establishments are required to pay cess at the rate not exceeding 2% of the cost of construction as. may be modified by the Government., The Employer of the establishment- is required to provide safety measures at the building or construction work and other welfare measures, such as canteens, first-aid facilities, ambulance, housing accommodations for workers near the-work place etc. The Employer to whom the Act applies has to obtain a registration certificate from the Registering Officer appointed by the Government.
- (p) Factories Act 1948: - The Act lays down the procedure for approval of plans before setting up a factory, health and safety provisions, welfare provisions, working hours, annual earned leave and rendering information regarding accidents or dangerous occurrences to designated authorities. it is applicable to premises employing the prescribed minimum (say, 10) persons or more with aid of power or another prescribed minimum (say, 20) or more persons without the aid of power engaged in manufacturing process.

Section 3

Conditions of Contract

Special Conditions of Contract [SCC] Part II (A)

Scope of Work (Contractor scope)

The Contractor shall:

1. Widening of Bridge

Survey including collection of hydrological data

Soil Investigation

Submitted the all reports to the department

Design as IS code/ Standard

Prepare Drawing

Design approval via third party (Government Engineering College etc.) and department (ISCDL).

Construction

Handing over

Prepare Drawing as per site.

2. Maintenance of Existing Bridge

Arrange the third-party inspection of existing Bridge.

Submitted the inspection report to the department.

Identify the component where maintenance is required.

Prepare the BOQ.

Take approval from department.

Repairing / Construction

And

- (a) Comply with all applicable safety regulations,
- (b) Take care for the safety of all persons entitled to be on the Site,
- (c) Use reasonable efforts to keep the Site and Works clear of unnecessary obstruction so as to avoid danger to the persons.
- (d) Provide fencing, lighting, guarding and watching of the Works until completion and taking over and
- (e) Provide any Temporary Works (including roadways, footways, guards and fences) which may be necessary, because of the execution of the Works, for the use and protection of the public and workers.

Not limiting to the above, the contractor shall also take care of the following

1. The site shall have to be sprinkled with water so that dust settles down. Dust control sprinkling shall have to be done several times a day during hot, dry weather depending on the site requirement.
2. Contractor shall ensure safe workplace and shall install safety signs.
3. Quantity of any item can be increased or decreased as per requirement of site condition.
4. If any item is not included in BOQ and required at site then payment will made as per MPUADD SOR vol 1 to 4 (10.05.2012) and amended up to date including quoted percentage.
5. If any item not covered in BOQ or in MPUADD SOR vol-1 to 4 then it will be paid as per Latest MPPWD SOR, CPWD SOR or as per approved rate analysis without any quoted percentage.

Special Conditions of Contract [SCC] Part II (B)

1. General

The data and information given in the Contract Document are based on the investigations, planning and designs carried out so far. The data considered for the project planning have been included in the bid documents. The Contractor shall, therefore, satisfy himself about the adequacy and accuracy of the said data/information and interpretation thereof and collect fresh data/additional data/information and carry out/conduct further investigations and studies and get the approval of same from the employer. The Employer shall not be responsible for the accuracy/adequacy of the data/information and interpretation thereof by the Contractor.

2. Sufficiency of Bid

- i. The Contractor shall be deemed to have visited and carefully examined the Project Site and its surrounding to have satisfied himself to the nature and conditions of the means of transport and communications, whether by land or air, as available at present and as to possible interruptions thereto including the access and regress conditions for the Site. The Contractor is also deemed to have made enquiries, examined and satisfied himself as to the sites source for obtaining sand, stones, bricks and other materials, the sites for disposal of surplus materials and accommodation for depots, colonies, workshops and other infrastructure facilities as may be necessary for executing and completing the Works, as also the sub-soil water and variations thereof, storms, prevailing winds, climatic conditions and all other similar matters affecting the works including law & order.
- ii. Any neglect or omission or failure on the part of the Contractor in obtaining necessary and reliable information upon the foregoing or any other matter affecting the Contract shall not relieve him from any risks or liabilities or the entire responsibility for the completion of the Works in accordance with the Contract.

3. Safety, Security and Protection of the Environment

- i. The contractor shall comply with all applicable national, provincial, and local environmental laws and regulations.
- ii. The Contractor shall take all measures and precautions to avoid any nuisance or disturbance arising from the execution of the Works. This shall wherever possible be achieved by suppression of the nuisance at source rather than abatement of the nuisance once generated.
- iii. The Contractor shall take all the necessary precautions and abide by relevant rules and regulations of safety which are presently in force and which may come into force during the currency of the contract.
- iv. The Contractor shall also take such other additional precautions and resort to such other additional safety measures as may be directed from time to time by the Engineer-in-charge. Violation of any rules, regulations and guidelines contained herein will entail immediate termination of the contract.
- v. In the event of any spoil, debris, waste or any deleterious substance from the Site being deposited on any adjacent land, the Contractor shall immediately remove all such material and restore the affected area to its original state to the satisfaction of the Employer.
- vi. The Contractor shall prevent any interference with the supply to or abstraction from, and prevent any pollution of, water resources (including underground percolating water) as a result of the execution of the Works.
- vii. The Contractor shall at all times ensure that all existing water courses / bodies within, and adjacent to the Site are kept safe and free from any debris and materials arising from the Works.
- viii. The Contractor shall devise and arrange methods of working to minimize dust, gaseous or other air-borne emissions and carry out the Works in such a manner as to minimize adverse impacts on air quality.
- ix. The Contractor shall utilize effective water sprays during delivery manufacture, processing and handling of materials when dust is likely to be created, and to dampen stored materials during dry and windy weather. Stockpiles of friable materials shall be covered with clean tarpaulins, with application of sprayed water during dry and windy weather. Stockpiles of material or debris shall be dampened prior to their movement, except where this is contrary to the Specification.
- x. In the event that the Contractor is permitted to use gravel or earth roads for haulage, he shall provide suitable measures

for dust palliation, if these are, in the opinion of the ISCDL officials necessary. Such measures may include spraying the road surface with water at regular intervals.

- xi. The Contractor shall take all necessary measures so that the operation of all mechanical equipment and construction processes on and off the Site shall not cause any unnecessary or excessive noise, taking into account applicable environmental requirements. The Contractor shall use all necessary measures and shall maintain all plant and silencing equipment in good condition so as to minimize the noise emission during construction works.
- xii. The Contractor shall control the disposal of all forms of waste generated by the construction operations and in all associated activities. No uncontrolled deposition or dumping shall be permitted. Wastes to be controlled shall include, but shall not be limited to, all forms of fuel and engine oils, all types of bitumen, cement, surplus aggregates, gravels, bituminous mixtures, etc. The Contractor shall make specific provision for the proper disposal of these and any other waste products, conforming to local regulations and acceptable to the Project Manager.
- xiii. The Contractor shall plan and provide for remedial measures to be implemented in the event of occurrence of emergencies such as spillages of oil or bitumen or chemicals.
- xiv. The Contractor shall provide the Employer with a statement of the measures he intends to implement in the event of such an emergency which shall include a statement of how he intends to provide personnel adequately trained to implement such measures.
- xv. Should any pollution arise from the Contractor's activities he shall clean up the affected area immediately at his own cost and to the satisfaction of the Project Manager, and shall pay full compensation to any affected party.

Note: - In addition to above contractor shall have to follow the instruction of IS codes for security and Safety (As per Handbook on construction And Safety Practices: SP 70: 2001)

4. Protection of Trees and Vegetation

The Contractor shall ensure that no trees or shrubs or waterside vegetation are felled or harmed except for those required to be cleared for execution of the Works. The Contractor shall protect trees and vegetation from damage to the satisfaction of the Employer. No tree shall be removed without the prior approval of the Employer and any competent authorities. Should the Contractor become aware during the period of the Contract that any tree or trees designated for clearance have cultural or religious significance he shall immediately inform the Employer and await his instructions before proceeding with clearance. In the event that trees or other vegetation not designated for clearance are damaged or destroyed, they shall be repaired or replaced to the satisfaction of the Employer, who shall also impose a penalty of twice the commercial value of any timber affected, as assessed by the Employer.

5. Water Supply

The Contractor shall make his own arrangements at his own expense for water supply for construction, sectional testing if any and other purposes.

6. Relations with Local Communities and Authorities

In setting and operating his plant and facilities and in executing the Works the Contractor shall at all- time bear in mind and to the extent practicable minimize the impact of his activities on existing communities. Where communities are likely to be affected by major activities such as road widening or laying of utility lines or the establishment of a camp, large borrow pit or haul road, he shall liaise closely with the concerned communities and their representatives and if so directed, shall attend meetings arranged by the Employer to resolve issues and minimize impacts on local communities.

7. Fire Prevention

The Contractor shall take all precautions necessary to ensure that no vegetation or property/ies along the line of the road outside the area of the permanent works is affected by fires arising from the execution of the Works. The Contractor shall obtain and follow any instructions of the competent authorities with respect to fire hazard when working in the vicinity of gas installations. Should a fire occur adjacent to the project road for any reason, the Contractor shall immediately suppress it. In the event of any other fire emergency in the vicinity of the Works the Contractor shall render assistance to the civil authorities to the best of his ability. Any scrub or plantation damaged by fire considered by the Employer to

have been initiated by the Contractor's staff or labour shall be replanted and otherwise restored to the satisfaction of the Employer at the Contractor's expense.

8. Interference with Traffic and Adjoining Properties

In case any operation connected with the works necessitates diversion, obstruction or closure of any road, waterway or any other right of way, the approval of respective competent authorities shall be obtained well in advance by the Contractor. In case the Contractor's operations obstruct access to adjacent properties, the Contractor shall be responsible to provide reasonable temporary access to the affected parties. In case the Contractor fails to provide adequate temporary facilities, this shall be deemed to be an Uncorrected Defect and the Employer shall have the right to engage a third party to correct the Defect and the cost of such correction will be deducted from the Contract Price.

9. Arrangement for Traffic during Construction

9.1 General

The Contractor shall at all times, carry out work on the City/Urban road in a manner creating least interference to the flow of traffic while consistent with the satisfactory execution of the same. For all works involving improvements to the existing urban road, the Contractor shall, in accordance with the directives of the Engineer as well as the Traffic Police, provide and maintain, during execution of the work, a passage for traffic either along a part of the existing carriageway under improvement or along a alternative diversion route. Before taking up any construction, the Contractor shall prepare a Traffic Management Plan for each road and submit it to the Engineer for prior approval. This plan should include inter alia:

Provision of traffic safety devises as per IRC: SP 55 with the following specifications:

- i. Signages of retro-reflective sheet of high intensity grade
- ii. Delineators in the form of cones/drums made of plastic/rubber having retro-reflective red and white bands, at a spacing of 5 m along with a reflective tape to be tied in between the gaps of cones/drums. A bulb preferably using solar energy is to be placed on the top of the cone/drum for delineation in the dark hours and night.
- iii. Barricades using iron sheet with adequate iron railing/frame painted with retro-reflective paint in the alternate yellow and black & white stripes. Warning lights at 5 m spacing shall be mounted on the barricades and kept lit in dark hours and night.
- iv. Road markings with hot applied thermoplastic paint with glass beads.
- v. Safety measures for the workers engaged including personal protection equipment
- vi. First aid and emergency response arrangements

9.2 Traffic Safety and Control

The Contractor shall keep the roadway under construction open to traffic and pedestrian movement with proper drainage arrangement and smooth surface condition. Suitable ingress and egress shall be provided as necessary for all intersecting roads and for all abutting properties. Its purpose shall be to protect people from associated hazards and to prevent trespassing into the construction zone.

The Contractor shall take all necessary measures for the safety of traffic during construction and provide, erect and maintain such barricades, including signs, marking, flags, lights, drums, traffic cones, delineators and flagmen as per the traffic management plan submitted by the Contractor and approved by the Engineer. An agreed phased programme for the diversion of traffic on the urban road shall be drawn up in prior consultation with the Engineer and the Traffic Police. The Contractor shall keep all signs in proper position, clean and legible at all times.

The barricades erected on either side of the carriageway/portion of the carriageway closed to traffic, shall be of strong design to resist violation, and painted with alternate black and white stripes. On each approach, at least two signs shall be put up, one close to the point where transition of carriageway begins and the other 120 m away. The signs shall be of approved design and of reflective type, as directed by the Engineer. Two persons with red / green flag and whistle to

be deputed at both ends of the barricades to regulate traffic. Red lanterns or warning lights of similar type shall be mounted on the barricades at night and kept lit throughout from sunset to sunrise.

At the points where traffic is to deviate from its normal path (whether on temporary diversion or part width of the carriageway) the channel for traffic shall be clearly marked with the aid of pavement markings, painted drums or a similar device to the directions of the Engineer. At night, the passage shall be delineated with lanterns or other suitable light source.

No material to project / spill beyond barricades.

This work item shall include all labour, equipment and services involved in the erection, maintenance, moving, adjusting, cleaning, relocating and storing of signs, barricades, drums, traffic cones and delineators furnished by the Contractor as well as all labour and equipment involved in the maintenance of traffic lanes and detours, for maintenance of traffic.

9.3 Maintenance of Diversions and Traffic Control Devices

Signs, lights, barriers and other traffic control devices, as well as the riding surface of diversions shall be maintained in a satisfactory condition till such time they are required and as directed by the Engineer. Such temporary ways shall be kept free of dust by frequent applications of water.

Examples of some barricading equipment are as below:



10. Transport of Contractor's Equipment or Temporary Works

Where the Contractor intends to use a particular route for the haulage of large quantities of materials he shall consult well in advance with any affected communities and submit in advance for the Employer's approval a plan including but not limited to the proposed route, the existing condition of the pavement and bridges, the estimated number and type of vehicle movements per day, a programme for monitoring the condition of the pavement and structures, and measures for limiting vehicle speeds and dust nuisance in built-up areas. The Employer reserves the right to disallow certain haul routes should these in his opinion cause or be likely to cause unreasonable nuisance or hazards to the public. The Employer's approval will not remove the Contractor's obligations under this Sub-Clause to prevent and repair damage to roads or his liability for compensation for any accidents caused by his vehicles.

11. Work in Monsoon and Dewatering

The execution of the work may entail working in the monsoon also. The contractor must maintain labour force as may be required for the job and plan and execute the construction and erection according to the prescribed schedule. No special/ extra rate will be considered for such work in monsoon. The contractor's rate shall be considered inclusive of cost of dewatering required if any and no extra rate shall be payable on this account.

12. Site Clearance

Before handing over the work to the Authority, the contractor shall remove all temporary structure like the site offices, cement godown, stores, labour hutments etc., scaffolding rubbish, left over materials tools and plants, equipments etc., clean and grade the site to the entire satisfaction of the Engineer-In-Charge. If this is not done the same will be got done by ISCDL at his risk and cost.

13. Site Documents

The following site documents shall mainly be maintained by the contractor at site:

- i. Copy of contract documents and drawings.
- ii. Computerized bill format.
- iii. Site Order Book.
- iv. Material testing registers / Quality Inspection Reports.
- v. Measurement books on computerized format.
- vi. Progress bar chart.
- vii. Sample approval register. VIII Hindrance Register.
- ix. Work Diary.
- x. Deviation/variation order registers.
- xi. Cement consumption register.
- xii. Reinforcement registers. XIII. Concrete cube test register.
- xiv. Slump test register.
- xv. Silt content and sand bulkage register.

14. Safety Guidelines

- i. Proper and correct lifting methods shall be adopted.
- ii. All lifting tools, tackles and wires ropes etc. shall be of tested quality for safe working loads. Wire ropes shall be of sound construction without any splaying.
- iii. It is mandatory for all jobs done at a height of 2.5 M and more to use fall arrestor type safety belts & safety nets.
- iv. While carrying out work in confined areas, proper ventilations and lighting arrangement should be made by the contractor. Adequate precautions shall be taken while the work is in progress to ensure that naked light, fire, welding or any other hot work is not in progress in the vicinity of the area where painting is being carried out.
- v. If the work is to be carried out at height, safety of the personnel is of utmost importance. Therefore, all necessary precautions must be taken by the contractor and he has to obtain work permit from authorized official of ISCDL for working at height before start the work.
- vi. In addition to the above, contractor has to adhere to the following safety checklist:

A. CIVIL WORKS

1. "Clause" would refer to clause of the specifications referred to in the NIT. "Table" would refer to the table of the specifications referred to in the NIT.
2. The Scope of unit rates for different items of work shall be for payment in full completing the work to the requirements of the specifications including full compensation. In absence of directions to the contrary, the

rates are to be considered as the full inclusive rate for the finished work covering all labor, materials, wastage, temporary work, plants, equipment, fees, rent, wastage, royalties, overhead charges and profit as well as the general liabilities, obligations, insurance and risks arising out of the conditions of contract required to complete the work.

3. The contract rates shall unless otherwise specified, also include compliance with / supply of the elements listed in clause no. 114.2 of the specifications for Road and Bridge Works (latest edition) published by IRC for all the operations detailed in the relevant sections under " Rates ". The rate(s) are to include the element of arrangement for traffic as provided in the specifications. The working area shall be fully cordoned off with M.S. boards radium painted with name of the Project and entry into the said area will be regulated through manned Gates.
4. The rates also include the disposal of all excavated surplus materials at locations out-side the Municipal limits as directed by the Engineer. In the case of RCC, Spun Iron and HDPE pipes to be provided for underground water supply lines or for cables, the rates are to include provision of steel pull wires of adequate size for ease of cable pulling. All such pipes are to be lugged with suitable packing to prevent entry of water or dust and the rates quoted are to include charges for the same.
5. The rates are to include the jointing of R.C.C. pipes for storm water or sewage disposal to new chambers as well as existing chambers. Engraving of the Paver Blocks of the footpaths to serve for 'Marker' to indicate locations of cross connection pipes will be considered as incidental to the item of flooring. The price of the element of preparation of sub grade excluding removal and replacement of unsuitable materials in cut formation will be assumed to be included in the price of the item of providing granular sub-base. The rates are included for the operational condition of storm water line i.e. cleaning up-to end of defect liability period.
6. Frequencies of the prescribed tests to be carried out must not be less than the prescribed frequencies. Copies from Registers containing record of such tests shall have to be presented along with running account bill. The original registers shall have to submit along with the final bills. Tests shall have to be conducted by the contractor's Engineer under the supervision of the Engineer-in-Charge or his authorized representatives in a well-equipped laboratory to be established by the contractor at a site, to be approved by the Engineer-in-Charge.
7. The excavations are to be done carefully to avoid damage to underground cables and other service lines. The mechanical excavators will therefore be used sparingly.
8. Only I.S.I. 'marked' ordinary Portland cement-43 grade of relevant I.S. Standard specifications shall be used on the work. Any lot of cement brought to site by the contractor would be permitted to be used in the work only after the satisfactory results are received, of the test under the supervision of the Engineer-in-Charge or his authorized representative and as here in after.
9. All bituminous courses work will be done with bitumen 60/70.
10. The work of the Dry lean cement concrete sub-base and Cement Concrete Pavement will have to be executed as per clause no. 601 and 602 - as applicable- but the use of slip form or Fixed form paver for laying and compacting Cement Concrete pavement will be optional. The contraction joints shall be provided at the interval of 4.50 M & expansion joint shall be provided at the interval of 135 M. Dowel bars shall have to be provided in the contraction & expansion joint of main carriageways and tie bars shall have to be provided in the longitudinal joints as per IRC code. All joints shall have to be sealed by appropriate sealant duly approved by Engineer-in-charge.
11. The surface regularity of the completed sub / grade, sub-base, base courses and widening of surfaces in the longitudinal and transverse direction shall be within the tolerance indicated in table 900-1 Clause 902 shall apply for checking.

12. Cutting of Tree: -
 - i. No cost shall be payable for cutting and uprooting of trees. However, the permission for tree cutting shall be obtained by ISCDL from competent authority.
 - ii. The entire cutting material wood etc. will be property of the contractor and no cost of such material i.e. Wood etc. shall be recovered from the Contractor. The contractor will quote the rate accordingly.
13. For dismantling of Brick work, Stone work, PCC & RCC, all dismantled material excluding road crust, electric work will be property of contractor and contractor will quote the rate for that accordingly.
14. Contractor has to start construction of Cement Concrete Road in the front available at the particular road site. After fully construction of Cement Concrete Road, he will start constructing service road and Foot Path including storm water line below it. Any obstruction / encroachment will be removed by the Corporation during execution of service road and footpath. The selection of roads to start the work will be decided by Engineer / Engineer in charge .
15. Documentation- The contractor will prepare computerized drawing(s) of the work as constructed and will supply original with two copies to the Engineer-in-Charge who will verify and certify these drawings. Final drawing(s) as constructed- shall then be prepared by the contractor and supplied in digital form to the Executive Engineer for record and reference.
16. During excavation, the excavated earth must be dumped at a safe distance from the edge of excavation. In no case, this shall be less than 1.5 meters from the top edge of the excavation.
17. Safe cross walkways are to be provided at distances not more than 30 meters along a continuous trenching for pipelines etc.
18. Hard hats (safety helmets), rubber boots, safety shoes, and hand gloves, etc. are required to be provided for supervising as well as other working personnel by the contractor.
19. Keep a watch on buried cables and underground systems. Ladders, gangways are to be provided at convenient places for carrying out required works. Ladders shall be firmly secured to ground and rungs of the ladders shall be properly secured and safe.
20. Install Barricading as per IS code with the marking "Indore Smart City Works".
21. Barricading-The rates also include Providing and erecting temporary barricading at site as per drawing / direction of Engineer-in-Charge which includes writing and painting, arrangement for traffic diversion such as traffic signals during construction at site for day and night, glow lamps, reflective signs, marking, flags, caution tape as directed by the Engineer-in- Charge. The barricading provided shall be retained in position at site continuously i/c shifting of barricading from one location to another location as many times as required during the execution of the entire work till its completion. The barricading shall not be removed without prior approval of Engineer-in-Charge.
22. Cement - Only I.S.I. 'marked' ordinary Portland cement-43 grade of relevant I.S. Standard specifications shall be used on the work. Any lot of cement brought to site by the contractor would be permitted to be used in the work only after the satisfactory results are received, of the test under the supervision of the Engineer-in-Charge or his authorized representative and as here in after. Any type of admixture such Fly Ash are not permitted in any concrete work.

ELECTRICAL WORK

1. Working drawings of L.T. & H.T. lines and substations etc. will have to be got approved from the MPSEB and MP Electricity Licensing Board before execution.
2. After completion of work, a No objection Certificate to be obtained from the MP Electricity Licensing board for charging and test report will have to be submitted to MPSEB to restore the Electric supply.
3. All LT/HT lines and transformer sub-Stations will be charged and handed over to the MPSEB on prescribed Performa.
4. The contractor shall furnish Serial Number, Make and Test report of materials to be used in the work.
5. The contractor will test the installations on completion in presence of the MPSEB authorities and the Engineer-in-Charge.

6. The contractor will be responsible for liaison with MPSEB for shifting of installations, preparation of drawings and their approval from the MP Licensing Board and payment of fees.
7. All the rates quoted are assumed including the trimming (Branches cutting) of trees for electric installation.
8. The contractor will give warranty of the Year from the date of charging for the whole installation. All defects noticed during this period will be made good by the contractor at his cost.
9. The old material available from dismantling of the existing LT/HT lines (excluding conductor) will become the property of the contractor subject to charge at the following rates: -
 - a. Poles – RS Joists / Tubular Poles - Rs 5000/- per No.
 - b. Poles – Rails/H-beam - Rs 10000/- per No.
 - c. Conductors - Rs 80/- per Kg.
 - d. MS flats, Angles, Channels etc. - Rs 30/- per Kg.
 - Insulators - Rs 300/- per set
 - e. Cable - Rs 50/- per Kg.
10. The old conductor will be used in the new work in case the same is found useable by the supervisory Engineers of MPPKVV Ltd.
11. The contractor will prepare computerized drawings of the work as constructed and supply originals along with two additional copies to the Engineer-in-Charge, who will verify and certify these drawings. Final drawings as constructed shall then be prepared by the Contractor and supplied in triplicate along with microfilm, computer disc to the Project Officer RDD Cell for record and reference.
12. Following makes of materials will be allowed to be used in the work: -

MAKE OF MATERIALS TO BE USED IN THIS CONTRACT

S.No.	Item	Make to be Used
1	11 KV/D.4KV Outdoor type Transformer	Kirlosker/GE/MP/ Transformers/ Tesla/
2	11 KV Gang Operated A.B. Switches	Atlas/Kiron/National
3	11 KV Drop Dut Fuses	Atlas/Kiron/National
4	11 KV Disc. & Pin insulator	WS/Jayashrae/MPL/Sil
5	11 KV Thyrite Lightening Arresters	GE/Eipro
6	A.C.S.R.Conductor 48SQMM/ 30 SQMM / 20 SQMM	Deora Cabcon/ Dewas Conductors/ VK Jabalpur/ Ujala Mandideep
7.	PVC insulated 650V/1100V	Grade Tropodur/CCI/ICI/NICCO/Gloster DRGA cables
8	L.T. Insulators	MPL/SIL/JSI/WS
9	Stay wire	Devero-cabon/I.W.C.
10	G.I. Wire 4 Sq. MM/6 Sq. MM/10 SWG	Devero-cabon/I.W.C
11	Aluminum Paint	Garware/Asian/British Paints
12	Red Oxide	Garware/Asian/British Paints

S.No.	Item	Make to be Used
13	M.C.C.B. & Relays	L&T/ English Electric
14	63 Amps to 250 Amps TPN Switches	FAC Type L&T Make/Siemens make
15	16 Amps to 32 Amps TPN Switches	Cutlert Hammer/Versa-trip (Rotary Switches not to be used)
16	H.R.C. Fuse Bases and Fuse Links	Bharat Linder/English Electric/L&T / Linder
17	Capacitors	NGEP/KHATAU JUNKER
18	D.G. Sets	Engine: Kirloskar Cummin / Alternator – Kirloskar, , Sterling Wilson
19	Selector controlling Switches	English Electric/ Kaycee/Thakur/ Complying with IS 687
20	Contractor	L&T/Siemens/Telemecanique
21	Current Transformers	AE/Ring type complying with IS 2705/ Siemens / Solo-Drives
22	Indicating meters	Complying with IS 1284 AE/DIP / Siemens/ L&T
23.	Relays	L& T/ English Electric/ Siemens
24.	Pushbuttons	Siemens/ Vaishnava as per IS 6875
25	Indicating Lamp	E SSEN/KAYCEE/RECO complying with IS 6875
26	Earth Fault Relay	English Electric/ Siemens / L&T
27	Earth Leakage Circuit Breaker	Wagner/Datar
28.	Change over Switch	Lawells/ Elcon/ HPL/ L&T

LED fixtures Make Phillips /Bajaj / Wipro / Havells or Any other national or multinational & internationally reputed brand with good presence in India, upon prior approval by ISCDL Engineer In charge.

(Models of these makes which conforms to the technical specifications of this tender upon prior submission of sample for approval of ISCDL Engineer In charge.

Wire / Cables Finolex / Havells / Polycab / RR

Switchgear, timer, contactor etc L&T/ ABB/Siemens / Hager/ Legrand

Smart control hardware: reputed make with five years warranty.

CSS 11KV/.440Volt Make Should be Simens , Schiender, ABB .

Notes: In case of the switch gears Dealers/Contractors of the exact rating of a switch gear is not made by the manufacturer the next higher size appropriately fused will be used within the tendered rates

All temporary electrical connections should be got done to conform to statutory regulations and a certificate obtained from the authorities. The connection and the wiring to be maintained by competent and licensed supervisors and wiremen. As far as possible, the cables are to be safely buried to ensure free access to equipment and machineries movements.

Hard hats (safety helmets) made out of insulating material to be used by personnel working in 'live' areas like substations, etc.

Safety boots, necessary hand-gloves as required, shall be used.

'Earthing' of machineries and equipment shall be ensured. No open/ bare connections allowed. The arrangements should be checked periodically for damages to insulation and loose connections, etc and rectified so that the wiring becomes non-hazardous.

The areas of working during nights shall be properly illuminated with floodlights and hand- lamps as per the demand of the job.

Danger signals and safety tags in the live areas shall be demonstrated properly. All connections to be switched off after the working hours.

Isolation switches and main switches shall be accessible easily. Necessary precautions should be taken while excavating earthing pits.

1. I.E. Rule and Approval of Electrical Safety Dpt. And MPPKVCL. : The complete electrical work shall be done as per the Indian Electricity Rules amended till date and as per relevant I.S. specifications amended till date. The Electrical Installation and all Related Drawings shall be got approved from Electrical safety dept. at no extra cost. The amount deposited by the contractor in Govt. Treasury for inspection of Electrical Safety Dept. shall not be reimburse to the contractor. The approved Drawings and Inspection Report of Electrical Safety Dept. shall be submitted to Engineering In-charge in original.
2. A' Class Electrical Contractors License: The Electrical Contractor /Sub Contractor caring out Electrical Installation Work Must possess a Valid 'A' Class Electrical Contractors License Issued by Electrical Safety Dept. Govt. of M.P.
3. The contractor shall make his own arrangements for supply of water and electricity at his expense required for execution of work. The ISCDL shall neither make any such arrangements nor shall make any payments in this regard.
4. The contractor shall not be entitled to any compensation for any loss suffered by him on account of delay in commencement or execution for work whatever the cause of delay may be including delay arising out of other materials, supply of materials, transportation for any matter related with MPPKV Co. Ltd. & Electrical Safety Department or any other reasons whatsoever, the ISCDL shall not be liable for any claim in respect thereof.
5. Safety, security of the items installed by the contractor at site shall be responsibility of contractor at his risk and cost for the entire execution period and during 5 years Defect liability period. The contractor shall have to get insured all material installed by him against any damage, accident or theft.
6. The contractor shall be responsible for the safety of his labour and other engineers, staff deputed by him and any citizen at site at his cost and risk. The contractor shall have to get insured all of his labour, engineers and other staff, third party against any accident, injury or death. ISCDL shall not be responsible for any accident, loss, injury or death of any contractor's or third-party person whatsoever.
7. GA and Electrical drawing of the various panels should be approved by the Engineer In charge of ISCDL.
8. Final decision will be taken by ISCDL Engineering In-charge.
9. The contractor shall design the illumination scheme with LED type fixtures, brackets, smart controls, software, panels and circuits offered by his company to achieve the lux levels and smart controls as per tender guidelines for each get it approved by Engineer In-charge.
10. The contractor shall give the inspection notice before or at least 10 days prior to the last date of supply of any batch of material. The material will be dispatched by the supplier after inspection by the representatives of ISCDL if required by Engineer in-charge.
11. ISCDL's representatives will visit the manufacturer's work and witness the tests as per specifications on each type of lighting fixtures as per the samples selected by ISCDL's representatives. The sample of the material may also be sent to the government approved NABL laboratory at the cost of contractor for any kind of specific test required by ISCDL. Supplier shall submit the schedule with date, time & venue of the inspection to ISCDL in writing for the inspection of material. ISCDL is authorized to get the material tested from the approved laboratory at the contractor's cost for any kind of specific test if required. The contractor needs to make arrangements for Factory Inspection at his own cost for Luminaires, Pole, Brackets etc. Inspection Will Be Carried Out at Manufacturer's Premises Only.
12. LED luminaires and Poles should conform to the various National / International standards for safety & performance. Luminaires shall conform to Performance Requirements as defined in IS 16107 Part 2/Sec 1. Manufacturer should provide test reports as per LM 79 & LM80. Luminaires should conform to the IS standards for Safety & Performance and test certificates as per IS 16107 or as required should be provided by the manufacturer.
13. It shall be the duty of the contractor to arrange all clearances, NOCs from Electrical Inspector MP Govt, to coordinate and peruse the officers of MPPKV Co. Ltd. for periodical inspections during the currency of contract and final inspection of the work and get the complete installation electrically charged and also contractor shall be responsible for arranging such clearances No extra payment shall be made to the contractor in above account.

9.0 Post installation and commissioning, the contractor shall be responsible for maintenance of entire electrical installation and lighting system installed by him for the period of 5 years on his own risk and cost basis. The responsibilities of contractor shall be as mentioned below:

- i. To ensure timely automatic switching on/Off as per programme.
- ii. To ensure that all lighting fixture and associated panels, controls, automation, software etc. are in working condition all time.
- iii. To ensure that if any lighting fixture or component develops any fault, it has to be rectified promptly to escape the penalties mentioned in the tender.
- iv. To carry out preventive maintenance of the system as required.
- v. To coordinate with MPPKVVCL / power distribution company to ensure the smooth operations.
- vi. To ensure the insurance of entire lighting system, Engineers, staff, labour, workmen all which are involved in the work on his own cost.
- vii. To replace the damaged component in the lighting system if the same is damaged due to accident. The contractor has to replace the damaged Poles, Light Fixture. For this Extra payment shall be made as per quoted Tenders Rates.
- viii. The contractor shall ensure to provide proper tools, tackles, hydraulic trolley vehicles, ladders, vehicles, instruments etc. to ensure smooth running of lighting system and safety measures.
- ix. The contractor shall establish store and testing facility to ensure proper stock of spares and facilitate testing of all components of lighting system.
- x. All workmen, staff and engineers of contractor shall ensure that all installation, maintenance activities are carried out with full safety and by using all safety aids like helmets, gloves, earthing devices, testing gadgets.
- xi. The contractor must ensure that electrical earthing shall be provided as per rules and IS codes in entire lighting system to ensure human and equipment safety.
- xii. Coordination with ISCDL engineers and staff during work execution shall be in contractor's scope.

10. Penalties during maintenance period

If the contractor fails to deliver the desired results in the installed electrical system, lighting system as per the tender guidelines following penalties shall be applicable for noncompliance:

- i. If contractor fails to rectify ISCDL have right to get the faulty item rectified or replaced on contractor's cost and risk basis.
- ii. If contractor fails to rectify Faults during Defect liability period on Time. ISCDL shall have right to impose penalties on contractor.

B. MECHANICAL WORKS

- i. Hard hats (safety helmets), safety belts, eye goggles, face shields, safety boots, hand-gloves, respirators, etc as required/ directed shall be used.
- ii. Proper, correct and safe lifting methods shall be adopted
- iii. All lifting tools tackle and wires ropes etc shall be of tested quality for safe working loads. Wire ropes shall be of sound construction without any splaying.
- iv. Checks to be exercised for broken wires and core proportion in the main body of the wire ropes to be rejected. Manufacturer's guidelines/ standards instructions are to be followed for using wire ropes and slings with broken wires. Experience and common sense is of immense help.
- v. Usage of hoisting belts/ safety belts is must for personnel working at higher elevations.
- vi. Only safe gangways / walkways shall be used for movement of personnel. Short cuts shall be avoided.
- vii. Check connections to headman anchors before hoisting.
- viii. All live wires to be crossed during hoisting shall be made dead near the vicinity of the area during hoisting/ rigging.
- ix. Avoid keeping the loads supported by hoisting equipment's for an unreasonable length of time.
- x. Ropes, cables, and slings must be protected with pads or wooden blocks at sharp edges.

C. GENERAL

- i. Safety starts from the individual on the job. Experience and common sense shall be generously used. In case of any doubt regarding safety, Engineer-in-Charge can be consulted.

- ii. Proper communication and alertness on the job is to be ensured.
- iii. Manholes and openings for ducts etc shall be kept properly covered.
- iv. Correct tools and tackles should be used for every work. Make shift tools and tackles will result in accidents.
- v. Fire-fighting equipment shall be placed at designated locations and kept unobstructed.
- vi. Do not use loose clothing, neckties, and etc. while on the job.
- vii. Safety precautions recommended by the manufacturers/ vendors shall be strictly adhered to.
- viii. All machinery, tools and tackles shall be maintained properly, and clearly.

15. Encumbrances in Construction Area, including Trees and Utilities -

- i. The contractor shall be responsible to coordinate with service provider / concerned authorities for cutting of trees, shifting of utilities and removal of encroachments etc. and making the site unencumbered from the project construction area required for completion of work. This will include initial and frequent follow-up meetings / actions / discussions with each involved service provider / concerned authorities. Payment for cutting of trees and shifting of utilities as required by the concerned department shall be made by the Employer. The entire cut material will be property of the contractor and no cost of such material shall be recovered from the contractor which shall be appropriately considered by the contractor in his bid.
- ii. Drawings scheduling the affected encumbrances such as trees and services like water pipes, sewers, oil pipelines, cables, gas ducts, electricity lines, accessories, telephone poles and OFC cables etc. included in the contract document shall be verified by the contractor for accuracy of scope.
- iii. The Employer will make payments to the respective service provider / authorities for cutting of trees and shifting of utilities, wherever required. The contractor will obtain necessary approval from such Authorities after payments by the Employer and also in cases where payments are not required to be made for such shifting. The Employer will also write to all concerned departments/ service provider organization for expediting and facilitating cutting of trees, shifting of utilities and removal of encroachment etc.
- iv. Any services affected by the Works must be temporarily supported by the Contractor who must also take all measures reasonably required by the various bodies to protect their services and property during the progress of the Works. It shall be deemed to be part of the Contract and no extra payment shall be made for the same.
- v. The Contractor may be required to carry out certain works for and on behalf of the various bodies and he shall also provide, with the prior approval of the Engineer, such assistance to the various bodies as may be authorized by the Engineer.

16. Supply of Colored Record Photographs

The Contractor shall, at his own cost, arrange to take colour photographs at various stages / facets of the work including interesting and novel features of the work as directed by the ISCDL officials and supply two copies of colour record photographs mounted in the albums including negatives with specification and these shall be kept by Employer.

17. Public Awareness / Information Display

The Contractor shall, at his own cost, arrange to provide, erect and maintain necessary display boards/ banners etc as directed by ISCDL officials at selection points of project site giving such information as considered necessary for public awareness/ information.

18. Completion Drawings

The contractor is required to submit the completion drawings (As built Drawings) for the work done by him. However, the completion drawings for works done and covered underground, it is essential to prepare the completion drawing as soon as the work is done and before backfilling.

The drawings have to be prepared in digital format in AUTO-CAD, it is therefore made mandatory that the completion drawings of the cross section of road with all utilities, Road Plan, Inspection Chambers, Rainwater Catch pit, L-section of road etc, shall be submitted along with the running account bills for all the works carried out during the period.

The completion drawing should provide adequate data to enable finding the exact location of the system in ground at a later date by any other new person. It should also provide the data related to material, class and size of the line, its depth in ground, Invert Levels and levels in the manholes. The details will be provided from Chainage-wise in details and the plan layout of the roads along with Cross section and L-section on the reference map should be updated and submitted along with the bill. Two hard copies of the drawings will also be submitted along with the soft copy.

19. Execution of work according to Time Schedule

The Bidder shall include in his bid, a detailed construction programme of executing the project, describing broadly the technology and construction methodology major components of the project including traffic diversion plan, deployment of machinery, submission of drawings and design. The programme shall be supplemented with Master Control Network. The employer reserves the right to request for change in Master Control Network after discussions with the successful bidder. Mutually agreed Master Control Network shall form part of the Contract.

The Contractor has to start construction works in the fronts available at particular road site. This shall be planned in close consultation with the Engineer-In-Charge and in coordination with the concerned authorities / departments / local groups.

The Works shall be executed and performed in accordance with the Master Control Network (Work Programme) which shall clearly indicate the interlinking / interdependencies of all the works of the Contract.

The Programme shall be reviewed jointly by the Employer/ Engineer and the Contractor, at least once in a month where-in the hold ups/delays, if any, in the progress of Works, with reference to the agreed Schedule shall be given Special Attention. Necessary modifications (updating / Revisions) of the Programme, within the overall Time for Completion, shall be carried out by mutual agreement between the Employer/ Engineer and the Contractor.

20. Working Procedure

The Contractor shall be required to adopt a Working Procedure based on the following:

- i. Protection of properties along the project roads and their activities / operations such that these suffer minimum (if any) adverse effects as a result of construction activities.
- ii. Observe all local requirements related to work and traffic restrictions (for example, transportation of material during particular times of a day or week, use of manual labour / smaller vehicles for carriage of material to / from narrow lanes) as may be specified by ISCDL from time to time.
- iii. Avoid disruption of any public utility network and promptly restore the same in case of any unavoidable disruption at his own cost and time without causing any discomfort to people as well as businesses.
- iv. Provide for all temporary arrangements essential to allow normal operations / living conditions for people as well as businesses.

21. Coordination with other Contractors

Due to the peculiar nature and location of the project, and in view of the objective of proper laying of all utility services, the specialist contractors will need to work simultaneously and ensure proper mutual coordination to avoid any hardships to the community. ISCDL reserves the right to require each Contractor to schedule the order of performance of their Work in such a manner as will minimize interference with work of any of the parties involved. As shown in the table below, three contractors will need to work simultaneously.

22. Material Storage - All materials shall be stored as per IS:4082.

Section 4
Bill of Quantities

(Attached)

SECTION 5
FORM OF AGREEMENT

This agreement, made on the day of _____ between (name and address of Employer) (hereinafter called "the Employer) and _____ (name and address of contractor) hereinafter called "the Contractor" of the other part.

Whereas the Employer is desirous that the Contractor execute _____ (name and identification number of Contract) (hereinafter called "the Works") and the Employer has accepted the Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein, at a cost of Rs. _____

NOW THIS AGREEMENT WITNESSED as follows:

1. In this Agreement, words and expression shall have the same meanings as are respectively assigned to them in the conditions of contract hereinafter referred' to and they shall be deemed to form and be read and construed as part of this Agreement.
2. In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all aspects with the provisions of the contract.
3. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying the defects wherein Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.
4. The following documents shall be deemed to form and be ready and construed as part of this Agreement viz.
 - i. Letter of Acceptance
 - ii. Contractor's Bid
 - iii. Condition of Contract: General and Special
 - iv. Contract Data
 - v. Bid Data
 - vi. Drawings
 - vii. Bill of Quantities and
 - viii. Any other documents listed in the Contract Data as forming part of the Contract.

In witnessed whereof the parties there to have caused this Agreement to be executed the day and year first before written. The Common Seal of _____ was hereunto affixed in the presence of:

Signed, Sealed and Delivered by the said _____ in the presence of:

Binding Signature of Employer

Binding Signature of Contractor