

BRIO INTERACTIVE TECHNOLOGIES PVT. LTD.

A-12, FIEE, Okhla Industrial Area-II, New Delhi - 110020 Tel.: 011-41323912, 9811059225, 9643324493

Email: sales@briotouch.com

www.briotouch.com

CIN-U72200DL2012PTC242110

Dear Sir/Ma'am.

We, 'Brio Interactive Technologies Pvt. Limited' (A Sister Concern of Integral Computer Limited) have been focusing on revolutionary products with latest technologies trend which makes Teaching & Learning, Training & Presentation more Interactive, effective and world class.

We have already installed more than 20,000 classrooms across India including about 300 Classrooms for Air Force Schools, about 850 Classrooms CMS Schools Lucknow ,about 100 MCD Schools in Delhi and many more.

Here we would like to introuce our two innovative products for your esteemed Organization:

1. All- In-One LED Interactive Flat Panel:

The Latest Technology product for the Conference Room, Meeting Room, Training Room, Classroom etc will enhance to Teaching/Learning/Presentation innovative & Productive.

No Projector, No Screen, No PC required, it just BRIOTOUCH AIO LED Interactive Flat Panel.

2. Digital Podium:

An innovative technology equipped digital podium for your lecture room, Classroom, Auditorium etc. With touch screen, integrated Computer system with PC with amplified speaker system, help speaker to deliver speeches more ease with digital effect.

The detailed Features and technical Specification of the above Products have been mentioned in the attached document.

We would like to seek an appointment with you to either meet in person and set up a demo to introduce you the Innovative BRIOTOUCH Interactive Flat Panel which will make you Teaching and Learning process very effective

Thanking you with regards,

Abhishek

Business head

M-9811818227

Email id -Abhishek@briotouch.com


TL. S(mn) Please send this/the Posts. MUX for mentant and file

Digital Teaching Device Experience the Simplicity



*FOR DEMO-+91 96 433 244 93

+91 96 433 244 93				
BRIO Interactive Board	- Ceramic / Non Ceramic			
Active Diagonal Area	77" / 80" / 82" / 85"	77'' / 80'' / 82'' / 85'' / 90'' / 98'' / 100''		
Aspect Ratio	4:3 / 16:9	4:3 / 16:9 / 16:10		
Key Features	Ceramic	Non Ceramic		
Use erasable ink	Yes	No		
markers				
Multi-Touch	Yes	Yes		
 Interactive Software 	Yes	Yes		
Robust Surface	Yes	Yes		
Low reflection	Yes	Yes		
Green Board (Dim.)	1219.20×1259mm /	1219.20×1259mm / 48"×49.5" (+-2")		
All In One PC – DTD	Machine Machine			
Processor	Dual Core / Co	Dual Core / Core i3 / i5 / i7		
Ram		2GB Upgradable to 8 GB		
HDD		500GB Upgradable to ITB / 2TB		
Keyboard & Mouse		Laptop style Keyboard & Mouse		
Ports		VGA, 8 USB (4 In-Front, 4 on the Top), RS232 * 1, RJ 45 * Audio Out / In		
OS	DOS /	DOS / Linux		
Supported OS	Windows	Windows 7 / 8 / 10		
Document Scanner / Visualiser				
	2592×1944 Image Resolution	n, Max. A4 page Capture		
Integrated Visualiser	Size USB 2.0 Interface, Inbuil	t Mic for Recording, 16x		
	Digital Zoom and 8x Optica	Zoom through software		
Projector				
Short Throw Projector with Arm Kit and Top cover				
External Frame				
Dimension	3048×1308 mm (120"	× 51.5") +/- 2-3"		



Capture App

Screen Recording

Interactive Flat Panel - Specification			
Panel Size	65", 75", 86", 98"		
Resolution	1920 ×1080 / 3840 ×2160		
Brightness	330 / 350 / 400 / 440 cd/m ²		
Contrast	1200;1 / 1300;1 / 1600;1		
View angle	Level and vertical 178°		
OS	Andriod / DOS		
Touch Panel Parameter			
Touch technology	Infrared touch sensor		
Inductive objects	Finger, pen or any other non-transparent objects		
Inductive size	≥ Ø5mm		
Touch Points	20 points		
Response time	8ms		
Writing Response	Single Touch 6mm & Multi Touch 8mm		
Touch Screen Glass	Anti-Glare Glass		
	Toughened Glass		
OPS PC SLOT Configuration			
CPU	i5 / i7 intel® Core™		
RAM	DDR4 4 GB / 8 GB		
Hard Disk	128GB SSD / 500 GB / 1 TB		
USB Slots	USB 2.0, USB 3.0		
HDMI Out	l Port		
Ethernet / Wi-Fi	I Port / 802.11ac (2.4Ghz / 5Ghz)		
Audio In / Out	I / IPort		
Display Port	I Port		
VGA Output	l Port		
Compatible OS	Windows, Mac, Linux, DOS, Android		

Compact & Secured

Auto Light Adjustment



Video Wall





ULTRA NARROW BEZEL



DAISY CHAIN SUPPORT WITH DVI



24*7 NON STOP OPERATION



SUPERIOR SCREEN PERFOMANCE

FOR DEMO-+91 96 433 244 93

Specification		
Size	55"	49''
Contrast Ratio	1400:1	1300:1
Product Size (WxDXH)	1213.4 * 125.85 * 684.2 mm	1077.58 * 117.67 * 607.8 mm
Pixel Pitch	0.630 (H) mm × 0.630 (V) mm	0.55926(H) mm × 0.55926(V) mm
Brightness	500 cd/m 2	450 cd/m 2
View Area	1209.6(H)mmx680.4(V)mm	1073.8 (H) mm × 604.0 (V) mm
Display Colors	1.07B (10bit)	
Response Time	8ms	
Resolution	1920 × 1080 (pixels)	
Interface	USB, DP-OUT, HDMI IN, DVI IN, DP-IN, DVI OUT, RS232 / RJ45 - IN, RS232 / RJ45 - Out, Earphone Out	
Structure		

Structure	
Housing Material	Sheet Metal
Housing Color	Black
Wall Bracing	8-M6 Screw hole 600*(20+380+20)mm

Video Wall Function

Supporting 8/10bit dual LVDS (1920*1080) FHD display

Used ST high level digital solution, the visual effect is vivid, delicate and soft

True color OSD, user-friendly operation menu

Support DP loop-out (3840*2160@30Hz)

Perfect factory setting mode

HDMI 2.0 Input*1 (3840*2160@60Hz); HDMI 1.4 output*1 (3840*2160@60Hz) DVI

In/output*1; DPI.2 In/output*1 (3840*2160@30Hz); Support PIP and PBP function

Support JPEG decode FHD



Digital Podium



TOUCH SCREEN (MOTORISED TILT - OPTIONAL)




WIRED / WIRELESS KEY BOARD & MOUSE



INBUILT COMPUTER



AUDIO SYSTEM





Note: All Pictures shown are for illustration purpose only and may differ from the actual product due to change in technology. Office Address: A-12, Okhla Industrial Area Phase-2, New Delhi - 110020 enquiries@briotouch.com | www.briotouch.com | 9643324493