

RE-DEVELOPMENT OF LADIES PARK, GWALIOR

Ref Number: [GSCDCL/009/2017]

Date: [24 July 2017]

EXECUTIVE DIRECTOR

GWALIOR SMART CITY DEVELOPMENT CORPORATION LTD (GSCDCL)

NAGAR NIGAM MUKHYALAY, CITY CENTER, GWALIOR

EXECUTIVE DIRECTORGwalior Smart City Development Corporation Limited

Disclaimer

Gwalior Smart City Proposal (SCP) has been selected to implement the Area Based Development (ABD) and pan-city proposals by Government of India (GoI) under Smart City Mission (SCM). Gwalior SCP proposes smart solutions in ABD and cross pan-city providing various Smart feature/infrastructure.

To implement Smart City projects in Gwalior, Gwalior Municipal Corporation (**GMC**) and Madhya Pradesh Urban Development Corporation has formed a SPV called Gwalior Smart City Development Corporation Ltd. (**GSCDCL**).

The GSCDCL has prepared this Tender Document (TD) for the "Re-Development of Ladies Park, Gwalior". The TD is a detailed document with specifies terms and conditions on which the bidder is expected to work. GSCDCL has taken due care in preparation of information contained herein and believes it to be accurate. However, neither GSCDCL or any of its authorities or agencies nor any of their respective officers employees, agents, or advisors give any warranty or make any representations, express or implied as to the completeness or accuracy of the information contained in this document or any information which may be provided in connection or arising out of it.

The information provided in this document is to assist the bidder(s) for preparing their proposals. However this information is not intended to be exhaustive, and interested parties are expected to make their own inquiries to supplement and verify information in this document. The information is provided on the basis that it is non–binding on GSCDCL or any of its authorities or agencies, or any of their respective officers, employees, agents, or advisors. Each bidder is advised to consider the TD as per its understanding and capacity. The bidders are also advised to do appropriate examination, enquiry and scrutiny of all aspects mentioned in the TD before bidding. Bidders are encouraged to take professional help of experts on financial, legal, technical, taxation, and any other matters / sectors appearing in the document or specified work. The bidders should go through the TD in detail and bring to notice of GSCDCL any kind of error, misprint, inaccuracy, or omission.

GSCDCL reserves the right not to proceed with the project, to alter the timetable reflected in this document, or to change the process or procedure to be applied. It also reserves the right to decline to discuss the project further with any party submitting a proposal. No reimbursement of cost of any type will be paid to persons, entities, or consortiums submitting a proposal by under or pursuant to this TD.

To:

The Executive Director,
Gwalior Smart City Development Corporation Limited (GSCDCL)
Nagar Nigam Mukhyalay, City Center, Gwalior, Madhya Pradesh

Reference: 1D No. dated (1D	Reference:	TD No. dated (("TD"
------------------------------	------------	----------------	-------

Dear Sir/Madam.

Over and above all our earlier confirmations and submissions as per the requirements of the TD, I/ we hereby declare, confirm and undertake that:

- 1 I/ We have quoted for all items as requested by GSCDCL in the TD and stand committed to deliver to the highest standards and quality as required by GSCDCL to meet the timelines of the project. My/ Our bid submission is in line with the requirements of GSCDCL as stated in the TD.
- 2 I/ We confirm that we have factored in all costs and expenses for meeting the complete scope and deliverables of the TD.
- 3 I/ We are completely aware of the service level requirements and timelines specified by GSCDCL and are committed to adhering to the same. I/ We have also clearly taken note of the service level requirements of GSCDCL and expectations from us and wish to confirm that we have taken care of every aspect to meet the same.
- 4 I/We have gone through the bid documents and its terms and conditions and fully understood it. All the terms and conditions are acceptable to me / us.
- 5 I/ We have clearly understood GSCDCL's requirements and wish to confirm that I/ we shall abide by the terms and conditions of the TD.
- 6 I/ We confirm and understand that all arithmetical totaling errors will be corrected for the purpose of evaluation only and the consideration of that error for payment would be completely according to GSCDCL's discretion. I/ We also confirm and understand that for all other errors which we have made in the bid, GSCDCL, for the purpose of evaluation will take the corrected amount based on the price quoted by me/ us in the price sheets but the payment of such amounts would be completely according to GSCDCL's discretion.
- 7 I/ We confirm that I/ we will provide the best of my/ our resources and the people proposed by me/ us will be dedicated to GSCDCL for the sake of resource continuity. Further, I/ We also confirm that GSCDCL may interview the key resources proposed by me/ us and confirm its acceptability. In any event if a resource is found unfit by GSCDCL I/ we agree to change the same and provide GSCDCL with a replacement within reasonable time so as to not affect the services/ project timelines.
- 8 I/ We confirm and understand that GSCDCL has an aggressive rollout schedule and I/ we will adhere to the rollout schedule at no additional cost/burden to GSCDCL.
- 9 I/ We confirm that all the proposed solution components are compatible and interoperable with each other and the solution will meet the functional and technical requirements of GSCDCL.
- 10 I/ We confirm that the prices and values quoted by me/ us encompass the complete scope of the project and I/ we will ensure that the quality of deliverables for the project is not affected due to any pricing pressures.
- 11 There has been no conviction by a Court of Law or indictment / adverse order by a regulatory authority for a grave offence against me/ us. It is further certified that there is no investigation pending against me/us or the CEO, Directors/ Manager/ key employees of my/ our concern.
- 12 That the decision of GSCDCL will be final and undisputable in accepting a rejection my / our offer.
- 13 That the self-certified information given in the bid document is fully true and authentic.

14 That:

- a) Term deposit receipt deposited as earnest money, demand draft for cost of bid document and other relevant documents provided by the Bank are authentic.
- b) Information regarding financial qualification and annual turn-over is correct.
- c) Information regarding various physical qualifications is correct.
- 15 No close relative of the undersigned and our firm/company is working in the department.

Dated thisby	Dated this	bv	20
--------------	------------	----	----

Authorised Signatory

(Name: Contact Person, Phone No., Fax, E-mail)

(This letter should be on the non-judicial stamp paper of appropriate amount and duly notarized

TABLE OF CONTENTS

SECTION NO.	PARTICULARS	DETAILS	Page No.
Section 1	NIT	GSCDCL/009/2017	5
Section 2	Instructions to Bidders (ITB)		7
	Bid Data Sheet		13
	Annexure A	Key Dates	15
	Annexure B	Affidavit	16
	Annexure C	Pre-qualification Criteria	17
	Annexure D	Specifications	18
	Annexure E	Procedure for participation in E-tendering	19
	Annexure F	Organizational Details	21
	Annexure G	Technical Proposal	22
	Annexure H	Financial Bid	26
	Annexure I	Letter of Acceptance (LOA)	27
	Annexure J	Performance Security	28
Section 3	Table of Clauses		
	Part-I	General Conditions of Contract (GCC)	29
	Contract Data		41
	Annexure K	Detail of milestones	43
	Annexure L	Compensation of Delay	44
	Annexure M	Physical Completion Certificate	45
	Annexure N	Final Completion Certificate	46
	Annexure O	Salient Features of Labour laws	47
	Annexure P	Construction Safety	49
	Part-II	Special Conditions of Contract (SCC)	53
Section 4	Bill of Quantities (B.O.Q.)		57
Section 5	Form of Agreement		76
Section 6	Drawings	Attached Separately	



Section - 1

Gwalior Smart City Development Corporation Limited

Date: 24 July 2017

NOTICE INVITING TENDER

NIT No. GSCDCL/009/2017

Gwalior Smart City Development Limited (GSCDCL) invites online percentage rate bids for the following works (estimated on UADD SOR w.e.f. 10/05/2012) are invited from registered contractors and firms of repute fulfilling eligibility criteria from eligible bidders through www.mpeproc.gov.in for "RE-DEVELOPMENT OF LADIES PARK, GWALIOR".

The details are as under:

Sr. No.	Event's Name	Information
1.	Probable Amount of Contract	Rs. 2,03,52,317.00
2.	Tender document Fee	Rs 15,000 (Rupees Fifteen Thousands only) through Online e-Tendering Payment Gateway only
3.	Earnest Money Deposit (EMD)	Rs 2,03,500.00(Rupees Two Lakhs Three Thousand Five Hundred Only)
4	Last date for sending pre-bid queries	01/08/2017, till 13:00 hrs. at gscdcltender@gmail.com
5.	Date, Time & Place of Pre-bid Meeting	03/08/2017 at 16:00 hrs. Venue: Gwalior Smart City Development Corporation Limited,
6.	Last date for Online Purchase of Tender Document	22/08/2017 till 1400 hours
7.	Last date of Online Submission of Bids	22/08/2017 till 1500 hours
8.	Last date of EMD + Hard Copy (Pre-Qualification and Technical Proposal) Submission of Bids	25/08/2017 till 15:00 hrs. Two printed copies of the entire proposal, one marked ORIGINAL and the second one as DUPLICATE and a soft copy on non-rewriteable electronic storage media with all the contents of your proposal.
9.	Date & Time for Opening of Pre- Qualification and Technical Proposal	25/08/2017 at 16:00 hrs.
10.	Date & Time for Opening of Financial Proposals	Will be intimated later to the technically qualified bidders
11.	Project Award Criteria	Lowest evaluated bid

Note: The bidders shall have to submit their bids online and upload the relevant documents as per key schedule (key dates).

1. The bidders intending to participate in this tender are required to get enrolled/ registered on the e-procurement web site https://www.mpeproc.gov.in/. Enrolment /registration on the above portal is mandatory.

- 2. Tender documents can be purchased only online from https://www.mpeproc.gov.in/ by making online payment as specified above as per key dates. The Bidders shall have to submit their Bids online and upload the relevant documents from as per time schedule (key Dates).
- 3. At the time of submission of the Bid the eligible bidder shall be required to:
 - a. Pay the cost of Bid Document;
 - b. Deposit the Earnest Money;
 - c. Submit a check list; (As required in Clause 12 of Bid Data Sheet)
 - d. Submit an affidavit duly Notarized as per Annexure B
- 4. Details can be seen in the Bid Data Sheet
- 5. Amendment to NIT, if any, would be published on website only, and not in Newspaper.
- 6. Conditional tender will not be accepted and liable to be rejected. GSCDCL reserves the right to accept or reject any or all tender without assigning any reasons thereof.
- 7. Since the online bidders are required to sign their bids online using Digital Certificates. Contractors are advised to obtain the same at the earliest.
- 8. All details relating to the Bid Document(s) can be viewed and downloaded free of cost from the website mentioned in NIT.
- 9. Bid document can be purchased after making online payment of portal fees through Credit/Debit/Cash Card or via internet banking.
- 10. ELIGIBILTY FOR BIDDERS:
 - (a) At the time of submission of the bid, the bidder should have valid registration with the Public Works Department, Government of Madhya Pradesh ("PWD"). However, such bidders who are not registered with PWD and are eligible for registration can also submit their bids after having applied for registration with PWD.
 - (b) The bidder would be required to have valid registration with PWD in appropriate class at the time of signing of the Contract.
 - (c) Failure to sign the contract by the selected bidder, for whatsoever reason, shall result in forfeiture of the Earnest Money Deposit (EMD) of such selected bidder.
- 11. Pre-gualification Pregualification conditions, wherever applicable, are given in the Bid Data Sheet

EXECUTIVE DIRECTOR

Gwalior Smart City Development Corporation Limited, Gwalior

SECTION 2 INSTRUCTIONS TO BIDDERS (ITB)

A. GENERAL

1. SCOPE OF BID

The detailed scope of work, hereinafter referred to as "Work" is "Re-Development of Ladies Park, Gwalior. The initial period of 1 (One) year after physical completion of work shall be treated as Defect Liability Period (DLP). The operation and maintenance of the park for 5 years after completion of work is included in the scope of work.

Background

Gwalior has been selected under Smart City Challenge proposal. Various projects have been identified in this proposal to improve the city and somewhere meet international standards. One of those projects is Recreational and Social Development Module. Three parks have been identified for this proposal and Ladies Park is one of those.

These parks can function as important community spaces; provide opportunity for physical activity and also to improve the green cover in the town by providing adequate planting. There is, therefore an urgent need for creating and upgrading the green spaces and parks in the town.

In order to enhance the amenity value of the town, Gwalior Smart City Development Corporation Limited has identified certain green spaces for development. The objective is to provide attractive, safe and usable green spaces to the public, with special emphasis for children-friendly and elderly-friendly components and specially abled people. These will also be effective in mitigating the urban heat island effect in the future, and will be a valuable environmental resource as the town continues to grow in both size and population. These parks will improve the aesthetic value of the town as well.

Project

Gwalior Smart City Development Corporation Limited is desirous of executing park re-development project for the Ladies Park. The project report prepared by the Gwalior Smart City Development Corporation Limited envisage following works in the project area,

- i) Horticulture works
- ii) Paving works
- iii) Boundary wall and entrance gate
- iv) Drainage and irrigation works
- v) Lighting and electrical works
- vi) Toilet and Septic tank (where required)
- vii) Fountain etc.

The tender hereby is being invited for the re-development of Ladies Park. The essence of the project is:

- a. To convert the available open space in to Green Space for creating clean and healthy environment.
- b. The developed park will provide leisure outdoor spaces for the residents, play field for the children.

Work Includes, Re-Development of Ladies Park, Gwalior. The available open space is to be converted in to Green Space for creating clean and healthy environment. The developed park will provide leisure outdoor spaces for the residents, play field for the children, ever green native trees, landscaping, grassing and flowering bushes (seasonal) to be developed. Spaces have been categorized as (1) Walkway, (2) Green Lawn, (3) Leisure activity, (4) Play Area for Children, (5) Toilet Block.

The area measuring about 2 acre is to be bounded by boundary wall and gate with proper lighting, drainage and watering arrangements to the lawn, flowering bushes, trees/ plants etc.

The work of re-development of green space and park is as per the drawing and direction of the engineer-in-charge is to be completed in all respects including labour, tools-tackles and materials.

The initial period of 1 (One) year after completion shall be treated as Defect Liability Period (DLP).

The operation and maintenance of the park for 5 years is included in the scope of work. Therefore strict adherence to the quality construction and timely implementation is most important.

2. GENERAL QUALITY OF WORK:

The work of Re-development of park as per approved drawings & direction of Engineer-in-charge is to be completed in all respects including labour, tools-tackles and materials, technical specifications specified in the Bid Data Sheet/Contract Data. The work shall have to meet high standards of workmanship, safety and security of workmen.

3. PROCEDURE FOR PARTICIPATION IN E-TENDERING

The procedure for participation in e-tendering is given in the Bid Data Sheet.

4. ONE BID PER BIDDER

- 4.1 The bidder can be an individual entity.
- 4.2 No bidder shall be entitled to submit more than one bid. If he does so, all bids wherein the bidder has participated shall stand disqualified.

5. Cost of Bidding

The bidder shall bear all costs associated with the preparation and submission of its bid, and no claim whatsoever for the same shall lie on the GSCDCL.

6. Site Visit and Examination of Site of Works

The bidder is advised to visit and examine the Site of Works and its surroundings and obtain for itself on its own responsibility all information that may be necessary for preparing the bid and entering into a contract for construction of the work. All costs shall have to be borne by the bidder and no claim whatsoever for the same shall lie on the GSCDCL.

B. BID DOCUMENTS

7. CONTENT OF BID DOCUMENTS

The Bid Document comprises of the following documents:

- 1. NIT with all amendments.
- 2. Instructions to Bidders, Bid Data Sheet with all the Annexures.
- 3. Conditions of Contract:
 - i. Part I General Conditions of Contract (GCC) and Contract Data; and
 - ii. Part II Special Conditions of Contract (SCC)
- 4. Specifications
- 5. Drawings,
- 6. Priced Bill of Quantities
- 7. Technical and Financial Bid
- 8. Letter of Acceptance
- 9. Agreement and
- 10. Any other document(s), as specified.
- **8.** The bidder is expected to examine carefully all Instructions, Conditions of Contract, the Contract Data, Bid Data, Terms and Specifications, Bill of Quantities, forms and drawings in the Bid Document. Bidder shall be solely responsible for his failure to do so.

9. Pre-Bid Meeting

- 9.1 Details of venue, date and time shall be as mentioned in the Bid Data Sheet. Any change in the schedule of pre-bid meeting would be communicated on the website only, and intimation to bidders would not be given separately.
- 9.2 Any prospective bidder may raise his queries and/or seek clarifications in writing before or during the pre-bid meeting. The purpose of such meeting is to clarify issues and answer questions on any matter that may be raised at that stage. GSCDCL may, at its option, give such clarifications as are felt necessary.
- 9.3 Minutes of the pre-bid meeting including the list of the questions raised and the responses given together with any response prepared after the meeting will be hosted on the website.

9.4 Pursuant to the pre-bid meeting, if GSCDCL deems it necessary to amend the Bid Document, it shall be done by issuing amendment to the online NIT.

10. Amendment of Bid Documents

- 10.1 Before the deadline for submission of bids, GSCDCL may amend or modify the Bid Documents by publication of the same on the website.
- 10.2 All amendments shall form part of the Bid Document.
- 10.3 GSCDCL may, at its discretion, extend the last date for submission of bids by publication of the same on the website.

C. PREPARATION OF BID

11. The bidders have to prepare their bids online, encrypt their Bid Data in the Bid Forms and submit Bid Seals (Hashes) of all the envelopes and documents related to the Bid required to be uploaded as per the time schedule mentioned in the key dates of the NIT after signing of the same digitally by its authorized representative.

12. DOCUMENTS COMPRISING THE BID

The bid submitted online by the bidder shall be in the following parts:

Part 1 – This shall be known as **Envelope A** and would apply for all bids. **Envelope A** shall contain the following as per details given in the Bid Data Sheet:

- i) Registration number or proof of application for registration and organizational details in format given in the Bid Data sheet.
- ii) Payment of the cost of Bid Document;
- iii) Earnest Money;
- iv) EPF Registration
- v) An affidavit duly notarized.

Part 2 – This shall be known as **Envelope B** and required to be submitted only in works where pre-qualification conditions and/or special eligibility conditions are stipulated in the Bid Data Sheet. Online **Envelope B** shall contain a self-certified sheet duly supported by documents to demonstrate fulfillment of pre-qualification conditions.

Part 3 – This shall be known as **Envelope C** and would apply to all bids. **Envelope C** shall contain financial offer in the format prescribed enclosed with the Bid Data Sheet.

13. LANGUAGE

The bid as well as all correspondence and documents relating to the bid exchanged by the Bidder and GSCDCL shall be in English or Hindi. Supporting documents and printed literature that are part of the Bid may be in another language provided they are accompanied by an accurate translation of the relevant passages in English. In such case, for the purposes of interpretation of the bid, such translation shall govern.

14. TECHNICAL PROPOSAL

- 14.1 Only, in case of bids with pre-qualification conditions defined in the Bid data sheet, the Technical Proposal shall comprise of formats and requirements given in the Bid Data Sheet.
- 14.2 All the documents / information enclosed with the technical proposals should be self-attested and certified by the Bidder. The Bidder shall be liable for forfeiture of his Earnest Money Deposit, if any document / information are found false/fake/untrue before and after acceptance of Bid. GSCDCL may at its sole discretion forfeit the performance security/guarantee, security deposit, enlistment deposit and take any other suitable action, as applicable.

15. FINANCIAL BID

i. The bidder shall have to quote rates in format referred in Bid Data sheet, in overall Percentage, and not item wise. If the bid is in absolute amount, overall percentage would be arrived at in relation to the NIT amount. The overall percentage rate would apply for all items of work.

- ii. Percentage offer shall be quoted in figures as well as in words. If any difference in figures and words found, lower of the two shall be taken as valid and correct.
- iii. The bidder shall have to quote rates inclusive of all duties, taxes, royalties and other levies; and GSCDCL shall not be liable for the same.
- iv. The material along with the units and rates, which shall be issued, if any, by the department to the contractor, is mentioned in the Bid Data Sheet.

16. PERIOD OF VALIDITY OF BIDS

The bids shall remain valid for a period specified in Bid Data Sheet after the date of "close for biding" as prescribed by GSCDCL. The validity of the bid can be extended by mutual consent in writing.

17. EARNEST MONEY DEPOSIT (EMD)

- 17.1 The Bidder shall furnish, as part of the Bid, Earnest Money Deposit (EMD), of the amount specified in the Bid Data Sheet.
- 17.2 The EMD shall be in the form of Fixed Deposit Receipt of a scheduled commercial bank, Interest bearing securities of post office, Demand Draft issued in favor of the name given in the Bid Data Sheet. The Fixed Deposit Receipt and Interest bearing securities of post office shall be valid for six months or more after the last date of receipt of bids.
- 17.3 Bid not accompanied by EMD shall be liable for rejection as non-responsive.
- 17.4 EMD of bidders whose bids are not accepted will be returned within ten working days of the decision on the bid.
- 17.5 EMD of the successful Bidder will be discharged when the Bidder has signed the Agreement and furnished the Bank Guarantee of required value as Performance Security.
- 17.6 Failure to sign the contract by the selected bidder, for whatsoever reason, shall result in forfeiture of its EMD.

D. SUBMISSION OF BID

18. The bidder is required to submit bid online under the digital signature of authorized signatory, and also the physical copy of Envelope 'A' at the place prescribed in the Bid Data Sheet.

E. OPENING AND EVALUATION OF BID

19 PROCEDURE

- 19.1 **Envelope 'A'** shall be opened first online at the time and date notified and its contents shall be checked. In cases where Envelope 'A' does not contain all requisite documents, such bid shall be treated as non-responsive, and **Envelope B and/or C** of such bid shall not be opened.
- 19.2 Wherever Envelope 'B' (Technical Bid) is required to be submitted, the same shall be opened online at the time and date notified. The bidder shall have freedom to witness opening of the Envelope 'B'. Envelope 'C' (Financial Bid) of bidders who are not qualified in Technical Bid (Envelope 'B') shall not be opened.
- 19.3 Envelope 'C' (Financial Bid) of the qualified bidders shall be opened online at the time and date notified. The bidder shall have freedom to witness opening of the Envelope 'C'.
- 19.4 After opening Envelope 'C' all responsive bids shall be compared to determine the lowest evaluated bid.
- 19.5 GSCDCL reserves the right to accept or reject any bid, and to annul the biding process and reject all the bids at any time prior to contract award, without incurring any liability. In all such cases reasons shall be recorded.
- 19.6 GSCDCL reserves the right of accepting the bid for the whole work or for a distinct part of it.

20. Confidentiality

- 20.1 Information relating to examination, evaluation, comparison and recommendation of contract award shall not be disclosed to bidders or any other person not officially concerned with such process until final decision on the bid.
- 20.2 Any attempt by a bidder to influence the Employer in the evaluation of the bids or contract award decisions may result in the rejection of its bid.

F. AWARD OF CONTRACT

21. Award of Contract

GSCDCL shall notify the successful bidder by issuing a 'Letter of Acceptance' (LOA) that his bid has been accepted.

22. Performance Security

- 22.1 Prior to signing of the Contract the bidder to whom LOA has been issued shall have to furnish performance security and Additional Performance Security (if applicable) of the amount, form and duration, etc. as specified in the Bid Data Sheet.
- 22.2 If the Bid, which results in the lowest evaluated Bid price, is seriously unbalanced or front loaded in the opinion of GSCDCL, GSCDCL after evaluation, taking in to consideration the schedule of the estimated contract price may require Additional Performance Security from the successful bidder for such unbalanced Bid price.

23. Signing of Contract Agreement

- 23.1 The successful bidder shall have to furnish Performance security & Additional Performance Security and sign the contract agreement within 15 days of issue of LOA.
- 23.2 The signing of contract agreement shall be reckoned as intimation to commencement of work. No separate work order shall be issued by GSCDCL to the contractor/ successful bidder for commencement of work.
- 23.3 In the event of failure of the successful bidder to submit Performance Security and additional performance security, if any or sign the Contract Agreement, its EMD shall stand forfeited without prejudice to the right of GSCDCL for taking action against the bidder.

24. CORRUPT PRACTICES

GSCDCL requires that bidders observe the highest standard of ethics during the procurement and execution of contracts. In pursuance of this policy, GSCDCL:

- i. may reject the bid for award if it determines that the bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive, or coercive practices in competing for the Contract.
- ii. may debar the bidder if he is being blacklisted by any Department of State Government or Government of India for non-performance/ sub- standard execution or any other reason whatsoever in similar type of works.
- iii. may debar the bidder declaring ineligible, either indefinitely or for a stated period of time, to participate in bids, if it at any time determines that the bidder has, directly or through an agent, engaged in corrupt, fraudulent, collusive, or coercive practices in competing for, or in executing, a contract.

For the purposes of this provision, the terms set forth above are defined as follows:

- a. "corrupt practice" means the offering, giving, receiving, or soliciting, directly or indirectly, anything of value to influence improperly the actions of another party;
- b. **"fraudulent practice"** means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
- c. "coercive practice" means impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
- d. "Collusive practice" means an arrangement between two or more parties designed to achieve an improper purpose, including influencing improperly the actions of another party.

[End of ITB]

Bid Data Sheet

General

S. No.	Particulars	Da	ıta
1	Office inviting Tender	EXECUTIVE DIRECTOR, GWALIOR SMART CITY	
		DEVELOPMENT CORPORATION LIMITED	
2	NIT No	GSCDCL/009/2017	
3	Date of NIT	24/07/2017	
4	Bid document download	From 24/07/2017	To 22/08/2017
	available from date & time	1700 Hours	1400 Hours
5	Website link	http://www.mpeproc.gov.in	

For Section 1 - NIT

Clause reference	Particulars	Data
2	Portal fees	Rs (shall be reflected on the portal)
3	Cost of bid document (in the form of Demand Draft)	Rs.15,000/- (Rupees Fifteen Thousand only)
	Cost of bid document payable to Cost of bid document in favour of	Bidders shall be directed to the payment gateway through the portal
3	Affidavit	Annexure B
11	Pre-qualifications required If Yes, details	Yes As per Annexure C
2	Key Dates	Annexure A

For Section 2 - ITB

Clause reference	Particulars	Data	
1	Name of work	Re-development of Ladies Park at Gwalior	
2	Specifications	Annexure D	
3	Procedure for participation in e- tendering	Annexure E	
4	Whether Joint-venture is allowed	No	
9	Pre bid meeting to be held	Yes	
	If Yes, Date, Time & Place	Date - 03/08/2017, Time - 1600 Hou	urs
		Place –	
		Office of the Chief Executive Officer,	,
		Gwalior Smart City Development	
		Corporation Ltd. Nagar Nigam	
		Mukhyalaya, City Centre, Gwalior	
12 (Part 1)	Envelope –A containing :	At Office of the Chief Executive Office	er,
	i. Copy of Registration or proof	Gwalior Smart City Development	
	of application for registration	Corporation Ltd. Nagar Nigam	
	and organizational details as per Annexure 'H'	Mukhyalaya, City Centre, Gwalior	
	ii. Cost of Bid Document	Before -1500 Hours, Date: 25/08/201	17
	iii. EMD	,	
	iv. An affidavit duly notarized as		
	per Annexure –B		
	Should reach in physical form		
12(Part 2)	Envelope-B Technical Proposal	Annexure – G (Format G -1 to G -3)	

12 (Part 3)	Envelope-C Financial Bid	Annexure – H
16	Period of Validity of Bid	180 Days
17	Earnest Money Deposit	Rs.2,03,500/- (Rupees Two Lakhs
		Three Thousand and Five Hundred
		only)
	Forms of Earnest Money	i. FDR/e-FDR
	Deposit	ii. Demand draft of
		National/Scheduled Commercial
		Bank
		iii. Interest bearing securities of post
		office
	EMD valid for a period of	Not less than 180 days
	FDR (Fixed Deposit Receipt) /	Executive Director, Gwalior Smart City
	Demand Draft and Interest	Development Corporation Limited
	bearing securities of post office	
	must be in favour of	
21	Letter of Acceptance (LoA)	Annexure I
22	Amount of Performance Security	5 % of contract amount
	Additional Performance Security,	As per provision of clause 22.2 of ITB
	if any	
	Performance Security &	Annexure J
	Additional Performance Security	
	in the format	
	Performance Security &	Executive Director, Gwalior Smart City
	Additional Performance Security	Development Corporation Limited
	in favour of	
	Performance security &	Till issue of Physical Completion
	Additional Performance Security	Certificate as per clause 35.1
	shall be valid up to	

Annexure – A

(See clause 7 of Section 1 NIT)

Key Dates

S. No.	Works Department Stage	Bidder's Stage	Start		Expir	/	Envelopes
			Date	Time	Date	Time	
1		Purchase of Tender (Online)	24/07/2017	1700 Hours	22/08/2017	1400 Hours	
2	Pre-Bid Meeting		03/08/2017	1600 Hours			
3		Bid Submission (Online)			22/08/2017	1500 Hours	
4		Bid Submission (Hard Copy)			25/08/2017	1500 Hours	
5	Technical Proposal Opening		25/08/2017	1600 Hours			Envelope A + B
6	Financial Bid Opening		To be Intimated Later to Technical Qualified Bidder				Envelope C

(See clause 3 of Section 1-NIT)

|| AFFIDAVIT ||

(To be contained in Envelope A)

(On Non Judicial Stamp Paper of non-judicial stamp paper of appropriate amount) I/we who is/ are (status in the firm/ company) and competent for submission of the affidavit on behalf of M/S (contractor) do solemnly affirm an oath and state that: I/we are fully satisfied for the correctness of the certificates/records submitted in support of the following information in bid documents which are being submitted in response to notice inviting e-tender No. ______ for _____ (name of work) dated _____ issued by the Gwalior Smart City Development Corporation Limited. I/we are fully responsible for the correctness of following self-certified information/ documents and certificates: 1. That the self-certified information given in the bid document is fully true and authentic. 2. a. Term deposit receipt deposited as earnest money, demand draft for cost of bid document and other relevant documents provided by the Bank are authentic. b. Information regarding financial qualification and annual turn-over is correct. c. Information regarding various physical qualifications is correct. No close relative of the undersigned and our firm/company is working in the department. 3. Following close relatives are working in the department: Name _____ Post _____ Present Posting _____ Signature with Seal of the Deponent (bidder) above deponent do hereby certify that the facts mentioned in above paras 1 to 3 are correct to the best of my knowledge and belief. Verified today _____ (dated) at _____ (place). Signature with Seal of the Deponent (bidder) Note: Affidavit duly notarized in original shall reach at least one working day before opening of the bid, by 15.00 hrs.

PRE-QUALIFICATIONS CRITERIA

The bidder should have:

Experience of having successfully executed (Successfully executed would mean successful completion and commissioning of the project),

- a) three similar works each costing not less than the amount equal to 20% of the probable amount of contract during the last 7 financial years; or
- b) two similar works each costing not less than the amount equal to 30% of the probable amount of contract during the last 7 financial years; or
- c) one similar work of aggregate cost not less than the amount equal to 50% of the probable amount of during the last 7 financial years;

Similar works means work related to

- i. Construction of Buildings
- ii. Construction of boundary wall with gate, landscaping and grassing.
- iii. Construction of Walkway, Exercise Area, Children's Play Area.

Bidders are required to submit the corresponding Work Order copies & Execution/ Completion Certificates issued by the respective clients. The Certificates should be issued by respective authority (Not below the rank of Executive Engineer) of client. GSCDCL may call for original certificates for verification.

Note: Work execution/ Completion Certificate shall include detailed scope of work, actual cost of work completed with date of commencement and date of completion of the work.

(See clause 2 of Section 2-ITB & clause 10 of GCC)

Specifications

Specifications in four parts namely (1) Water Supply, Sewerage and Tube Well Works (2) Building Water Supply, Drainage and Sanitary Installation (3) Roads & Bridge (4) Electrical Works shall form part of the technical specifications of this work and shall follow MPUADD Specifications & is available at MPUADD Website(www.mpurban.gov.in)

The provisions of General/ Special Conditions of Contract, those specified elsewhere in the bid document, as well as execution drawings and notes, details mentioned in the Bill of Quantities, or other specifications issued in writing by GSCDCL shall form part of the technical specification of this work.

For items not covered under MP-UADD specifications with correction slips or those specifications are not given in the technical specifications appended or not incorporated in the nomenclature of the individual item, the work shall be done as per latest relevant BIS Codes of Practice or as per approval of Engineer-in-charge.

Procedure for participation in E-Tendering

1. Registration of Bidders on e-Tendering System

All the PWD registered bidders are already registered on the new e-procurement portal https://www,mpeproc.gov.in. The user id will be the contractor ID provided to them by MP Online. The password for the new portal has been sent to the bidders registered email ID. For more details may contact M/s Tata consultancy Services Corporate Block, 5th floor, DB city Bhopal-462011, email id: eprochelpdesk@mpsdc.gov.in. Helpdesk phone numbers are available on website.

2. Digital Certificate:

The bids submitted online should be signed electronically with a class III Digital Certificate to establish the identity of the bidder submitting the bid online. The bidders may obtain class III Certificate issued by an approved certifying authority authorized by the Controller of Certifying Authorities, Government of India. A class III digital Certificate is issued upon receipt of the required proofs along with an application. Only upon the receipt of the required documents, a digital certificate can be issued. For details please visit <a href="http://dx.nih.gov/

Note:

i. It may take up to 7 working days for issuance of class III digital certificate; hence the bidders are advised to obtain the certificate at the earliest. Those bidders who already have valid 7 class III digital certificate need not obtain another Digital Certificate for the same.

The bidders may obtain more information and the APPLICATION FORM REQUIRED TO BE SUBMITTED FOR THE ISSUANCE OF DIGITAL CERTIFICATE FROM http:cca.gov.in.

ii Bids can be submitted till bid submission end date. Bidder will require digital signature for the bid submission. The digital certificate issued to the authorized user of a partnership firm/Private limited company/Public Limited Company and user for online bidding will be considered as equivalent to a no-objection certificate/power of attorney to that user.

In case of Partnership firm, majority of the partners have to authorize a specific individual through authority letter signed by majority of partners of the firm.

In case of Private Limited Company, Public Limited Company, the Managing Director may authorize a specific individual through Authority Letter. Alternatively a Board resolution may be passed authorizing such individual. Unless the certificate is revoked, it will be assumed to represent adequate authority of the specific individual to bid on behalf of the organization for online bids as per Information Technology Act 2008. This Authorized Representative/ User will be required to obtain a digital certificate. The Digital Signature executed through the use of the responsibility of Management/Partners of the concerned firm to inform the Certifying Authority, if the authorized user changes, and apply for a fresh Digital Certificate for the new Authorized user.

3. Set Up of Bidder's Computer System:

In order for a bidder to operate on the e-tendering System, the Computer system of the bidder is required to be set up for Operating System, Internet Connectivity, Utilities, Fonts, etc. The details are available at https://www.mpeproc.gov.in.

4. Key Dates:

The bidders are strictly advised to follow the time schedule (Key dates as mentioned in **Annexure - A**) of the bid of their side for tasks and responsibilities to participate in the bid, as all the stages of each bid are locked before the start time and date and after the end time and date for the relevant stage if the bid as set by the Department.

5. Preparation and Submission of Bids

The bidders have to prepare their online, encrypt their bid data in the Bid forms and submit Bid of all the envelopes and documents related to the Bid required to be uploaded as per the time schedule mentioned in the key dates of the NIT after signing of the same by the Digital Signature of their authorized representative.

6. Purchase of Bid Document

For purchasing of the bid document, bidders have to pay Service Charge online only which is [as per Bid Data Sheet]. The cost of Bid document is separately mentioned in the detailed NIT. The Bid Document shall be available for purchase to concerned eligible bidders immediately after online release of the bids and up to scheduled time and date as set in the key dates. The payment for the cost of bid document shall be made online through Credit/Debit/Cash Card or via internet banking.

7. Withdrawal, Substitution and Modification of Bids

Bidder can withdraw and modify the bid before submission end date.

Note:

- Bidders are requested to visit our e-tendering website regularly for any clarifications and/or due date extension or corrigendum.
- Bidder must positively complete online e-tendering procedure at www.mpeproc.gov.in
- GSCDCL shall not be responsible in any way for delay/ difficulties/ inaccessibility of the downloading facility from the website for any reason whatsoever.
- In case, due date for submission and opening of tender happens to be a holiday, the due date shall be shifted to the next working day for which no prior intimation will be given
- GSCDCL reserves the right for extension of due date of opening of technical bid.

ORGANIZATIONAL DETAILS (To be contained in Envelope - A)

	(To be contained	. ,	
S.No.	Particulars	Details	
1.	Registration No. issued by centralized	(If applicable, scanned copy of proof of application	
	registration system of Govt. of MP or proof of	for registration to be uploaded)	
	application for registration	(Coopered compared Deviatoration to be unleaded)	
2.	Valid registration of Bidder in appropriate class through centralized registration of Govt. of	(Scanned copy of Registration to be uploaded)	
	MP,PWD		
3.	Name of Organization/ Individual/ / Partnership		
0.	Firm Registered under Partnership Act/ Limited		
	Company (Registered under the Companies		
	Act-1956/ 2013)		
4.	Entity of Organization		
	Partnership Firm (Registered under		
	Partnership Act)/ Limited Company (Registered		
	under the Companies Act–1956/ 2013)		
5.	Address of Communication		
6.	Telephone Number with STD Code		
7.	Fax Number with STD Code		
8	PAN No.		
9	GST No.		
10	TAN No.		
11	EPF Registration		
12	Service Tax Registration No.		
13	Sale Tax Registration No.		
14	Mobile Number		
15	E-mail Address for all communications		
	Details of Authorized Representative		
16	Name		
17	Designation		
18	Postal Address with pin code		
19	Telephone Number with STD Code		
20	Fax Number with STD Code		
21	Mobile Number		
22	E-mail Address		

Note: In case of partnership firm and limited company certified copy of partnership deed/ Articles of Association and Memorandum of Association along with registration certificate of the company shall have to be enclosed.

Signature of	f Bidder with Seal
Date: _	

(See clause 14 of Section 2 of ITB)

Envelope – B, Technical Proposal Technical Proposal shall comprise the following documents:

S. No.	Particulars	Details to be submitted
1	Experience - Financial and Physical	Annexure – G (Format : G - 1)
2	List of technical personnel for the key positions	Annexure – G (Format : G - 2)
3	List of Key equipment/ machines for construction work	Annexure – G (Format : G - 3)

Note:

- 1. Technical Proposal should be uploaded duly page numbered and indexed.
- 2. Technical Proposal uploaded without page numbering and indexing will not be considered.

Annexure – G (Format: G-1)	
(See clause 14 of Section 2 of ITB	
FINANCIAL & PHYSICAL EXPERIENCE DETAILS	
Bidders to furnish details of minimum requirement for Scope of Work	
22	

LIST OF TECHNICAL PERSONNEL FOR THE KEY POSITIONS

Contractor will have to appoint at least the following key personnel during the execution and entire contract period.

S.No.	Discipline	Minimum Qualification	Required Nos.
1	Site Engineer	Degree/ Diploma in Civil Engineering having	One
		minimum 5 years (7 years for Diploma holder)	
		of relevant experience	
2	Engineer (Horticulture	Domain Experts with requisite ability to follow One	
	& Landscape,	the designs and drawings to execute the	
	Pathways)	work, ability to manage complex situations	
		and to effectively coordinate the work –	
		minimum 5 years' experience	
3	Electrical Engineer	Degree/ Diploma in Electrical Engineering	One
		having minimum 3 years (5 years for Diploma	
		holder) of relevant experience	

Penalty for Non-deployment of above staff are as follows:

S.No.	Discipline	Penalty to be computed on Per Day basis
1	Site Engineer	Rupees 40,000/- Per Month
2	Engineer (Horticulture & Landscape, Pathways) at least for a period of three months in the contract period	Rupees 30,000/- Per Month
3	Electrical Engineer at least for a period of three months in the contract period	Rupees 30,000/- Per Month

Note: In case the staff is unavailable for a part of the month, the penalty shall be pro-rated

(See clause 14 of Section 2 of ITB)

The Contractor shall carryout the construction work in such a way that the requirements of the specifications of each item of work under the project are fully satisfied. For achieving the quality parameters as per the specifications, the contractor shall be required to deploy appropriate machinery and equipment for carrying out the work. In this section, the Bidder is required to demonstrate his capacity with respect to Key equipment and machinery that are required to carry out this work successfully.

LIST OF EQUIPMENTS / MACHINES FOR CONSTRUCTION WORK

Minimum Requirement		Available with the Bidder		
S. No.	Name of Equipment/ Machinery	Quantity	Name of Equipment/ Machinery	Quantity
1	All machines and equipment's required to furnish the job efficiently in stipulated time	As required in project		

Annexure – H

(See clause 15 of Section 2 of ITB)

FINANCIAL BID (TO BE CONTAINED IN ENVELOPE C)

TENDER FOR PERCENTAGE RATE CONTRACT:

NAME OF WORK: (NAME OF THE WORK AS APPEARING IN THE BID FOR THE WORK)

We have visited the site of work and are fully aware of all the difficulties and conditions likely to affect carrying out the work. We have fully acquainted ourselves about the conditions in regard to accessibility of site and quarries/kilns, nature and the extent of ground, working conditions including stacking of materials, installation of tools and plant conditions effecting accommodation and movement of labour etc. required for the satisfactory execution of contract.

Should this bid be accepted, We hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so far as applicable, or in default thereof to forfeit and pay to the EXECUTIVE DIRECTOR, GWALIOR SMART CITY DEVELOPMENT CORPORATION LIMITED, GWALIOR; Madhya Pradesh or his successors in office the sums of money mentioned in the said conditions.

Note:

- i. Only one rate of percentage above or below or at par based on the Bill of Quantities and item wise rates given therein shall be quoted.
- ii. Percentage shall be quoted in figures as well as in words. If any difference in figures and words is found, lower of the two shall be taken as valid and correct rate. If the bidder is not ready to accept such valid and correct rate and declines to furnish performance security and sign the agreement its earnest money deposit shall be forfeited.
- iii. In case the percentage "above" or "below" is not given by a bidder, its bid shall be treated as non-responsive.
- iv. All duties, taxes, and other levies payable by the bidder shall be included in the percentage quoted by the bidder.

Signature of Bidder

Name of Bidder

(See clause 21 of Section 2 of ITB)

LETTER OF ACCEPTANCE (LOA)

No.	Dated:
To,	
	M/s
	(Name and address of the contractor)
Sub	ject:
	(Name of the work as appearing in the bid for the work)
Dea	ar Sir (s),
	or bid for the work mentioned above has been accepted on behalf of the GSCDCL at your bid centage below / above or at par the bill of quantities and item wise rates given therein.
You	are requested to submit the following within 15 (Fifteen) days from the date of issue of this letter:
a.	The performance security/ performance guarantee of Rs (in figures) (Rupees in words) only (In prescribed Format as per Annexure – M) being 5% of the accepted quoted cost. The performance security shall be in the shape of Term Deposit Receipt/ Bank Guarantee of any nationalized / schedule commercial bank valid up to Contract Period Plus three months.
b.	The Additional Performance Security/ Additional Performance Guarantee of Rs (in figures) (Rupees in words) only. (In prescribed Format as per Annexure – M) The Additional Performance Security shall be in the shape of Term Deposit Receipt/ Bank Guarantee of any nationalized / schedule commercial bank valid up to Contract Period Plus three months.
C.	Duly signed Contract Agreement in Agreement Form as prescribed in Section - 5
	Please note that the time allowed for carrying out the work as entered in the bid is months including/excluding rainy season, shall be reckoned from the date of signing of the Contract Agreement.
	Signing the contract agreement shall be reckoned as intimation to commencement of work and no separate letter for commencement of work is required.
	Therefore, after signing of the agreement, you are directed to contact Engineer-in-charge for taking the possession of site and necessary instructions to start the work.
	Yours faithfully,
	Executive Director Gwalior Smart City Development Corporation Limited

(See clause 22 of Section 2 of ITB)

PERFORMANCE SECURITY

То
[Name of Employer]
[Address of Employer]
WHEREAS[name and Address of Contractor]
(Hereinafter called "the Contractor") has undertaken, in pursuance of Letter of Acceptance No Dated to execute [Name of Contract and brief description of Works] (herein after called "the Contract").
AND WHEREAS it has been stipulated by you in the said Contract that the contractor shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligation in accordance with the contract;
AND WHREREAS we have agreed to give the Contractor such a Bank Guarantee:
NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you on behall of the Contractor, up to a total of [amount of Guarantee]* (in words), such sum being payable in the types and proportions of currencies in which the contract price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of [amount of Guarantee] as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.
We hereby waive the necessity of your demanding the said debt from the contractor before presenting us with the demand. We also state that you are no way required to justify the demand raised to us.
We further agree that no change or addition to or other modification of the terms of the Contract of the Works to be performed there under or of any of the Contract documents which may be made between you and the Contractor shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any such change, addition or modification.
This Guarantee shall be valid until 3(three) months from the date of expiry of the Contract Period.
Signature, Name and Seal of the Guarantor
Name of Bank
Address_
Phone No., Fax No., E-mail Address, of Signing Authority

^{*} An amount shall be inserted by the Guarantor, representing the percentage the Contract Price specified in the Contract including additional security for unbalanced Bids, if any and denominated in Indian Rupees.

SECTION 3

Conditions of Contract Part – I General Conditions of Contract [GCC]

Table of Clauses of GCC

Clause	Particulars	Clause	Particulars
no.		no.	
	A. General	21	Payments for Variations and / or Extra Quantities
1	Definitions	22	No compensation for alterations in or restriction of work to be carried out.
2	Interpretations and Documents	23	No Interest payable
3	Language and Law	24	Recovery from Contractors
4	Communications	25	Tax
5	Subcontracting	26	Check Measurements
6	Personnel	27	Termination by Engineer in charge
7	Force Majeure	28	Payment upon Termination
8	Contractor's Risks	29	Performance Security
9	Liability For Accidents To Person	30	Security Deposit
10	Contractor to Construct the Works	31	Intentionally Deleted
11	Discoveries	32	Intentionally Deleted
12	Dispute Resolution System	33	Intentionally Deleted
	B. Time Control	34	Payment certificates
13	Programme		E. Finishing the Contract
14	Extension of Time	35	Completion of Certificate
15	Compensation for Delay	36	Final Account
16	Intentionally Deleted		F. Other Conditions of Contract
	C. Quality Control	37	Currencies
17	Tests	38	Labour
18	Correction of Defects noticed during	39	Compliance with Labour Regulations&
	the Defect Liability Period		Construction Safety
	D. Cost Control	40	Audit and Technical Examination
19	Variations - Change in original	41	Death and Permanent Invalidity of
	Specifications, Designs, Drawings etc.		Contractor
20	Extra Items	42	Jurisdiction
		43	Monthly RA bills

A. General

- 1. DEFINITIONS
- 1.1 Bill of Quantities: means the priced and completed Bill of Quantities forming part of the Bid.
- 1.2 CEO: means Chief Executive Officer of Gwalior Smart City Development Corporation Limited
- **1.3 Completion**: means completion of the work as certified by the Engineer-in-Charge, in accordance with provisions of Contract.
- **1.4 Contract:** means the Contract between GSCDCL and the Contractor to execute, complete and/or maintain the work. Agreement is synonym of Contract and carries the same meaning wherever used.
- **1.5 Contract Data Sheet**: means the documents and other information which comprise of the Contract.
- **1.6 Contractor**: means a person or legal entity whose bid to carry out the work has been accepted by the Employer.
- **1.7 Contractor's bid**: means the completed bid document submitted by the Contractor to the Employer.
- 1.8 Contract amount: means the amount of contract worked out on the basis of accepted bid.
- **1.9 Completion of work**: means completion of the entire contracted work. Exhaustion of quantity of any particular item mentioned in the bid document shall not imply completion of work or any component thereof.
- **1.10 Day**: means the calendar day.
- **1.11 Defect**: means any part of the work not completed in accordance with the specifications included in the contract.
- **1.12 Department:** means departments GWALIOR SMART CITY DEVELOPMENT CORPORATION LTD, GWALIOR, M.P. as the case may be.
- **1.13 Drawings**: means drawings including calculations and other information provided or approved by the Engineer-in-Charge.
- **1.14 Employer**: means **GSCDC**L as defined in the Contract Data, who employs the Contractor to carry out the work. The employer may delegate any or all functions to a person or body nominated by him / her for specified functions. The word Employer/Government/Department wherever used denote the Employer
- **1.15** Engineer / Engineer in Charge: means Engineer of PDMC / Engineer Authorised by Gwalior Smart City Development Corporation Ltd., as the case may be.
- **1.16 Competent Authority**: means Chief Executive Officer, Gwalior Smart City Development Corporation Limited or any person authorized by CEO, GSCDCL
- 1.17 GSCDCL: GWALIOR SMART CITY DEVELOPMENT CORPORATION LTD, GWALIOR, M.P.
- **1.18 Equipment**: means the Contractor's machinery and vehicles brought temporarily to the Site for execution of work.
- **1.19 Government**: means Government of Madhya Pradesh.
- 1.20 In Writing: means communicated in written form and delivered against receipt.
- **1.21 Material**: means all supplies, including consumables, used by the Contractor for incorporation in the work.
- **1.22 PDMC:** means KPMG Advisory Services Private Limited in Consortium with Tractebel Engineering Private Limited have been appointed as the Project Development and Management Consultant (PDMC) by GSCDCL, Gwalior
- **1.23 Schedule of Rates**: means, Schedule of Rates (SOR) of Urban Administration and Development Department, Government of Madhya Pradesh w.e.f. 10th May 2012 with upto date amendments.
- **1.24** Superintending Engineer: means Superintending Engineer of the Concerned Division of the MP, GSCDCL as the case may be.

- **1.25 Stipulated date of completion**: means the date on which the Contractor is required to complete the work. The stipulated date/ period is specified in the Contract Data.
- **1.26 Specification**: means the specification of the work included in the Contract and any modification or addition made or approved by the Engineer-in-Charge.
- **1.27 Start Date:** means the date 14 days after the signing of agreement for the work.
- **1.28 Sub-Contractor**: means a person or corporate body who has a Contract (duly authorized by the Employer) with the Contractor to carry out a part of the construction work under the Contract.
- **1.29 Temporary Work**: means work designed, constructed, installed, and removed by the Contractor that are needed for construction or installation of the work.
- 1.30 Tender / Bid, Tenderer /Bidder: are the synonyms and carry the same meaning where ever used.
- 1.31 UADD: Urban Administration and Development Department
- **1.32 Variation**: means any change in the work which is instructed or approved as variation under this contract.
- **1.33 Work**: the expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction, be construed and taken to mean the work by virtue of contract, contracted to be executed, whether temporary or permanent and whether original, altered, substituted or additional.

2. INTERPRETATIONS AND DOCUMENTS

2.1 Interpretations

In the contract, except where the context requires otherwise:

- a. words indicating one gender include all genders;
- b. words indicating the singular also include the plural and vice versa.
- c. provisions including the word "agree", "agreed" or "agreement" require the agreement to be recorded in writing;
- d. written" or "in writing" means hand-written, type-written, printed or electronically made, and resulting in a permanent record;

2.2 Documents Forming Part of Contract:

- 1. NIT with all amendments.
- 2. Instructions to Bidders
- 3. Conditions of Contract:
 - i. Part I General Conditions of Contract and Contract Data; with all Annexures
 - ii. Part II Special Conditions of Contract.
- 4. Specifications
- 5. Drawings
- 6. Bill of Quantities
- 7. Technical and Financial Bid
- 8. Agreement
- 9. Any other document (s), as specified.

3. Language and Law

The language of the Contract and the law governing the Contract are stated in the Contract Data.

4. Communications

All certificates, notice or instruction to be given to the Contractor by Employer/Engineer shall be sent on the address or contact details given by the Contractor in [Annexure H of ITB]. The address and contract details for communication with the Employer/Engineer shall be as per the details given in Contract Data Sheet. Communication between parties that are referred to in the

conditions shall be in writing. The notice sent by facsimile (fax) or other electronic means (email) shall also be effective on confirmation of the transmission. The notice sent by registered post or speed post shall be effective on delivery or at the expiry of the normal delivery period as undertaken by the postal service. In case of any change in address for communication, the same shall be immediately notified to Engineer-in-Charge

5. Subcontracting

Subcontracting shall be permitted for contracts value more than amount specified in the Contract Data with following conditions.

- a. The Contractor may subcontract up to 25 percent of the contract price, only with and after the approval of the Employer in writing, but will not assign the Contract. Subcontracting shall not alter the Contractor's obligations.
- b. The following shall not form part of the sub-contracting:
 - i. hiring of labour through a labour contractor,
 - ii. the purchase of Materials to be incorporated in the works,
 - iii. hiring of plant & machinery
- c. The sub-contractor will have to be registered in the **appropriate category** in the centralised registration system for contractors of the GoMP.

6. Personnel

- 6.1 The Contractor shall employ for the construction work and routine maintenance the technical personnel as provided in the Annexure I-3 of Bid Data sheet, if applicable. If the Contractor fails to deploy required number of technical staff, recovery as specified in the Contract Data will be made from the Contractor.
- 6.2 If the Engineer asks the Contractor to remove a person who is a member of the Contractor's staff or work force, stating the reasons, the Contractor shall ensure that the person leaves the Site within three days and has no further connection with the Works in the Contract.

7. Force Majeure

- **7.1** The term "Force Majeure" means an exceptional event or circumstance:
 - a) Which is beyond a party's control,
 - b) Which such party could not reasonably have provided against before entering into the contract,
 - c) Which, having arisen, such party could not reasonably have avoided or overcome, and
 - d) Which is not substantially attributed to the other Party

Force Majeure may include, but is not limited to, exceptional events or circumstances of the kind listed below, so long as conditions (a) to (d) above are satisfied:

- (i) War, hostilities (whether war be declared or not), invasion, act of foreign enemies),
- (ii) Rebellion, terrorism, sabotage by persons other than he contractor's Personnel, revolution, insurrection, military or usurped power, or civil war,
- (iii) Riot, commotion, disorder, strike or lockout by persons other than the Contractor's Personnel,
- (iv) Munitions of war, explosive materials, ionising radiation or contamination by radio activity, except ass may be attributed to the Contractor's use of such munitions, explosives, radiation or radio activity, and
- (v) Natural catastrophes such as earthquake, hurricane, typhoon or volcanic activity,
- 7.2 In the event of either party being rendered unable by force majeure to perform any duty or discharge any responsibility arising out of the contract, the relative obligation of the party affected by such force majeure shall upon notification to the other party be suspended for the period during which force majeure event lasts. The cost and loss sustained by either party shall be borne by respective parties.
- 7.3 For the period of extension granted to the Contractor due to Force Majeure the price adjustment clause shall apply but the penalty clause shall not apply. It is clarified that this sub clause shall not give eligibility for price adjustment to contracts which are otherwise not subject to the benefit of Price adjustment clause.
- 7.4 The time for performance of the relative obligation suspended by the force majeure shall stand extended by the period for which such cause lasts. Should the delay caused by force majeure

exceed **twelve months**, the parties to the contract shall be at liberty to foreclose the contract after holding mutual discussions.

8. Contractor's Risks

- **8.1** All risks of loss of or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract are the responsibility of the Contractor.
- **8.2** All risks and consequences arising from the inaccuracies or falseness of the documents and/or information submitted by the contractor shall be the responsibility of the Contractor alone, notwithstanding the fact that designs/drawings or other documents have been approved by the department.

9. Liability for Accidents to Person

The contractor shall be deemed to have indemnified and saved harmless the Government and/or the employer, against all action, suits, claims, demands, costs etc. arising in connection with injuries suffered by any persons employed by the contractor or his subcontractor for the works whether under the General law or under workman's compensation Act, or any other statute in force at the time of dealing with the question of the liability of employees for the injuries suffered by employees and to have taken steps properly to ensure against any claim there under.

10. Contractor to Construct the Works

- **10.1** The Contractor shall construct, install, fix, test, and commission the Works in accordance with the Specifications and Drawings as specified in the Contract Data
- 10.2 In the case of any class of work for which there is no such specification as is mentioned in contract Data, such work shall be carried out as per best Engineering practice or as directed by Engineer In Charge. In the event of any disparity between the written specifications and BIS provisions, the provisions in BIS shall prevail.
- 10.3 The contractor shall supply and take upon himself the entire responsibility of the sufficiency of the scaffolding, timbering, Machinery, tools implements and generally of all means used for the fulfilment of this contract whether such means may or may not approved of or recommended by the Engineer.

11. Discoveries

Anything of historical or other interest or of significant value unexpectedly discovered on the Site shall be the property of the Employer. The Contractor shall notify the Engineer of such discoveries and carry out the Engineer's instructions for dealing with them.

12. Dispute Resolution System

- 12.1 No dispute can be raised except before the Competent Authority as defined in Contract data in writing giving full description and grounds of Dispute. It is clarified that merely recording protest while accepting measurement and/or payment shall not be taken as raising a dispute.
- 12.2 No issue of dispute can be raised after 45 days of its occurrence. Any dispute raised after expiry of 45 days of its first occurrence shall not be entertained and the Employer shall not be liable for claims arising out of such disputes.
- 12.3 The **Competent Authority** shall decide the matter within 45 days.
- 12.4 Appeal against the order of the Competent Authority can be preferred within 30 days to the Appellate Authority as defined in the Contract data. The **Appellate Authority** shall decide the dispute within 45 days.
- 12.5 Appeal against the order of the Appellate Authority can be preferred before the Madhya Pradesh Arbitration Tribunal constituted under Madhya Pradesh Adhikaran Adhiniyam, 1983.
- 12.6 The contractor shall have to continue execution of the works with due diligence notwithstanding pendency of a dispute before any authority or forum.

B. Time Control

13. Programme

13.1 Within the time stated in the Contract Data, the Contractor shall submit to the Engineer for approval a Programme showing the general methods, arrangements, order, and timing for all the activities in the Works.

- 13.2 The programme shall be supported with all the details regarding key personnel, equipment and machinery proposed to be deployed on the works for its execution. The contractor shall submit the list of equipment and machinery being brought to site, the list of key personnel being deployed, along with the Programme
- 13.3 An update of the Programme shall be showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining Works, including any changes to the sequence of the activities.
- 13.4 The Contractor shall submit to the Engineer for approval an updated Programme at intervals no longer than the period stated in the Contract Data. If the Contractor does not submit an updated Programme within this period, the Engineer may withhold the amount stated in the Contract Data from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Programme has been submitted.
- 13.5 The Engineer's approval of the Programme shall not alter the Contractor's obligations

14. Extension of Time

- 14.1 If the Contractor desires an extension of time for completion of the work on the ground of its having been unavoidably hindered in its execution or on any other grounds, it shall apply, in writing, to the Engineer-in-charge, on account of which it desires such extension. Engineer-in-charge shall forward the aforesaid application to the competent authority as prescribed.
- 14.2 The competent authority shall grant such extension at each such occasion within a period of 30 days of receipt of application from contractor and shall not wait for finality of work. Such extensions shall be granted in accordance with provisions under clause -7 or clause- 15 of this agreement.
- 14.3 In case of the work already in progress, the contractor shall proceed with the execution of the works, including maintenance thereof, pending receipt of the decision of the competent authority as aforesaid with all due diligence.

15. Compensation for delay

- 15.1 The time allowed for carrying out the work, as entered in the agreement, shall be strictly observed by the Contractor.
- 15.2 The time allowed for execution of the contract shall commence from the date of signing of the agreement. It is clarified that the need for issue of work order is dispensed with.
- 15.3 In the event milestones are laid down in the Contract Data for execution of the works, the Contractor shall have to ensure strict adherence to the same.
- 15.4 Failure of the Contractor to adhere to the timelines and/or milestones shall attract such liquidated damages as is laid down in the Contract Data
- 15.5 In the event of delay in execution of the works as per the timelines mentioned in the contract data the Engineer-in- charge shall retain from the bills of the Contractor amount equal to the liquidated damages to be levied until the Contractor makes such delays good. However, the Engineer-in-charge may accept bankable security in lieu of retaining such amount.
- 15.6 If the Contractor is given extension of time after liquidated damages have been paid, the engineer in charge shall correct any over payment of liquidated damages by the Contractor in the next payment certificate.
- 15.7 In the event the Contractor fails to make good the delay until completion of the stipulated contract period (including extension of time) the sum so retained shall be adjusted against liquidated damages levied.

C. Quality Control

17. Tests

- 17.1 The Contractor shall be responsible for:
 - a. Carrying out the tests prescribed in specifications shall be got carried out through Laboratories accredited by National Accreditation Board of Laboratories (NABL) by the Engineer-In –Charge at the cost of the Contractor or such testing charges will be borne by the employer and will be recovered/deducted from the payments due to the Contractor.

- b. For the correctness of the test results, whether preformed in his laboratory or elsewhere.
- 17.2 Deleted
- 17.3 Deleted

18. Correction of Defects noticed during the Defect Liability Period

- 18.1 The defect liability period of work in the contract shall be for a period of 1 (one) year after the completion of the work
- 18.2 The Contractor shall promptly rectify all defects pointed out by the Engineer well before the end of the Defect Liability Period. The Defect Liability Period shall automatically stand extended until the defect is rectified.
- 18.3 If the Contractor has not corrected a Defect pertaining to the Defect Liability Period to the satisfaction of the Engineer, within the time specified by the Engineer, the Engineer will assess the cost of having the Defect corrected, and the cost of correction of the Defect shall be recovered from the Performance Security or any amount due or that may become due to the contractor and other available securities.

D. Cost Control

Variations - Change in original Specifications, Designs, and Drawings etc.

- 19.1 The Engineer-in-charge shall have power to make any alterations, omissions or additions to or substitutions for the original specifications, drawings, designs and instructions, that may appear to him to be necessary during the progress of the work and the Contractor shall carry out the work in accordance with any instructions which may be given to him in writing signed by the Employer, and such alterations, omission, additions or substitutions shall not invalidate the contract and any altered, additional or substituted work, which the Contractor may be directed to do in the manner above specified, as part of the work, shall be carried out by the Contractor on the same conditions in all respects on which it had agreed to do the main work.
- 19.2 The time for the completion of the Work shall be extended in the proportion that the altered, additional or substituted work bears to the original contract work and the certificate of the Engineer –in-charge shall be conclusive as to such proportion.

20. Extra items

20.1 All such items which are not in the priced Bills of Quantities (BOQ) shall be treated as extra items.

21. Payments for Variations and / or Extra Quantities

- 21.1 The rates for the additional (Extra Quantities), altered or substituted work/ extra items under this clause shall be worked out in accordance with the following provisions in their respective order:-
- a. The contractor is bound to carry out the additional (Extra quantity), work at the same rates as are specified in the contract for the work.
- b. If the item is not in the priced BOQ and is included in the Schedule of Rate (SOR) of the department, the rate shall be arrived at by applying the quoted tender percentage on the SOR rate.
- c. If the rates of the altered or substituted work are not provided in applicable SOR-such rates will be derived from the rates for a similar class (type) of work as is provided in the contract (priced BOQ) for the work.
- d. If the rates are for the altered, substituted work cannot be determined in the manner specified in the sub clause (c) above, then the rates for such composite work item shall be worked out on the basis of the concerned schedule of rates minus/ plus the percentage quoted by the Contractor.
- e. If the rates of a particular part or parts of the item is not in the schedule of rates and the rates for the altered, or substituted work item cannot be determined in the manner specified in sub clause (b) to (d) above, the rate for such part or parts will be determined by the Competent Authority as defined in the Contract data on the basis of the rate analysis derived out of prevailing market rates when the work was done.
- f. But under no circumstances, the Contractor shall suspend the work on the plea of non-acceptability of rates on items falling under sub clause (a) to (e). In case the Contractor does not accept the rate approved by Engineer-in-charge for a particular item, the Contractor shall continue

to carry out the item at the rates determined by the Competent Authority. The decision on the final rates payable shall be arrived at through the dispute settlement procedure.

22. No compensation for alterations in or restriction of work to be carried out.

- 22.1 If at any time after the commencement of the work, the Government, for any reason whatsoever, not require the whole or any part of the work as specified in the bid to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the Contractor and withdraw that whole or any part of the work.
- 22.2 The Contractor shall have no claim to any payments or compensation whatsoever, on account of any profit or advantage which he might have derived from the execution of work in full or on account of any loss incurred for idle men and machinery due to any alteration or restriction of work for whatsoever reason.
- 22.3 The Engineer-in-charge may supplement the work by engaging another agency to execute such portion of the work, without prejudice to its rights.

23. No Interest Payable

No interest shall be payable to the Contractor on any payment due or awarded by any authority.

24. Recovery from Contractors

Whenever any claim against the Contractor for the payment arises under the contract, the Department shall be entitled to recover such sum by:

- (a) Appropriating, in part or whole of the Performance Security and additional Performance Security, if any; and/or Security deposit and/or any sums payable under the contract to the Contractor.
- (b) If the amount recovered in accordance with (a) above is not sufficient, the balance sum may be recovered from any payment due to the contractor under any other contract/ arrangement of the department, including the securities which become due for release.
- (c) The department shall, further have an additional right to effect recoveries as arrears of land revenue under the M.P. Land revenue Code.

25. Tax

- 25.1 The rates quoted by the Contractor shall be deemed to be inclusive of the sales and other levies, duties, cess, toll, taxes of Central and State Governments, local bodies and authorities.
- The liability, if any, on account of quarry fees, royalties, octroy and any other taxes and duties in respect of materials actually consumed on public work, shall be borne by the Contractor.
- 25.3 Any increase in price due to changes in the taxes due to change in legislation or for any other reason shall not be payable to the Contractor.

26. Check Measurements

- The Employer reserves to itself the right to prescribe a scale of check measurement of work in general or specific scale for specific works or by other special orders.
- 26.2 Checking of measurement by superior officer shall supersede measurements by subordinate officer(s), and the former will become the basis of the payment.
- 26.3. Any over/ excess payments detected, as a result of such check measurement or otherwise at any stage up to the date of completion of the defect liability period specified in this contract, shall be recoverable from the Contractor, as per **clause 24** above.

27. Termination by Engineer-in-charge

- 27.1 If the Contractor fails to carry out any obligation under the Contract, the Engineer in charge may by notice require the Contractor to make good the failure and to remedy it within a specified reasonable time.
- 27.2 The Engineer in charge shall be entitled to terminate the contract if the Contractor
 - a) Abandons the works or otherwise plainly demonstrates the intention not to continue performance of his obligations under the contract;
 - b) the Contractor is declared as bankrupt or goes into liquidation other than for approved reconstruction or amalgamation;

- without reasonable excuse fails to comply with the notice to correct a particular defect within a reasonable period of time;
- d) the Contractor does not maintain a valid instrument of financial Security, as prescribed;
- e) the Contractor has delayed the completion of the Works by such duration for which the maximum amount of liquidated damages is recoverable;
- f) If the Contractor fails to deploy machinery and equipment or personnel or set up a field laboratory as specified in the Contract Data.
- g) if the Contractor, in the judgement of the Authority/Officer Authorised by Authority has engaged in corrupt or fraudulent practices in competing for or in executing the contract;
- h) Any other fundamental breaches as specified in the Contract Data.
- 27.3 In any of these events or circumstances, the Authority/Officer Authorised by Authority may, upon giving 14 (fourteen) days' written notice to the contractor, terminate the contract and expel the Contractor from the site. However, in the case of sub paragraph (b) or (g) of clause 27.2, the Engineer-in-charge may terminate the contract immediately.
- 27.4 Notwithstanding the above, the Engineer-in-charge may terminate the contract for convenience by giving notice to the contractor.

28. Payment upon Termination

- 28.1 If the contract is terminated under clause 27.3, the Engineer-in-Charge shall issue a certificate for value of the work accepted on final measurements, less advance payments and penalty as indicated in the Contract Data. The amount so arrived at shall be determined by the Engineer-in-Charge and shall be final and binding on both the parties.
- 28.2 payment on termination under clause 27.4 above, the Engineer-in-Charge shall issue a certificate for the value of the work done, the reasonable cost of removal of Equipment, repatriation of the contractor's personnel employed solely on the works, and the contractor's costs of protecting and securing the works and less advance payments received up to the date of the certificate, less other recoveries due in terms of the contract and less taxes due to be deducted at source as per applicable law.
- 28.3 If the total amount due to the Employer exceeds any payment due to the Contractor, the difference shall be recovered as per clause 24 above.

29. Performance Security

The Contractor shall have to submit performance security and additional performance security, if any, as specified in Bid data sheet at the time of signing of the contract. The contractor shall have to ensure that such performance security and Additional performance, if an, security remains valid for the period as specified in the Contract data.

30. Security Deposit

- 30.1 Security deposit shall be deducted from the each running bill at the rate as specified in the contract data. The total amount of security deposit so deducted shall not exceed the percentage of contract price specified in the Contract data.
- 30.2 The Security may be replaced by equivalent amount of bank guarantee or fixed deposit receipt assigned to the Employer, with validity up to 3(three) months beyond the completion of defect Liability PERIOD/ extended Defect Liability.
- 30.3 The Security deposit shall be refunded on completion of defect liability period.
- 31. Deleted
- 32. Deleted
- 33. Deleted

34. Payment Certificates

The payment to the contractor will be as follows for construction work:

(a) The contractor shall submit to the engineer monthly statement of the value of the work executed less the cumulative amount certified previously, supported with detailed measurement of the items of work executed as per the Billing Break-up in section 6.

- (b) The Engineer-in-Charge shall check the Contractor's monthly statement and certify the amount to be paid to the Contractor.
- (c) The value of work executed shall be determined, based on the measurements approved by the Engineer in charge.
- (d) The value of work executed shall comprise the value of the quantities of the items in the Billing Breakup given in Section 6.
- (e) The value of work executed shall also include the valuation of variations and compensation events.
- (f) All payments shall be adjusted for deductions for advance payment, security deposit, other recoveries in terms of contract and taxes at source as applicable under the law.
- (g) The Engineer-in-Charge may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.
- (h) Payment of intermediate certificate shall be regarded as payments by way of advance against the final payment and not as payments for work actually done and completed.
- (i) Intermediate payment shall not preclude the requiring of bad, unsound and imperfect or unskilled work to be removed and taken away and reconstructed or be considered as an admission of the due performance of the contractor any part thereof, in any respect or the occurring of any claim.
- (j) The payment of final bill shall be governed by the provisions of clause 36 of General Conditions of Contract.

E. Finishing the Contract

35. Completion Certificate

- 35.1 A completion certificate in the prescribed format in Contract data shall be issued by the Engineer-in-charge after physical completion of the work.
- 35.2 After final payment to the Contractor, a final completion certificate in the prescribed format in the contract data shall be issued by the Engineer-in-charge.

36. Final Account

- The Contractor shall supply the Engineer-in-Charge with a detailed account of the total amount that the Contractor considers payable for works under the Contract within 21 days of issue of certificate of physical completion of works. The Engineer-in-Charge shall issue a Defects Liability Certificate and certify any payment that is due to the Contractor within 45 days of receiving the Contractor's account if it is correct and complete. If the account is not correct or complete, the Engineer-in-Charge shall issue within 45 days a schedule that states the scope of the corrections or additions that are necessary. If the Account is still unsatisfactory after it has been resubmitted, the matter shall be referred to the Competent Authority as defined in the Contract Data, who shall decide on the amount payable to the Contractor after hearing the Contractor and the Engineer in Charge.
 - 36.2 In case the account is not received within 21 days of issue of Certificate of Completion as provided in clause 35.1 above, the Engineer shall proceed to finalize the account and issue a payment certificate within 28 days.

G. Other Conditions of Contract

37. Currencies

All payments will be made in Indian Rupees.

38. Labour

- **38.1** The Contractor shall, unless otherwise provided in the Contract, make his own arrangements for the engagement of all staff and labour, local or other, and for their payment, housing, feeding and transport.
- 38.2 The Contractor shall, if required by the Engineer-in-Charge, deliver to the Engineer-in-Charge a return in detail, in such form and at such intervals as the Engineer-in-Charge may prescribe, showing the staff and the numbers of the several classes of labour from time to time employed by the Contractor on the Site and such other information as the Engineer-in-Charge may require.

39. Compliance with Labour Regulations and Construction Safety

39.1 During continuance of the Contract, the Contractor and his sub-Contractors shall abide at all times by all existing labour enactments and rules made there under, regulations, notifications and bye laws of the State or Central Government or local authority and any other labour law (including rules), regulations, bye laws that may be passed or notification that may be issued under any labour law in future either by the State or the Central Government or the local authority. Salient features of some of the major labour laws that are applicable to construction industry are given in the Contract data. The Contractor shall keep the Employer indemnified in case any action is taken against the Employer by the competent authority on account of contravention of any of the provisions of any Act or rules made there under, regulations or notifications including amendments. If the Employer is caused to pay or reimburse, such amounts as may be necessary to cause or observe, or for non-observance of the provisions stipulated in the notifications/byelaws/Acts/Rules/ regulations including amendments, if any, on the part of the Contractor, the Engineer/Employer shall have the right to deduct any money due to the Contractor including his amount of performance security. The Employer/Engineer-in-Charge shall also have right to recover from the Contractor any sum required or estimated to be required for making good the loss or damage suffered by the Employer. The employees of the Contractor and the Sub-Contractor in no case shall be treated as the employees of the Employer at any point of time.

39.2 Construction Safety

The Contractor should be well conversant with technical as well as administrative and legal aspects of safety and judicial pronouncement. The Contractor shall all times take all reasonable precautions and safety measures to maintain safety of personnel and property. The Contractor shall, at its own expenses and throughout the period of the contract ensure appropriate and suitable arrangements for health, safety and hygiene requirements for the surroundings. The State and Central Government prevailing all Statues in this regard must be complied in letter and spirit throughout the period of contract.

40. Audit and Technical examination

Government shall have the right to cause an audit and technical examination of the works and the final bill of the contract including all supporting vouchers, abstract etc. To be made after payment of the final bill and if as a result of such audit and technical examination any sum is found to have been overpaid in respect of any work done by the Contractor under the contract or any work claimed by him to have been done under the contract and found not to, have been executed, the Contractor shall be liable to refund the amount of overpayment and it shall be lawful for government to recover the same from him in the manner prescribed in clause 24 above and if it is found that the contractor was paid less than what was due to him, under the contract in respect of any work executed by him under it, the amount of such under payment shall be duly paid by government to the Contractor.

41. Death or permanent invalidity of Contractor

During continuance of the contract, the Contractor and his sub-contractors shall abide at all times by all existing labour enactments and rules made there under, regulations, notifications, and bye laws of the state or central government or local authority and any other labour law (including rules), regulations, bye laws that may be passed or notification that may be issued under any labour law in future either by the state or the major labour laws that are applicable to construction industry are given in the contract data. The Contractor shall keep the employer indemnified in case any action is taken against the employer by the competent authority on account of contravention of any of the provisions of any Act or rules made their under, regulations or notifications including amendments. If the Employer is caused to pay or reimburse, such amounts as may be necessary to cause or observe, or for non-observance of the provisions stipulated in the notifications/bye laws/ Acts/ Rules regulations including amendments, if any, on the part of the Contractor, the Engineer-in-Charge /employer shall have the right to deduct from any money due to the Contractor including his amount of performance of security. The Employer/ Engineer-in-Charge shall also have right to recover from the contractor any sum required or estimated to be required for making good the loss or damage suffered by the Employer. The employees of the contractor and the subcontractor in no case shall be treated as the employees of the employer at any point of time.

42. Jurisdiction

This contract has been entered into the State of Madhya Pradesh and its validity, construction, interpretation and legal effect shall be subjected to the exclusive jurisdiction of the courts in Gwalior in the courts at the place where this contract is entered into. No other jurisdiction shall be applicable.

43. Monthly RA Bills

The payment certificates shall be regulated as per the provisions of clause 34 of the contract.

- 43.1 Upon the signing of agreement the Engineer-in-Charge shall decide the date of submission of monthly statement (RA Bills) as mentioned in clause 34 (a)
- 43.2 The Engineer-in-Charge shall check the Contractor's monthly statement (RA Bills) & certify the amount to be paid to the contractor within 7 days of submission of monthly statement (RA Bills).
- 43.3 The Employer shall ensure the payment to the Contractor as per clause 34 (d), (e), (f) & (g) within 10 days of submission of monthly statement (RA Bills).

[End of GCC]

Contract Data

Clause reference	Particulars	Data
1.14	Employer	GWALIOR SMART CITY DEVELOPMENT CORPORATION LIMITED
1.15	Engineer / Engineer in charge	Engineer as notified by Employer
1.25	Stipulated period of completion	7 months including rainy season
3	Language & Law of Contract	English & Indian Contract Act 1872
4	Address & contact details of the Contractor	As per Annexure H
	Address & contact details of the Employer/Engineer-phone, Fax, E-mail.	
5	Subcontracting permitted for contract value	25% of the Contract value
6	Technical Personnel to be provided by the contractor – Requirement & Deployment Committed	As per Annexure I (Format I-3)
	Penalty, if required Technical personnel not employed	As per Annexure I (Format I -3)
1.26	Specifications	Annexure E
	Drawings	As per Annexure N
1.16	Competent Authority for deciding dispute under Dispute Resolution System	Executive Director, GSCDCL
	Appellate Authority for deciding dispute under Dispute Resolution System	Chairman (GSCDCL)/ Collector, Gwalior District / Executive Director (GSCDCL)
13	Period of submission of updated construction program	15 days upon signing the Agreement and every month thereafter
	Amount to be withheld for not submitting construction program in the prescribed period	0.20% of the Contract Amount
14	Competent Authority for granting Time Extension	Appropriate authority within the GSCDCL after scrutiny and recommendation by Chief Executive Officer
13	Milestones laid down for the contract	- As per Appeyure K
	If Yes, details of milestones	As per Appeause I
10	Liquidated Damages	As per Annexure L
18	Defect Liability Period	12 Months after physical completion of work

Clause reference	Particulars	Data
15	Penalty	Penalty shall be recovered from (a)Security deposit as per clause 30 of General conditions of contract and (b) Liquidated damages imposed as per clause 15 or performance security (Guarantee) including additional performance security (Guarantee), if any, as per clause 29 of General conditions of contract, whichever is higher.
29	Performance Guarantee (security) shall be valid up to	Till issue of completion certificate.
30	Security deposit to be deducted from each running bill	At the rate of 5 %
	Maximum limit of deduction of security deposit	Up to 5 % of Final contract amount, Security Deposit will be returned after successful completion of Defect Liability Period (DLP).

Clause reference	Particulars	Data
35	Completion certificate- After physical completion of the work	As per Annexure – M
	Final Completion Certificate – after final payment on completion of the work	As per Annexure – N
39	39.1 Salient features of some of the major labour laws that are applicable	As per Annexure – O
	39.2 Salient features of some Construction Safety laws that are applicable	As per Annexure – P

Annexure - K

(See clause 15 of Section 3 of GCC)

DETAILS OF MILESTONES

The time allowed for the carrying out the work, as entered in the tender form shall be strictly observed by the contractor and shall be deemed to be essence of the contract and shall be reckoned immediately from the date of issue of the order to commence the work issued to the Contractor.

The work shall, throughout the stipulated period of contract, be proceeded with all due diligence keeping in view that time is the essence of the contract. The contractor shall be bound in all cases, to complete

- 1/8th of the whole work before 1/4th of the whole time allowed under the contract has elapsed,
- 3/8th of the work before 1/2 of such time has elapsed
- 3/4th of the work before 3/4 of such time has elapsed.

Annexure - L

(See clause 15 of Section 3 of GCC)

COMPENSATION FOR DELAY

If the contractor fails to achieve the milestones, and the delay in execution of work is attributable to the contractor, the Employer shall retain an amount from the sums payable and due to the contractor as per following scale –

- i. Slippage up to 25% in financial target during the milestone under consideration 2.5% of the work remained unexecuted in the related time span.
- ii. Slippage exceeding 25% but up to 50% in financial target during the milestone under consideration 5% of the work remained unexecuted in the related time span.
- iii. Slippage exceeding 50% but up to 75% in financial target during the milestone under construction 7.5% of the work remained unexecuted in the related time span.
- iv. Slippage exceeding 75% in financial target during the milestone under consideration 10% of the work remained unexecuted in the related time span.

Note: For arriving at the dates of completion of time span related to different milestones, delays which are not attributable to the Contractor shall be considered. The slippage on any milestone if made good in subsequent milestones or at the time of stipulated period of completion, the amount retained as above shall be refunded. In case the work is not completed within the stipulated period of completion along with all such extensions which are granted to the Contractor for either Employer's default or Force Majeure, the compensation shall be levied on the contractor at the rate of 0.05% per day of delay limited to maximum of 10% of contract price.

The decision of Engineer in Charge will be after scrutiny and recommendation by Chief Executive Officer, GSCDCL shall be final and binding upon both the parties.

Physical Completion Certificate

Name of Work:	
Agreement NoDate	
Amount of Contract Rs	
Name of Agency:	
Used Measurement Book No.:	
Last measurement recorded	
a. Page No. & MB No.:	
b. Date:	
Certified that the above mentioned work was physically on (Date) and that I have satisfied myself to properly.	
Date of issue	Engineer-in-charge

Annexure-N

(See clause 35 of section 3 -GCC)

Final Completion Certificate

Name of Work:	
Agreement No Date:	
Name of Agency:	
Used Measurement Book No	
Last Measurement recorded	
b. Page No. & MB No	
c. Date	
Certified that the above mentioned work was physically completed on_	(date)
And taken over on (date).	
Agreement amount Rs	
Final amount paid to contractor Rs	
Incumbency of officers for the work	
I have satisfied myself to best of my ability that the work has been don	ne properly.
Date of Issue	
	Engineer-in-charge

Salient Features of Some Major Labour Laws Applicable

- (a) Workmen Compensation Act 1923: The Act provides for compensation in case of injury by accident arising out of and during the course of employment.
- (b) Payment of Gratuity Act 1972: Gratuity is payable to an employee under the Act on satisfaction of certain conditions on separation if an employee has completed the prescribed minimum years (say, five years) of service or more or on death the rate of prescribed minimum days' (say, 15 days) wages for every completed year of service. The Act is applicable to all establishments employing the prescribed minimum number (say, 10) or more employees.
- (c) Employees Provident Funds and Miscellaneous Provision Act 1952: The Act Provides for monthly contributions by the Employer plus workers at the rate prescribed (say, 10% or 8.33%). The benefits payable under the Act are:
- i. Pension or family pension on retirement or death as the case may be.
- ii. Deposit linked insurance on the death in harness of the worker.
- iii. Payment of provident fund accumulation on retirement/death etc.
- (d) Maternity Benefit Act 1951: The Act provides for leave and some other benefits to women employees in case of confinement or miscarriage etc.
- (e) Contract Labour (Regulation & Abolition) Act 1970: The Act provides for certain welfare measures to be provided by the Contractor to contract labour and in case the Contractor fails to provide, the same are required to be provided, by the Principal Employer by Law. The principal Employer is required to take Certificate of Registration and the Contractor is, required to take license from the designated Officer. The Act is applicable to the establishments or Contractor of Principal Employer if it employs the prescribed minimum (say 20) or more contract labour.
- (f) Minimum Wages Act 1948: The Employer is to pay not less than the Minimum Wages fixed by appropriate Government as per provisions of the Act if the employment is a scheduled employment. Construction of buildings, roads, runways is scheduled employment.
- (g) Payment of Wages Act 1936: It lays down as to by what date the wages are to be paid, when it will be paid and what deductions can be made from the wages of the workers.
- (h) Equal Remuneration Act 1979: The Act provides for payment of equal wages for work of equal nature to male and female workers and for not making discrimination against female employees in the matters of transfers, training and promotions etc.
- (i) Payment of Bonus Act 1965: The Act is applicable to all establishments employing prescribed minimum (say, 20) or more workmen. The Act provides for payments of annual bonus 'within the prescribed range of percentage of wages to employees drawing up to the prescribed amount of wages, calculated in the prescribed manner. The Act does not apply to certain establishments. The newly set-up establishments are exempted for five years in certain circumstances. States may have different number of employment size.
- (j) Industrial Disputes Act 1947: The Act lays down the machinery and procedure for resolution of industrial disputes, in what situations a strike or lock-out becomes illegal and what are the requirements for laying off or retrenching the employees or closing down the establishment.
- (k) Industrial Employment (Standing Orders) Act 1946: It is applicable to all establishments employing prescribed minimum (say, 100, or 50). The Act provides for laying down rules governing the conditions of employment by the Employer on matters provided in the Act and gets these certified by the designated Authority.
- (I) Trade Unions Act 1926: The Act lays down the procedure for registration of trade unions of workmen and Employers. The Trade Unions registered under the Act have been given certain immunities from civil and criminal liabilities.
- (m) Child Labour (Prohibition & Regulation) Act 1986: The Act prohibits employment of children below 14 years of age in certain occupations and processes and provides for regulations of employment of

- children in all other occupations and processes. Employment of child labour is prohibited in building and construction industry.
- (n) Inter-State Migrant Workmen's (Regulation of Employment & Conditions of Service) Act 1979: The Act is applicable to an establishment which employs prescribed minimum (say, five) or more interstate migrant workmen through an intermediary (who has recruited workmen in one state for employment in the establishment situated in another state). The inter-state migrant workmen, in an establishment to which this Act becomes applicable, are required to be provided certain facilities such as Housing, Medical-Aid, Travelling expenses from home up to the establishment and back etc.
- (o) Building and Other Construction Workers' Welfare Cess Act, 1996 and the Building and other Construction workers (Regulation of Employment and Conditions of Service Act,1996 All the establishments who carry on any building or other construction work and employs the prescribed minimum (say, 10) or more workers are covered under this Act. All such establishments are required to pay cess at the rate not exceeding 2% of the cost of construction as. may be modified by the Government., The Employer of the establishment- is required to provide safety measures at the building or construction work and other welfare measures, such as canteens, first-aid facilities, ambulance, housing accommodations for workers near the-work place etc. The Employer to whom the Act applies has to obtain a registration certificate from the Registering Officer appointed by the Government.
- (p) Factories Act 1948: The Act lays down the procedure for approval of plans before setting up a factory, health and safety provisions, welfare provisions, working hours, annual earned leave and rendering information regarding accidents or dangerous occurrences to designated authorities. it is applicable to premises employing the prescribed minimum (say, 10) persons or more with aid of power or another prescribed minimum (say, 20) or more persons without the aid of power engaged in manufacturing process.

(See clause 39 of Section 3 -GCC)

CONSTRUCTION SAFETY

- 1) IS: 3696(Part-1, 2) Safety code for scaffolds and ladder
- 2) IS: 3764 Safety code for excavation work
- 3) IS: 7205 Safety code for erecting of structural steel work
- 4) SP: 70-2001 Handbook on Construction Safety Practices
- 1. On all excavation work, safety precautions for the protection of life and property are essential: While measures to avoid inconveniences to the public are desirable. Such measures and precautions include the erection and maintenance signs (to forewarn public), barricades, bridges, and detours: placing and maintenance of lights both for illumination and also as danger signals, provision of watchmen to exclude unauthorized persons particularly children, from trespassing on the work: and such other precautions as local conditions may dictate.
- 2. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construction except such short period work as can be done safely from ladders. When a ladder is used, an extra mazdoor shall be engaged for holding the ladder and if the ladder is used for carrying materials as well suitable footholds and hand-hold shall be provided on the ladder and the ladder shall be given an inclination not steeper than ½ to 1(½ horizontal and 1 vertical.)
- 3. Scaffolding of staging more than 3.6 m (12ft.) above the ground or floor, swung or suspended from an overhead support or erected with stationary support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm. (3ft.) high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends thereof with only such opening as may be necessary for the delivery of materials. Such scaffolding or staging shall be so fastened as to prevent it from swaying from the building or structure.
- 4. Working platforms, gangways and stairways should be so constructed that they should not sag unduly or unequally, and if the height of the platform or the gangway or the stairway is more than 3.6m (12 ft.) above ground level or floor level, they should be closely boarded, should have adequate width and should be suitably fastened as described in (2) above.
- 5. Every opening in the floor of a building or in a working platform shall be provided with suitable means to prevent the fall of person or materials by providing suitable fencing or railing whose minimum height shall be 90 cm. (3ft.)
- 6. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be securely fixed. No portable single ladder shall be over 9m. (30ft.) in length while the width between side rails in rung ladder shall in no case be less than 29 cm. (11½") for ladder up to and including 3 m. (10 ft.) in length. For longer ladders, this width should be increased at least ¼" for each additional 30 cm. (1 foot) of length. Uniform step spacing of not more than 30 cm shall be kept. Adequate precautions shall be taken to prevent danger from electrical equipment. No materials on any of the sites or work shall be so stacked or placed as to cause danger or inconvenience to any person or the public. The contractor shall provide all necessary fencing and lights to protect the public from accident and shall be bound to bear the expenses of defense of every suit, action or other proceedings at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to pay any damages and cost which may be awarded in any such suit; action or proceedings to any such person or which may, with the consent of the contractor, be paid to compensate any claim by any such person.
- 7. (a) Excavation and Trenching All trenches 1.2 m. (4ft.) or more in depth, shall at all times be supplied with at least one ladder for each 30 m. (100 ft.) in length or fraction thereof, Ladder shall extend from bottom of the trench to at least 90 cm. (3ft.) above the surface of the ground. The side of the trenches which are 1.5 m. (5ft.) or more in depth shall be stepped back to give suitable slope or securely held by timber bracing, so as to avoid the danger of sides collapsing. The excavated materials shall not be placed within 1.5 m. (5ft.) of the edges of the trench or half of the depth of the trench whichever is more. Cutting shall be done from top to bottom. Under no circumstances, undermining or undercutting shall be done.
- (b) Safety Measures for digging bore holes:-
- (i) If the bore well is successful, it should be safely capped to avoid caving and collapse of the bore well. The failed and the abandoned ones should be completely refilled to avoid caving and collapse;
- (ii) during drilling, Sign boards should be erected near the site with the address of the drilling contractor and the Engineer in-charge of the work.

- (iii) Suitable fencing should be erected around the well during the drilling and after the installation of the rig on the point of drilling, flags shall be put 50m all-round the point of drilling to avoid entry of people;
- (iv) After drilling the bore well, a cement platform (0.50m x 0.50m x 1.20m) 0.60m above ground level and 0.60m below ground level should be constructed around the well casing;
- (v) After the completion of the bore well, the contractor should cap the bore well properly by welding steel plate, cover the bore well with the drilled wet soil and fix thorny shrubs over the soil. This should be done even while repairing the pump;
- (vi) after the bore well is drilled the entire site should be brought to the ground level.
- 8. Demolition before any demolition work is commenced and also during the progress of the work,
- (i) All roads and open areas adjacent to the work site shall either be closed or suitably protected.
- (ii) No electric cable or apparatus which is liable to be a source of danger or a cable or apparatus used by the operator shall remain electrically charged.
- (iii) All practical steps shall be taken to prevent danger to persons employed from risk of fire or explosion or flooding. No floor, roof or other part of the building shall be so overloaded with debris or materials as to render it unsafe.
- 9. All necessary personal safety equipment as considered adequate by the Engineer-in-Charge should be kept available for the use of the person employed on the site and maintained in a condition suitable for immediate use, and the contractor should take adequate steps to ensure proper use of equipment by those concerned. The following safety equipment shall invariably be provided:--.
- (i) Workers employed on mixing asphaltic materials, cement and lime mortars shall be provided with protective footwear and protective goggles
- (ii) Those engaged in white washing and mixing or stacking of cement bags or any material which is injurious to the eyes, shall be provided with protective goggles.
- (iii) Those engaged in welding works shall be provided with welder's protective eye shields.
- (iv) Stone breaker shall be provided with protective goggles and protective clothing and seated at sufficiently safe intervals.
- (v) When workers are employed in sewers and manholes, which are in active use, the contractors shall ensure that the manhole covers are opened and ventilated at least for an hour before the workers are allowed to get into the manholes, and the manholes so opened shall be cordoned off with suitable railing and provided with warning signals or boards to prevent accident to the public. In addition, the contractor shall ensure that the following safety measure are adhered to:-
- (a) Entry for workers into the line shall not be allowed except under supervision of the JE or any other higher officer.
- (b) At least 5 to 6 manholes upstream and downstream should be kept open for at least 2 to 3 hours before any man is allowed to enter into the manhole for working inside.
- (c) Before entry, presence of Toxic gases should be tested by inserting wet lead acetate paper which changes colour in the presence of such gases and gives indication of their presence.
- (d) Presence of Oxygen should be verified by lowering a detector lamp into the manhole. In case, no Oxygen is found inside the sewer line, workers should be sent only with Oxygen kit.
- (e) Safety belt with rope should be provided to the workers. While working inside the manholes, such rope should be handled by two men standing outside to enable him to be pulled out during emergency.
- (f) The area should be barricaded or cordoned off by suitable means to avoid mishaps of any kind. Proper warning signs should be displayed for the safety of the public whenever cleaning works are undertaken during night or day.
- (g) No smoking or open flames shall be allowed near the blocked manhole being cleaned.
- (h) The malba obtained on account of cleaning of blocked manholes and sewer lines should be immediately removed to avoid accidents on account of slippery nature of the malba.
- (i) Workers should not be allowed to work inside the manhole continuously. He should be given rest intermittently. The Engineer-in-Charge may decide the time up to which a worker may be allowed to work continuously inside the manhole.
- (j) Gas masks with Oxygen Cylinder should be kept at site for use in emergency.

- (k) Air-blowers should be used for flow of fresh air through the manholes. Whenever called for, portable air blowers are recommended for ventilating the manholes. The Motors for these shall be vapour proof and of totally enclosed type. Non sparking gas engines also could be used but they should be placed at least 2 meters away from the opening and on the leeward side protected from wind so that they will not be a source of friction on any inflammable gas that might be present.
- (I) The workers engaged for cleaning the manholes/sewers should be properly trained before allowing to work in the manhole.
- (m) The workers shall be provided with Gumboots or non-sparking shoes, bump helmets and gloves, non-sparking tools, safety lights and gas masks and portable air blowers (when necessary). They must be supplied with barrier cream for anointing the limbs before working inside the sewer lines.
- (n) Workmen descending a manhole shall try each ladder stop or rung carefully before putting his full weight on it to guard against insecure fastening due to corrosion of the rung fixed to manhole well.
- (o) If a man has received a physical injury, he should be brought out of the sewer immediately and Adequate medical aid should be provided to him.
- (p) The extent to which these precautions are to be taken depend on individual situation but the decision of the Engineer-in-Charge regarding the steps to be taken in this regard in an individual case will be final.
- (vi) The Contractor shall not employ men and women below the age of 18 years on the work of painting with products containing lead in any form. Wherever men above the age of 18 are employed on the work of lead painting, the following precaution should be taken:-
- (a) No paint containing lead or lead products shall be used except in the form of paste or readymade paint.
- (b) Suitable face masks should be supplied for use by the workers when paint is applied in the form of spray or a surface having lead paint is dry rubbed and scrapped.
- (c) Overall shall be supplied by the contractors to the workmen and adequate facilities shall be provided to enable the working painters to wash during and on the cessation of work.
- 10. An additional clause of Safety Code

The Contractor shall not employ women and men below the age of 18 on the work of painting with product containing lead in any form, wherever men above the age of 18 are employed on the work of lead painting, the following principles must be observed for such use:

- (i) White lead, sulphate of lead or product containing these pigment, shall not be used in painting operation except in the form of pastes or paint ready for use.
- (ii) Measures shall be taken, wherever required in order to prevent danger arising from the application of a paint in the form of spray.
- (iii) Measures shall be taken, wherever practicable, to prevent danger arising out of from dust caused by dry rubbing down and scraping.
- (iv) Adequate facilities shall be provided to enable working painters to wash during and on cessation of work.
- (v) Overall shall be worn by working painters during the whole of working period.
- (vi) Suitable arrangement shall be made to prevent clothing put off during working hours being spoiled by painting materials.
- (vii) Cases of lead poisoning and suspected lead poisoning shall be notified and shall be subsequently verified by medical man appointed by competent authority.
- (viii)The employer may require, when necessary medical examination of workers. (ix) Instructions with regard to special hygienic precautions to be taken in the painting trade shall be distributed to working painters.
- 11. When the work is done near any place where there is risk of drowning, all necessary equipment should be provided and kept ready for use and all necessary steps taken for prompt rescue of any person in danger and adequate provision, should be made for prompt first aid treatment of all injuries likely to be obtained during the course of the work.
- 12. Use of hoisting machines and tackle including their attachments, anchorage and supports shall conform to the following standards or conditions:-
- (i) (a) These shall be of good mechanical construction, sound materials and adequate strength and free from patent defects and shall be kept repaired and in good working order.

- (b) Every rope used in hoisting or lowering materials or as a means of suspension shall be of durable quality and adequate strength, and free from patent defects.
- (ii) Every crane driver or hoisting appliance operator, shall be properly qualified and no person under the age of 21 years should be in charge of any hoisting machine including any scaffolding winch or give signals to operator.
- (iii) In case of every hoisting machine and of every chain ring hook, shackle swivel and pulley block used in hoisting or as means of suspension, the safe working load shall be ascertained by adequate means. Every hoisting machine and all gear referred to above shall be plainly marked with the safe working load. In case of a hoisting machine having a variable safe working load each safe working load and the condition under which it is applicable shall be clearly indicated. No part of any machine or any gear referred to above in this paragraph shall be loaded beyond the safe working load except for the purpose of testing.
- (iv) In case of departmental machines, the safe working load shall be notified by the Electrical Engineer-in-Charge. As regards contractor's machines the contractors shall notify the safe working load of the machine to the Engineer-in-Charge whenever he brings any machinery to site of work and get it verified by the Electrical Engineer concerned.
- 13. Motors, gearing, transmission, electric wiring and other dangerous parts of hoisting appliances should be provided with efficient safeguards. Hoisting appliances should be provided with such means as will reduce to the minimum the risk of accidental descent of the load. Adequate precautions should be taken to reduce to the minimum the risk of any part of a suspended load becoming accidentally displaced. When workers are employed on electrical installations which are already energized, insulating mats, wearing apparel, such as gloves, sleeves and boots as may be necessary should be provided. The worker should not wear any rings, watches and carry keys or other materials which are good conductors of electricity.
- 14. All scaffolds, ladders and other safety devices mentioned or described herein shall be maintained in safe condition and no scaffold, ladder or equipment shall be altered or removed while it is in use. Adequate washing facilities should be provided at or near places of work.
- 15. To ensure effective enforcement of the rules and regulations relating to safety precautions the arrangements made by the contractor shall be open to inspection by the Engineer-in-Charge or their representatives.
- 16. Notwithstanding the above clauses from (1) to (14), there is nothing in these to exempt the contractor from the operations of any other Act or Rule in force in the Republic of India.

Section 3 Conditions of Contract Part-II Special Conditions of Contract [SCC]

1. GENERAL:

The special conditions are supplementary conditions to the TENDER and shall form the part of the contract.

1.1 It shall be the responsibility of Contractor to co-ordinate with traffic authority, Railways, MPRDC. M.P. Electricity Board, Telephone authority, various authorities including Public Health Engineering, Water resource Department for obtaining necessary permissions regarding crossing of road/railway tracks, shift of various types of public utilities like existing pipe line, sewer line, cable etc. as may be required for the due fulfillment of the obligations under this contract. GWALIOR SMART CITY DEVELOPMENT CORPORATION LIMITED shall deposit all charges including charges for Electric Connection, Crossing of Railway and Road way etc. as may be necessary for seeking required permissions from different authorities but it shall be the primary responsibility of the Contractor to pursue with various authorities and obtain the permissions at the earliest. If as a result of excavation of trenches the underground services such as water main electric telephones cable, sewer lines become naked and unsupported it shall be the responsibility of the Contractor to make suitable and necessary arrangement as per direction of the Engineer-in-Charge for their protection and no extra payment on this account will be made to the Contractor. Any damages caused to the above mentioned underground services due to negligence of the Contractor or otherwise the same shall be made good by the Contractor at his own cost.

2.0 Accuracy of Lines, Levels and Grades

- 2.1 The various works shall be done true to line, level and grade. The periodical checking of these by the Engineer or Engineer's representative shall not absolve the Contractor of his responsibility regarding the accuracy. In case of any deviation or discrepancy in line, level or grade at the meeting faces, the contractor shall make good the discrepancy at his own cost and without any compensation for the additional work, if any involved. Whenever such a discrepancy is found to arise at the junction of works being carried out by different Contractors the responsibility to set right their respective discrepancies shall be fixed by the Engineer-in-Charge whose decision shall be final and binding on the Contractors concerned. Engineer-in-Charge shall further have the unquestioned right if need be to rectify the discrepancies and recover the cost from the Contractor or Contractors according to proportions as he may consider reasonable.
- 2.2 The details of location and the nearest permanent bench marks.

Reference Grid Marks shall be obtained by the Contractor in writing from the Engineer-in-Charge. Temporary bench mark for day to day use shall be fixed with reference to above permanent bench marks with double leveling. The Grid Co-ordinates and its references may be obtained from the Engineer-in-Charge.

3.0 Arrangements of Water and Electric Power

Arrangement for water and electric power required by the Contractor for the works shall be made by him at his own cost. Employer will however recommend to the State Electricity Board for giving the connection and power to the Contractor. However, the Employer will bear no responsibility in this respect.

4.0 Measures for Prevention of Fire

- 4.1 The Contractor shall not set fire to any standing Jungle, trees, brush wood or grass without a written permission from the Engineer-in-Charge.
- 4.2 When such permission is given and also in all cases when destroying out of dug trees, brush wood, grass etc. by fire, the Contractor shall take necessary measures to prevent such fire spreading to or otherwise damaging surrounding property.
- 4.3 Any damage caused by the spreading of such fire, whether in or beyond limits of the Employer's property, the amount of the damage shall be recovered by the Engineer-in-Charge from the Contractor's Bills as damages or deducted by any other duly authorized officer from any sums that May be due or become due from the Employer to the Contractor under the contractor otherwise.

4.4 The Contractor shall bear the expenses of defending any action or law proceedings that may be brought by any person by injury sustained owing to neglect of precautions to prevent the spread of fire and shall pay any damage and cost that may be awarded in consequence.

5.0 Site Order Book

A site order book shall be kept at the Employer's office regarding the site of the work. As far as possible all orders regarding the works are to be entered in this book. All entries therein shall be signed by the Engineer-in-Charge on his representative and the Contractor or its authorized representative. In important cases the Engineer-in-Charge will countersign the entries which have been made. The site order book shall not be removed from the work site except with written permission of the Engineer-in-Charge and the Contractor or his representative shall be bound to take note of all instructions and directions meant for the Contractor as entered in the site order book without having to be called on separately to note them. The Engineer-in-Charge shall submit periodically copies of the remarks in the site order book to the Employer for record and to the Contractor for submitting compliance report.

6.0 Foundations Depth/Levels.

The drawings indicate the general foundation levels to be adopted for the different conditions of the structures. During execution these levels may be modified to suit the site conditions. The Contractor shall not be liable to any compensation for any minor delays on this account. However, this may be considered for granting suitable extension in the completion period if necessitated by such events.

7.0 Approach Road

Necessary approach roads for various constructions of components of the work shall be satisfactorily constructed and maintained by the Contractor at its own cost.

8.0 Regulation and Bye-Laws

The Contractor shall conform to the regulations, bye laws or any other statutory rules made by any local authorities or by the Government and shall protect and indemnify the Employer against any claims or liability arising from or based on the violations of any such laws, ordinance, regulations, orders and decrees etc.

9.0 Contractor to use Excavated Hard Rock

All useful materials like hard rock etc. excavated by the Contractor at site shall be the property of Employer and shall be issued to the Contractor at the issue rate as decided by Engineer-in-Charge at prevailing market rate. It shall be binding on the Contractor to use it as rubble, metal aggregate etc. after breaking into the required size for concrete work and as directed by the Engineer.

10.0 Income Tax

During the course of contract period, deductions of Income Tax shall be made at the prevailing rate of Department of Income Tax Government of India and as revised from time to time as per the advice of Income Tax authorities.

11.0 Supply and Arrangement of Materials

- (1) The Contractor shall make his own arrangement for supply of materials including cement and steel. The Contractor shall be responsible for all transportation and storage of the materials at site and shall bear all the related costs. The Engineer-in-Charge shall be entitled at any time to inspect or examine all such materials. The contractor shall provide reasonable assistance for such inspection or examination as may be required.
- (2) The Contractor shall keep an accurate record of use of materials like cement and steel used in the works in a manner prescribed by the Engineers.

12.0 Cement

- (a) The Contractor shall stock his requirement so as to ensure utilization of cement within 60 days but in no case later than 90 days Cement older than the period aforesaid shall not be used on any work except with the written permission of the Engineer-in-Charge, and after satisfactorily passing such test as he may specify. The Contractor shall forthwith remove from the work such cement that Engineer-in-Charge has not allowed. The final disposal of such cement shall comply with the rules in force at the time and as the Engineer-in-Charge may approve
- (b) Large stocks of cement shall not be kept at the works but only sufficient quantities shall be kept to assure continuity of the work. The Contractor shall provide and maintain efficient water proof storage sheds for cement on the site of work. It shall be stacked on the platform 30 cm above the floor level and shall be covered with tarpaulin or any other impervious covering materials in order to protect the cement bags from moisture. The cement shall be neatly stacked in an orderly manner so as to allow an easy access and count. The arrangement of storage and utilization shall

be such as to ensure the utilization of cement in the order of its arrival at the stores and the Contractor shall maintain satisfactory records which would at any time show the date of receipt and proposed utilization of cement laying in the stores at site.

(c) The Engineer-in-Charge shall at all times have access to the stores at sites of the Contractor. He shall have authority to check and examine the method of storage, record accounting and security provided by the Contractor. The Contractor shall comply with instructions that may be issued by the Engineer in this connection. The Contractor shall further at all times satisfy the Engineer-in-Charge on demand and by the production of records and books or submission of returns and proforma or by other proofs that may be demanded that the cement brought from the approved manufacturer with date of receipt & consumption etc. The Contractor shall at all times keep his records up to date to enable the Engineer-in-Charge to apply such checks as he may desire to impose.

The Contractor shall provide a double locking arrangement to the store the key of one of the locks being with the Engineer-in-Charge or his representative at site. The Engineer-in-Charge or his authorized agent will have the authority to verify the stocks and check the consumption in any manner he thinks proper.

13.0 Special Condition Regarding Conditional TENDER

The BIDDER will have to give an undertaking with the instrument of Earnest Money to the effect that there are no conditions in the TENDER and if any conditions are found the same shall be ignored.

If such an under taking is not found with the Earnest Money the TENDER will not be opened and not taken into consideration. However in case the Contractor gives such an undertaking at the time of opening of TENDER the same may be considered.

14.0 Design and Drawings

- (1) The detailed project report prepared by GWALIOR SMART CITY DEVELOPMENT CORPORATION LIMITED will be basic data for guidance of Contractor. The contractor will not claim whatsoever on account of deficiency in the data of Detailed Project Report.
- (2) The approved drawings shall remain in the sole custody of the Engineer-in-Charge. The Contractor shall obtain and make at his own expense any further copies required by him. At the completion of the contract the Contractor shall return to the Engineer-in-Charge all Drawings provided under the Contract.

(3) One copy of the Drawings to be kept on Site.

One copy of the Drawings furnished to the Contractor as aforesaid, shall be kept by the Contractor on the site and the same shall at all reasonable times be available for inspection and use by the Engineer-in-Charge and his representatives and by any other person authorized by the Engineer-in-Charge in writing.

(4) As- Built Drawings

The contractor shall submit to the Engineer-in-Charge within 21 days of Physical completion, "Completion" Drawings as detailed below. These drawings shall be accurate and correct in all respects and shall be shown to and approved by the Engineer-in-charge.

Completion drawings as below on two prints and one polyester copy shall be supplied by the contractor along with a soft copy in CD. These drawings shall be developed in latest version of Auto-CAD. Drawings shall be of standard as stated below.

- I. Site plan showing all features existing and as constructed under this contract with all external dimensions of clear spaces among those, diameter and materials of pipeline etc. complete.
- II. Architectural, Civil and Structural details of all components of the plant including plans at different levels, elevations from all sides as well as sectional etc. complete with all dimensions including Structural Thickness, Concrete Grade, Reinforcement details, finishing details, schedules of doors and windows, details of associated fittings and features complete.
- III. All piping, plumbing and electrical details with dimensions, diameters etc. complete at specific cases isometric views of piping may be necessary.
- IV. Dimensioned details of all electrical, mechanical and instrumentation equipment's including accessories along with arrangement inside the buildings or enclosures, connected piping and cabling layout etc. all complete.
- v. Dimensioned details of all control and measuring device lined weirs, V-notches, probes, valves, gates, consoles, panels, switch diagrams/Circuit diagrams shall be used wherever applicable.
- VI. L-sections for pipelines laid externally, showing pipe profile, ground profile, soil condition, bedding, location of specials, valves and other accessories complete.
- VII. Dimensioned details of all site development works such as roads, drainage, cables pipelines, landscaping etc. complete with layout, cross sections, levels etc. complete.

All drawings shall be prepared in appropriate scale and with adequate notes, legends, titles etc. for clarity.

(5) **Disruption of Progress**

The Contractor shall give written notice to the Engineer-in-Charge whenever planning or progress of the works is likely to be delayed or disrupted unless any further drawing or order, including a direction, instruction or approval is issued by the Engineer-in-Charge within a reasonable time. The notice shall include details of the drawing or order required and of why and by when it is required and of any delay or disruption likely to be suffered if it is late.

(6) Delay and Cost of delay of Drawings

If, by reason of any failure or inability of the Engineer-in-Charge to issue within a time reasonable in all the circumstances any drawing or order required by the Contractor in accordance with subclause (3) of this Clause, the Contractor suffers delay then the Engineer-in-Charge shall take such delay into account in determining any extension of time to which the Contractor is entitled under Clause 44 hereof. However the Contractor shall not be entitled to any compensation for such delay, except extension of time.

(7) Further Drawings and Instructions

The Engineer-in-Charge shall have full power and authority to supply to the Contractor from time to time during the progress of the Works such further drawings and instructions as shall be necessary for the purpose of the proper and adequate execution and maintenance of the Works The Contractor shall carry out and be bound by the same.

15.0 Operation and Maintenance: 5 years after completion of work

16.0 Sufficiency of TENDER

The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his TENDER for the Works and of the rates and prices of various Quantities and the Schedule of Rates and Prices, if any, except in so for as it is otherwise provide in the Contract, cover all his obligations under the Contract and all matters and things necessary for the proper execution and maintenance of the Works. If, however, during the execution of the Works the Contractor shall encounter physical conditions, other than climatic conditions on the Site, or artificial obstructions, which conditions or obstruction could, in his opinion, not have been reasonable foreseen by an experienced contractor the Contractor shall forthwith give written notice thereof to the representative of Engineer-in-Charge and if in the opinion of the Engineer-in-Charge, such conditions or artificial obstructions could not have been reasonably foreseen by an experienced Contractor, than the Engineer-in-Charge shall certify and the Employer shall pay the additional cost to which the Contractor shall have been put by reason of such conditions, including the proper and reasonable cost. However, the decision of Engineer-in-charge shall be final and binding.

EXECUTIVE DIRECTOR

GWALIOR SMART CITY DEVELOPMENT CORPORATION LIMITED

Section 4

Bill of Quantities (BOQ)

Re-Development of Ladies Park under Gwalior Smart City Development Corporation Limited

Probable Amount of Contract: (Rs. In Figure): Rs 2,03,52,317

(Rs. In Words):

Rupees Two Crore Three Lakhs Fifty Two Thousand Three Hundred and Seventeen Only

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
Α	Horticulture Works					
1	Trenching in ordinary soil up to a depth of 60cm including the removal and stacking of serviceable material and then disposing of by spreading and neatly leveling within a lead of 50m and making up the trenched area to the proper levels by filling with earth or earth mixed with sludge and/or manure before and after flooding the trench with water (excluding the cost of imported earth, sludge etc)	19.1	250	Cum	129.00	32250.00
2	Supply and stacking of good earth at site including royalty and carriage up to 1km (earth measured in stacks will be reduced by 20% for payment)	19.2	1161	Cum	184.00	213624.00
3	Supply and stacking of manure at site including royalty and carriage up to 1km (manure measured in stacks will be reduced by 8% for payment)screened through sieve of I.S. designation 16mm	19.4.2	116.1	Cum	115.00	13351.50
4	Rough dressing the trenched ground including breaking clods.	19.5	4.6	100 sqm	42.00	193.20
5	Uprooting weeds from the trenched area after 10 to 15 days of its flooding with water including disposal of uprooted vegetation.	19.6	4.6	100 sqm	137.50	632.50
6	Fine dressing the ground	19.7	4.6	100 sqm	103.00	473.80
7	Spreading of sludge, dump manure or/and good earth in required thickness (Cost of sludge, dump manure or/ and good earth to be paid separately).	19.8	116.1	cum	15.00	1741.50
8	Mixing earth and manure in proportion specified or directed	19.9	116.1	cum	102.00	11842.20
9	Grassing with "Doob" grass including watering and maintenance of the lawn for 30 days or more till the grass forms a thick lawn free from weeds and fit for mowing including supplying good earth if needed (the good earth shall be paid for separately). 19.10.1 In rows 15 cm apart in either direction.	19.10.2	4.6	100 sqm	324.00	1490.40
10	Preparation of beds for hedging and shrubbery by excavating 60cm deep and trenching the excavated earth after breaking clods and mixing with sludge or manure in the ration of 8:1 (8 parts of stacked volume of earth after reduction by 20%: one part of stacked volume of manure after reduction by 8%), flooding with water, filling with earth if necessary, watering and finally fine dressing, leveling etc. including stacking and disposal of materials declared unserviceable and surplus earth by spreading and leveling as directed, within a lead of 50m lift up to 1.5m complete (cost of sludge, manure or extra earth to be paid for separately)	19.13	513.6	cum	62.00	31843.20

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
11	Digging holes in ordinary soil and refilling the same with excavated earth mixed with sludge or manure in the ratio of 2:1 by volume (2 parts of stacked volume of earth reduced by 20%: 1 part of stacked volume of manure reduced by 8%), flooding with water and dressing including					
	removal of rubbish and surplus earth, if any with all leads and lifts (cost of manure, sludge or extra good earth if needed to be paid for separately					
а	Trees- Holes 1.2m dia. and 1.2m deep	19.14.1	95	Each	182.00	17290.00
b 12	Large +Medium shrubs-holes 60cm dia. and 60cm deep Supply of plant material(trees, shrubs,	19.14.2	1848	Each	24.00	44352.00
12	etc)					
	Botanical name					
12.1	Bauhinia variegata	As per old	9	nos	80.00	720.00
12.2	Erythrina indica	Sanctioned Rate	8	nos	60.00	480.00
12.3	Azadirachta indica		26	nos	60.00	1560.00
12.4	Lagertroemia flosreginae		10	nos	120.00	1200.00
12.5	Tecoma argentia		10	nos.	80.00	800.00
12.6	Plumeria alba		4	nos	225.00	900.00
12.7	Ficus retusa	As per old	19	nos	120.00	2280.00
12.8	Milletia ovalifolia	Sanctioned Rate	21	nos	50.00	1050.00
12.9	Terminalia arjuna	rato	30	nos	60.00	1800.00
12.10	Caryota urens		10	nos	300.00	3000.00
	SHRUBS					
12.11	Hibiscus rosa-sinensis	As per old	83	nos	80.00	6640.00
12.12	Lagertroemia indica	Sanctioned Rate	32	nos	40.00	1280.00
12.13	Calliandra haematocephala		51	nos	45.00	2295.00
12.14	Tabernaemontana coronaria		178	nos	45.00	8010.00
12.15	Ficus panda		15	nos	50.00	750.00
12.16	Hamelia patens		53	nos	50.00	2650.00
12.17	Hibiscus variegata		305	nos	50.00	15250.00
12.18	Clerodendron inerme		32	nos	20.50	656.00
12.19	Livistonia chinensis (palm)		2	nos	200.00	400.00
12.20	Raphis excelsa (palm)		479	nos	450.00	215550.00
12.21	Murraya exotica		60	nos	15.00	900.00
12.22	Duranta golden		179	nos	20.50	3669.50
12.23	Alternanthera green		4234	nos	20.50	86797.00
12.24	Syngonium podophyllum		1226	nos	30.75	37699.50
12.25	Cuphea chinensis		6078	nos	20.50	124599.00
12.26	Asparagus sprengeri		194	nos	20.50	3977.00
12.27	Tulsi		165	nos	25.00	4125.00
	Climbers					
12.28	Clerodendron splendens		8	nos	25.00	200.00
12.29	Bignonia venusta		12	nos	35.00	420.00
	OUD	TOTAL				898742

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
1	Earth work in excavation by mechanical means hydraulic excavator) / manual means over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead up to 50m and lift up to 1.5m, disposed earth to be leveled and neatly dressed. All kinds of soil in cum.	2.6.1	982	cum	127.00	124714.00
2	Supplying and filling in plinth under floors including, watering, ramming consolidating and dressing complete.					
2.1	Local Sand	2.27.2	208	cum	1201.00	249808.00
2.2	Moorum/Hard copra	2.27.3	8	cum	570.00	4560.00
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering All work up to plinth level.					
3.1	Cement concrete grade M-15 (Nominal Mix) with 20 mm maximum size of stone aggregate	4.1.2	4	cum	4154.00	16616.00
3.2	Cement concrete grade M-10 (Nominal Mix) with 40 mm maximum size of stone aggregate	4.1.5	11	cum	3528.00	38808.00
4	Providing and laying Cement Concrete grade M-20 (Nominal mix 1:1.5:3) with 20 mm graded crushed stone aggregate, mixing shall be in mechanical mixer, compacting by use of pin, plate / screed vibrators including form work by strong steel girders fixed by spikes, separation membrane 125 micron thick, i/c cutting of joints @ 4 to 5 m interval & filling it with hot applied bituminous sealant without dowel bars. for Play court & Pathways	6.11	216	cum	4455.00	962280.00
5	Providing and laying damp-proof course 50mm thick with cement Cement concrete grade M-15 (Nominal Mix) with 20 mm maximum size of stone aggregate	4.10	420	Sqm	226.00	94920.00
6	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets etc. up to floor two level, excluding the cost of centering, shuttering and finishing. Concrete grade M-20 (nominal mix) with 20 mm maximum size of stone aggregate	4.2.1	5.00	cum	4751.00	23755.00
7	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. up to floor two level excluding cost of centering, shuttering, finishing and reinfor cement					
7.1	Cement concrete grade M-20 (Nominal Mix) with 20 mm maximum size of stone aggregate.	5.2.1	4	cum	5050.00	20200.00
8	Brick Masonry					
8.1	Brick work with chimeny brick of class designation 40 in superstructure above plinth level upto floor 2 level including the cost of scaffolding in : Cement mortar 1:4(1 cement : 4 coarse sand)	6.3.1	10	cum	4547.00	45470.00

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
8.2	Tile brick masonry with tile bricks of class designation 100 in plain arch work in superstructure in cement mortar 1:4 (1 cement : 4 coarse sand) including centering and shuttering complete	6.17	5.2	cum	6927.00	36020.40
9	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete:	10.2	2500	kg	62.00	155000.00
10	Steel work welded in built up sections/ framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.					
10.1	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works.	10.25.2	2200	kg	59.00	129800.00
11	Providing and fixing specified wood frame work consisting of battens 50x25mm fixed with rawl plug and drilling necessary holes for rawl plug etc. including priming coat complete with following wood.					
11.1	Hollock wood.	9.36.1	1.8	cum	77462.00	139431.60
12	Centering and shuttering including strutting, propping etc.and removal of form for	20.1				
12.1	Walls (any thickness) including attached pilasters, butteresses, plinth and string courses et	20.1.2	50	sqm	216.00	10800.00
13	Stone flooring					
13.1	Kota stone slab 25mm thick flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar (1 cement : 4 course sand) 1 : 4 (minimum size of kota stone 0.25 sqm)	11.26	146	sqm	819.00	119574.00
13.2	25thk. Polished Lalitpur Yellow stone over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar (1 cement : 4 course sand)	Market Rate	1283	sqm	2000.00	2566000.00
13.3	100mmx100mmx100mm Granite cobbles	Market Rate	400	sqm	3100.00	1240000.00
13.4.1	Stone flooring with grass jointing 25mm thick Lalitpur yellow sand stone - Exposed face machine cut and table rubbed with rough backing laid on 50mm thick sand bed / compacted earth	Market Rate	300	sqm	1800.00	540000.00
13.5	Extra for stone work (veneer work) curved on plan with a mean radius not exceeding 6m	7.24	20	cum	1094.00	21880.00
14	Cladding and copping					
14.1	Providing and laying 25 mm thick Lalitpur stone coping on top of toe walls etc. in required sections, size, lengths including making grooves etc. laid over a bed of 25 mm thick cement mortar 1:4 (1 cement : 4 coarse sand) jointing & pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade, rubbing and	Market Rate	183	sqm	2000.00	366000.00

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
	polishing the same, as per approved pattern/ designs/ shapes as given in drawings all complete:					
14.2	Providing and fixing 20mm thk. polished Gwalior mint stone stone cladding to external walls, columns, copings, steps risers and treads, water bodies etc. in required sizes/panels in shapes & designs with machine cut chamfered edges etc. laid over a bed of 12-15 mm thick cement morter 1:3 (1 cement : 3 coarse sand) mixed with approved water proofing compound as per manufacturer's specifications including cutting holes/chases in Brick masonry/RCC work, supplying and fixing of stainless steel clamps of required size/shape @ required specified intervals and granting in cement mortar 1: 3 (1 cement : 3 coarse sand) jointing and pointing in white cement mortar 1: 2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade, rubbing and polishing the same, as per approved pattern/ designs/shapes given in drawings, all complete. (Market Rate)	Market Rate	275	sqm	1400.00	385000.00
15	50mm downsize washed river pebbles of whitish / grey colour embedded in cement mortar 1:4	Market Rate	75	sqm	1500.00	112500.00
16 16.1	Wooden flooring Providing and fixing 25mm thk. Sal wood flooring (all treated/seasoned with linseed and ready for use) laid on 25mm thick wooden frame work on PCC bed Pea gravel flooring	Market Rate	695	sqm	3500.00	2432500.00
17.1	75mm thk. Layer of loosely placed rounded pea gravel of 12mm downsize. (Market Rate)	Market Rate	16	cum	2500.00	40000.00
18 18.1	Precast concrete grass pavers Providing and laying 80mm thick factory made cement concrete interlocking paver block of M -30 grade made by block making machine with strong vibratory compaction and of approved size and design/ shape laid in required colour and pattern over and including 50mm thick compacted bed of course sand, filling the joints with coarse sand etc. all complete as per the direction of Engineer-in-charge.	11.46.1	34	sqm	568.00	19312.00
19	Providing and laying Ceramic glazed floor tiles 300x300 mm (9 to 10 mm thick) of 1st quality conforming to IS: 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement Mortar 1:4 (1 Cement: 4 Coarse sand) including pointing the joints with white cement and matching pigment etc., complete. Precast concrete edging (75mm thick x250mm deep size)	11.35	52	sqm	804.00	41808.00

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
20.1	Providing and laying at or near ground level factory made precast edging of M-25 grade cement in position to the required line, level and curvature jointed with cement mortar 1:3 (1 cement: 3 coarse sand) including making joints with or without grooves (thickness of joints except at sharp curve shall not to more than 5mm) including making drainage opening wherever required complete etc. as per direction of Engineer-in-charge (length of finished kerb edging shall be measured for payment). (Precast C.C. kerb stone shall be approved by Engineer-in-charge). with labour rate	As per old Sanctioned Rate	0.8	cum	5352.00	4281.60
21	Direction and Place Identification signs upto 0.9 sqm size board. (Providing and erecting direction and place identification retro-reflectorised sign asper IRC:67 made of encapsulated lens type reflective sheeting vide clause 801.3, fixed over aluminium sheeting, 2 mm thick with area not exceeding 0.9 sqm supported on a mild steel single angle iron post 75x75x6 mm (height from crown level of the road and bottom of the sign board shall not be less than 1.5 m.) firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 45 x 45 x 60 cm, 60 cm below ground level as per approved drawing including painting of vertical post as per specification.	8.4	4	sqm	7983.00	31932.00
22.1		Market	25	Sam	8000	200000.00
22.1	Providing & Fixing 8mm thick Polycarbonate sheet roofing including framework, bolting, fixing etc. complete as directed by engineer in charge.	Rate	23	Sqm	8000	200000.00
22.2	Providing & Fixing Drinking water fountain as per manufacturer's detail and as directed by Engineer in Charge.	Market Rate	2	nos	300000.00	600000.00
22.3	Garden benches made of MS & wood as per manufacturer's specification and detailing and as directed by Engineer in charge.	Market Rate	10	nos	29500.00	295000.00
22.4	Providing & Fixing SS dustbins as per manufacturer's specifications and detailing as per the drawing and as directed by Engineer in Charge	Market Rate	12	nos	10500.00	126000.00
22.5	Providing and fixing Stone sculptures inclusive of their foundation near the well area all inclusive as per the drawing and as directed by Engineer in Charge.	Market Rate	4	nos	25000.00	100000.00
23	Finishing					
23.1	Finishing walls with textured exterior paint of required shade :	10.45.4	1000	0.000	405.00	150000 00
23.1.1	New work (Two or more coats applied @ 3.28 ltr/10 sqm) over and including base coat of water proofing cement paint applied @ 2.20kg/10 sqm.	13.45.1	1200	sqm	125.00	150000.00
23.2	Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @0.90 ltr/10 sqm over an under coat of primer applied @ 0.80 ltr/ 10 sqm of approved brand or manufacture	13.48.3	400	sqm	65.00	26000.00
24	Demolishing & dismantling	<u> </u>			<u> </u>	

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
24.1	Demolishing cement concrete manually/by mechanical means including disposal of material within 50 meters lead as per direction of Engineer-in-charge.	15.2				
24.1.1	1:3:6 or richer mix	15.2.1	225	cum	475.00	106875.00
24.2	Demolishing Paver blocks including stacking of material within 50 meters lead as per direction of Engineer-incharge	Market Rate	2100	Sqm	20.00	42000.00
24.3	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 meters lead as per direction of Engineer-incharge	15.3	20	cum	694.00	13880.00
24.4	Demolishing brick work manually/by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 meters lead as per direction of Engineer-incharge					
24.4.1	In cement mortar	15.7.4	20	cum	401.00	8020.00
24.5	Removing mortar from bricks and cleaning bricks including stacking within a lead of 50m (stacks of cleaned bricks shall be measured):					
24.5.1	From brick work in cement mortar	15.8.3	5	1000 Nos	1285.00	6425.00
24.6	Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates,bolts,nuts,cutting rivets,welding etc. including dismembering and stacking within 50meters lead.	15.18	5000	kg	1.00	5000.00
24.7	Dismantling steel work manually/ by mechanical means in built up sections without dismembering and stacking within 50 meters lead as per direction of Engineer-in-charge.	15.19	2000	kg	1.00	2000.00
24.8	Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 meters lead	15.25	400	sqm	52.00	20800.00
24.9	Dismantling barbed wire or flexible wire rope in fencing including making rolls and stacking within 50 meters lead	15.36	200	kg	7.00	1400.00
24.10	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 meters lead.					
24.10.1	of area 3 sq. meters and below	15.12.1	4	each	69.00	276.00
24.1	Dismantling roofing including ridges, hips valleys and gutters etc., and stacking the material within 50 meters lead of:					
24.11.1	G.S. Sheet	15.28.1	195	Sqm	32.00	6240.00
	SUB TOTAL					11676647
С	Drainage and Irrigation Works	1	I			I

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
1	Providing, laying, jointing & field testing of High Density Polyethene pipes, (HDPE) confirming to IS4984/14151/ 12786 /13488 with necessary jointing material like mechanical connector or jointing pipes by heating to the ends of pipers with the help of Teflon coated electric mirror/heater to the required temperature and then pressing the ends together against each other, to form a monolithic & leak proof joint by thermosetting process. It may be required to be done with jacks/hydraulic above fusion jointed & below 50mm mechanical jointed)	9.1.6	400	2	112.00	44900.00
1.1	63mm OD HDPE Pipe of 6Kg/sq.cm 90mm OD HDPE Pipe of 6Kg/sq.cm	8.1.6 8.1.8	400 80	m m	112.00 218.00	44800.00 17440.00
2	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil	2.8.1	1250	cum	129.00	161250.00
3	Cement concrete grade M-10 (Nominal Mix) with 40 mm maximum size of stone aggregate	4.1.5	22	cum	3528.00	77616.00
4	Providing and laying in position machine batched, machine mixed and machine vibrated design mix cement concrete of specified grade for reinforced cement concrete work including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement. including Admixtures in recommended proportions as per IS 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge. M-20 grade reinforced cement concrete by using 405 kg. of cement per cum of concrete. All work up to floor 2 level.	5.30	120	cum	5211.00	625320.00
5	Providing and placing in position cold twisted or un-coated HYSD steel bar and hot rolled deformed steel reinforcement for RCC work i/c cutting, bending, binding etc. complete i/c cost of binding wire and wastage in sub structure	5.20.3	7000	Kg	59.00	413000.00
6	Filling available excavated earth in trenches, plinth sides of foundation in layers not exceeding 20cm in depth including consolidation of each layer by ramming watering, lead up to 50m and lifting up to 1.5m in all kinds of soils	2.26.1	950	cum	24.00	22800.00
7	Providing & Supplying of PVC Ball Valves on PN16 rating with one end compression using Blue colour compression nut in polypropylene material & other end with female threads conforming to ISO:4422-4, certified from WRAS UK/KIWA etc suitable for food products & drinking water, female threads in accordance with ISO:7/BS:21/ IS:554 and shall be inclusive of all cost such as testing, all taxes related to central, state and	64				

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
	municipal inspection charges, transportation up to site transit insurance loading unlading stacking ext complete					
7.1	63X50mm	8.14.1.6	8	Nos.	1133.00	9064.00
8	Constructing Brick masonry manhole in cement mortar 1:4 (1 cement : 4 fine sand) with perforated concrete slab in grade M-15 (Nominal Mix) with stone aggregate 20mm nominal size, foundation in cement concrete grade M-7.5 (Nominal Mix) with stone aggregate 40mm nominal size, inside plastering 12mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement and making channels in cement concrete grade M-15 (Nominal Mix) with stone aggregate 20mm nominal size including finishing the channel to shape, curing etc with CI cover with frame etc.					
8.1	Manhole with above specification having inside size 90X80cm and 60cm deep including perforated CI cover frame (light duty) 455X610 mm internal dimension total weight of cover and frame to be not less than 38kg (weight of cover 23kg and weight of frame 15kg)	14.2.2	10	Nos.	8028.00	80280.00
9	Sprinkler System					
9.1	Providing & Fixing Sprinkler Set as directed by Engineer in Charge	Market Rate	10	Nos.	5000.00	50000.00
9.2	Providing & Fixing Sprinkler rubber pipe (25mm dia) as directed by Engineer in Charge.	Market Rate	500	Meter	150.00	75000.00
9.3	Providing and placing on at all floor levels high design HDPE (polyethylene) water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and arrangement and making necessary holes for inlet, outlet and overflow pipes including fittings, but excluding the base support	Market Rate	2000	Ltr	8.00	16000.00
10	Fountain Nozzle (Ripple or equivalent) vertical Jet nozzle size NOZ 1.03 Aerotor 40 / 250 , 4m spray height, 83 LPM including all etc. complete	Market Rate	4	Nos.	4698.00	18792.00
11	Providing & Fixing Music System as specified and as directed by the Engineer in charge.	Market Rate	1	Nos.	50000.00	50000.00
12	Camera (can be taken by another convergence scheme)		8	Nos.		
13	Providing & Fixing Speaker as specified and as directed by the Engineer in charge.	Market Rate	6	Nos.	5000.00	30000.00
	Total					1691362
D	Open Gym Providing & Fixing Stepper as specified and as directed by the Engineer in charge.	Market Rate	3	Nos.	16000.00	48000.00

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
2	Providing & Fixing Double Twister as specified and as directed by the Engineer in charge.	Market Rate	3	Nos.	8000.00	24000.00
3	Providing & Fixing Free Bench as specified and as directed by the Engineer in charge.	Market Rate	3	Nos.	4500.00	13500.00
4	Providing & Fixing Abnominal Chair as specified and as directed by the Engineer in charge.	Market Rate	3	Nos.	15000.00	45000.00
	Sub Total					130500.00
E	Wi-fi		Free			0.00
F	Monuments as per the drawing , as specified and as directed by the Engineer in charge.	Market Rate	4	Nos.	50000.00	200000.00
G	Construction of Toilet Block					
1	Earth work in excavation by mechanical means (hydraulic excavator)/ manual means over areas work (exceeding 30cm in depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead up to 50m and lift up to 1.5m, disposed earth to be leveled and neatly dressed.	2.6.1	42	Cum	127.00	5334.00
2	Supplying and filling in plinth under floors including watering, ramming consolidating and dressing complete.					
а	Moorum/Hard copra	2.27.3	8	Cum	570.00	4560.00
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering All work up to plinth level. Cement concrete grade M-10 (Nominal Mix) with 40 mm maximum size of stone aggregate	4.1.5	3.5	Cum	3528.00	12348.00
4	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :					
4.1	Cement concrete grade M-20 (Nominal Mix) with 20 mm maximum size of stone aggregate	5.1.1	11	Cum	4728.00	52008.00
5	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases up to floor two level excluding the cost of centering, shuttering, finishing and reinforcement with Cement concrete grade M-20 (Nominal Mix with 20 mm maximum size of stone aggregate).	5.3	3	Cum	5120.00	15360.00
6	Centering and shuttering including strutting, propping etc. and removal of form for					
6.1	Foundations, footings, bases of columns, etc. For mass concrete.	20.1.1	50	Sqm	138.00	6900.00
6.2	Lintels, beams, plinth beams, girders, bressumers and cantilevers.					
6.2.1	Plinth beam	20.1.5	30	sqm	203.00	6090.00
6.3	Suspended floors, roofs, landings, balconies and access platform	20.1.3	25	Sqm	227.00	5675.00
7	Brick work will well burnt open bhatta bricks crushing strength not less than 25kg/cm² and water absorption not more than 20% in foundation and plinth In cm					

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
	1:6 including labour rate.					
7.1	Masonry below plinth beam	6.38	7.6	Cum	3136.00	23833.60
8	Brick work will well burnt open bhatta bricks crushing strength not less than 25kg/cm² and water absorption not more than 20% in above plinth level up to floor	6.39	30	Cum	3310.00	99300.00
9	two level In cm 1:4. including labour rate 12mm thick cement plaster in cement	13.1.3	150	Sqm	95.00	14250.00
10	mortar 1:6 Reinforcement for R.C.C. work including straightening cutting, bending, placing in position and binding including cost of binding wire up to floor two level including all wastages etc. complete (@ 80 Kg/Cum)					
10.1	Hot rolled deformed bars	5.20.1	880	kg	60.00	52800.00
11	Providing & fixing 1st quality ceramic glazed floor tiles 300 x 300 mm (9-10m thickness)of 1st quality conforming to IS: 15622 of approved make in colours such as white ivory, Grey ,Fume Red Brown ,laid on 20mm thick cement Mortar 1:4(1cement:4 coarse sand) including pointing the joints with white cement & matching pigment etc. complete	11.35	130	Sqm	804.00	104520.00
12	Structural steel work in single section fixed with or without connecting plate including cutting hoisting fixing in position and applying a priming coat of approved steel primer all complete	10.1	3	Kg	59.00	177.00
13	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (6 to 7mm thick) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in- Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete. including labour rate	11.34	50	Sqm	686.00	34300.00
14	Providing and fixing pressed steel door frames confirming to IS 4351 manufactured from commercial mild steel of 1.25mm thickness including hinges jamb lock jamb bead and if required angle threshold of mild steel angle of section 50x25mm or base ties of 1.25mm pressed mild steel welded or rigidly fixed together by mechanical means adjustable lugs with split end tail to each jamb including steel butt hinges 2.5mm thick with mortar guards lock strike plate and shock absorbers as specified and applying a coat of approved steel primer after pre treatment of the surface as directed by engineer in charge, single rebate 80x50mm including labour rate.	10.14.1	30	Rm	302.00	9060.00

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
15	Providing and fixing ISI marked flush door shutter conforming to IS 2202 (Part I) decorative type ,core of block board construction with frame of 1st class hard wood & well matched teak 3ply veneering with vertical grains or cross bands and face veneers on both of shutters , 35mm thick including ISI marked Stainless Steel butt hinges with necessary screws.	9.21.1	15.55	Sqm	1519.00	23620.45
16	Providing and fixing ISI marked oxidised M.S. Sliding door bolts with nuts & screws etc. complete 250x16mm	9.62.2	6	Each	94.00	564.00
17	Providing and fixing ISI marked oxidised M.S tower bolt black finish with necessary screws etc complete 150x10mm	9.63.3	6	Each	31.00	186.00
18	Providing and fixing aluminum handles anodized transparent or dyed to required colour or shade with necessary screws complete, 125mm.	9.66.1	6	Each	18.00	108.00
19	White washing on new work to given an even shade with time	13.37.1	150	Sqm	8.00	1200.00
20	Finishing walls with water proofing cement paint of required shade on new work three or more coat to give a even shade	13.44.1	80	Sqm	37.00	2960.00
21	Providing and fixing white vitreous china water do set squatting pan (Indian type) Long pattern W.C. pan of size 580 mm x 440mm	25.13.2	5	Each	1186.00	5930.00
22	Providing laying and jointing glazed stoneware pipes grade 'A' with stiff mixture of cement mortar in the proportion of 1:1 (1 cement :1 fine sand) including testing of joints etc. complete					
22.1	100 mm diameter	11.2	27	RMtr.	56.00	1512.00
23	Providing and fixing square mouth S.W. gully grade 'A' complete with C.I grating brick masonry chamber with water tight C.I. cover with frame of 300x300 mm size inside the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design with modular brick class designation 40, 150 x 100 mm size	Similar Item 14.1.1	8	RMtr.	1393.00	11144.00
24	Providing and fixing GI pipes complete with G.I. fitting and clamps including cutting and making good the wall etc					
	(a) 15 mm Nominal bore	7.1	15	RMtr.	112.00	1680.00
	(b) 20 mm Nominal bore	7.1	10	RMtr.	142.00	1420.00
	Sub Total					496840

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
Н	Lighting and Electrical Works					
1	Supply of Led Post Top Luminaire with 2 arms should be made of die-cast aluminium alloy UNI EN AB 46100 along with screen of tempered flat glass 5 mm and Lenses should be made of PMMA high transparent. Fastening System should be made of die-cast aluminium alloy UNI EN AB 46100 along with Gasket made of expanded anti-aging silicone should come along with screws of Stainless steel AISI 304. The Wiring plate should be self-extinguishable technopolymer V0 and phosphochromatation and finish of product should be phospho-chromatation and painting with polyester powder in grey RAL9006 or as per consultant request. Installation and Maintenance-Fixture can be installed on Post Top with diameter of Ø 60mm should be fastening with 2 X AISI 304 Stainless steel securing bolts. Fixture should come along with Ø power cable: 8 ÷ 13 mm and cable gland M20. The Wiring plate substitutability should be Removable Plate and Optical unit substitutability should be Led Disc Replacement. Also the Supply power compartment should be independent from the optical group. Optical Distribution- 30 Leds in Color Temperature of 4000k as per consultant request should come along with Rotosymterical Optics. Also should have the Optical unit life: >80,000h @700mA @Ta25°C TM21 should give ULOR of 0% and DLOR of 100%. Electrical Characteristics — Power source system wattage of 51w runs on 700 mA, should have minimum Lumen efficacy of 105lm/w and Lumen out put of 5400 Protection- IP66, Class II, IK08, should have Protection against common mode surge: 6 kV, Protection against differential mode surge: 10 kV, Labels and also should have Certifications: ENEC / CE. Dimensions 551mm(H)x452mm(D)x Ø60mm Model-01KA5D0000CHM3 Make Cariboni Italy or Equivalent from Heper Turkey, Rosa PollandFixtures to be procured only after approval from	Market Rate	21	Each	64058.00	1345218.00
2	architect/Consultant. Supply, of 4.5m MS Round tubular Pole having having dia95mm having base plate of size 300x300x12mm. The pole top shall be complete with tightening bolts as required. Pole shall be duly PU coated The following may be housed in the window provided for cable termination including their supply and fixing: Pole shall have integrated junction box with provision for MCB. Make Litolux	Market Rate	21	Each	13361.00	280581.00

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
3	Supply of outdoor led fixture should be made of Aluminium body Ø 120 mm equipped with a polyamide gland and a 316L stainless steel lyre along with Polycarbonate window, Ø 105 mm, scratch-proof, vandalism resistant, UV proof, 6 mm thickness should be adjustable 2 axis. Fixture power consumption of 36w should be along with Pre Cabled with 1m of AD8 cable along with cable gland should run direct on 230v. Fixture should have 12 high power led in 3w in color temp RGB or as per consultant request in various customized optics 6 deg or 100 Deg x 44 deg or 20 Deg x 140 Deg Deg or asymmetric or elliptical beam in the same fixture or as per consultant request to achieve the desired effects. Dimensions of fixture should be 111mm x 120mm.Fixture should be IP68 IK-10 Class II Protected Make Lec Lyon Model P 4076 PQ-42 Or Dot Spot Germany Dot Spot Germany or Emfa Turkey or Barthelme Germany.	Market Rate	3	Each	80326.00	240978.00
4	Consultant before Procurement Supply of Control box with multiple Sub-DMX with dimensions approximately 380x280x180mm grey PC IP65, Control box IP65 - PC - 380x280x180 mm: - 2x3 channels DMX dimmers, box must include the below - 2 surge arresters I 10 (230VAC +DMX) - 24VDC power supply - 230V AC input - DMX input - DMX output. Control box shall boost and amplify the signal as well.Make LEC, LyonFixture Specifications to be approved by Consultant before Procurement	Market Rate	1	each	228780.00	228780.00
5	Supply of DMX standalone USB based DMX512 lighting controller, Compatible with Windows XP, Vista and 7 (32-bit and 64-bit), DMX controller has miniSD memory, 2 DMX universes (1024 channels), Infrared receiver, Multi-zone, capable of 5 pages with 99 sceries per page having 3- digit display. Operating temperatures: 0° C to 50° C removable mini sd card for show storage - Libraries of programmed shows can be kept for future use. Astronomical time clock and calendar events. Shows can be programmed to trigger by time and date or by sunrise and sunset anywhere in the world. Power Voltage of 9V DC 300mA). Power supply with connector block for DMX connection. DMX /RDM enabled. Make Nicolaudie, US or LEC, Lyon Fixture Specifications to be approved by Consultant before Procurement	Market Rate	1	each	127920.00	127920.00
6	Supply, of 4.5m MS Round tubular Pole having having dia95mm having base plate of size 300x300x12mm. The pole top shall be complete with tightening bolts as required. Pole shall be duly PU coated The following may be housed in the window provided for cable termination including their supply and fixing:	Market Rate	1	each	13361.00	13361.00

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
	Pole shall have integrated junction box with provision for MCB. Make Litolux					
7	Supply of outdoor led fixture should be made of Aluminium body Ø 120 mm equipped with a polyamide gland and a 316L stainless steel lyre along with Polycarbonate window, Ø 105 mm, scratch-proof, vandalism resistant, UV proof, 6 mm thickness should be adjustable 2 axis. Fixture power consumption of 36w should be along with Pre Cabled with 1m of AD8 cable along with cable gland should run direct on 230v. Fixture should have 12 high power led in 3w in color temp Amber or 6000k or green or as per consultant request in various customized optics 6 deg or 100 Deg x 44 deg or 20 Deg x 140 Deg Deg or asymmetric or elliptical beam in the same fixture or as per consultant request to achieve the desired effects. Dimensions of fixture should be 111mm x 120mm.Fixture should be IP68 IK-10 Class II Protected Make Lec Lyon Model P 4076 PQ-42 Or Dot Spot Germany Dot Spot Germany or Emfa Turkey or Barthelme Germany. Fixture Specifications to be approved by Consultant before Procurement	Market Rate	5	each	80326.00	401630.00
8	Supply, of 4.5m MS Round tubular Pole having having dia95mm having base plate of size 300x300x12mm. The pole top shall be complete with tightening bolts as required. Pole shall be duly PU coated The following may be housed in the window provided for cable termination including their supply and fixing: Pole shall have integrated junction box with provision for MCB. Make Litolux	Market Rate	2	each	13361.00	26722.00
9	Supply of pole mounted luminaire LED product Insulation class: class II working on nominal voltage: 230 V 50 Hz having Protection level IP: IP66, Protection against impact: IK06, Power factor: > 0.90, Ambient temperature Ta: -20°C +45°C Weight: 8.00 kg, Shall have Protection against common mode surge: 10 kV Protection against differential mode surge: 10 kV Driver: includedLabels and Having Certifications: ENEC / CEMake Levante, Cariboni, Italy / LEC, France and Ivela, ItalyFixture Specifications to be approved by Consultant before Procurement	Market Rate	4	each	74830.00	299320.00

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
10	Supply, of 4.5m MS Round tubular Pole having having dia95mm having base plate of size 300x300x12mm. The pole top shall be complete with tightening bolts as required. Pole shall be duly PU coated The following may be housed in the window provided for cable termination including their supply and fixing: Pole shall have integrated junction box with provision for MCB. Make Litolux	Market Rate	2	each	13361.00	26722.00
11	Supply of METEOR Solar LED SH200C Paver having wattage 1W with Ingress Protection of IP68, Weight: 0.55 lbs with Rim Finish: Brushed/Polished stainless steel; Brass Lens: GE super light permeable PC, having Housing: SUS304 stainless steel, cast aluminum. Fixture shall have operation time of Minimum 12 hours(fully charged) 4-8 hours(overcast)with full charge time of 6 hours(direct sunlight). Also fixture's compressive strength: 2541 lbs/1153 kgs(minimum) with operating temperature: -4deg F-140deg F. Fixture Dimension 2.7 inches X 2.2 inches. No Cables or Wiring required. Storage Temperature: -13geg F-176deg F Make:- METEOR, US	Market Rate	35	each	11531.00	403585.00
12	S.I.T.C of custom LED Strip securely pasted onto the aluminium channel. LED Stripe to be of 7.5W/mtr in 3000K, fixture to be IP67 rated with high power LED's. LED's should be built on double layered white PCB with LED stripe run at 24V DC, CRI 80+, with phosphor make of intermatix, with suitable step down transformer for the same of IP67 rating. Each Module length approx 1mtr with channel from litolux and LED stripe from DotSpot . Operating Voltage 150V - 260V AC, Make: LED Stripe - Dotspot, Germany / Acclaim Lighting / Ivela	Market Rate	50	each	8918.00	445900.00
13	Sopply of Concrete embedded 3 W LED luminaire, housing stainless steel 316 L, with hardened glass pane and mounting bracket; installation sleeve 83 mm x Ø 44 mm included electronics integrated driver, excellent thermal management with THERMOPROTECT system, long life > 50.000 hrs, temperature range - 5°C up to + 50°C, IP68 rated with loadbearing capacity of 3 tons, inclusive of remote driver. Make: Brilliance Midi, Dot Spot / Cariboni / Ivela	Market Rate	10	each	17835.00	178350.00

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
14	Supply of Flush embedded glazed aluminum fixture with 6 superwatt of 3W with CCT as 3000k or 2700k or as per consultant request, LEDs - optic L4, 12 mm thick polycarbonate window, UV-proof and resistant to vandalism, Power supply 24 VDC, consumption 16 WA, AD8 cable (long-lasting immersion), Embedding case Ø 160mm with bright anodic treatment, IP 68, mix of special custom optics with elliptical and deflected lenses.Make: Meteor- LEC / Acclaim Lighting / IvelaFixture Specifications to be approved by Consultant before Procurement	Market Rate	2	each	73111.00	146222.00
15	Supply of Flush embedded glazed aluminum fixture with 6 superwatt of 3W with CCT as 3000k or 2700k or as per consultant request, LEDs - optic L4, 12 mm thick polycarbonate window, UV-proof and resistant to vandalism, Power supply 24 VDC, consumption 16 WA, AD8 cable (long-lasting immersion), Embedding case Ø 160mm with bright anodic treatment, IP 68, mix of special custom optics with elliptical and deflected lenses. Make: Meteor-LEC or Acclaim Lighting Fixture Specifications to be approved by Consultant before Procurement	Market Rate	2	each	73111.00	146222.00
16	Supply of concrete embedded 10 W LED luminaire (color & beam angle as per design), with body in 316L stainless steel, with tempered glass plate and mounting sleeve 150 mm x Ø 80 mm included, fixture dia not to exceed 100mm, pivoting lamp unit with ball mechanism, giving flexibility of +/- 25 degree tilt, fitting with theft protection, fixtue to be IP68 with Thermoprotect system, avoiding overheating of the spotlight ensuring a very long life of the LED, connection cable 2 m fixture in 24VDC, having load bearing capacity of 2 tons with remote driver from meanwell, Opertaing Voltage 150V - 270V AC. Make: Dotspot, Germany / Ivela / Cariboni Fixture Specifications to be approved by Consultant before Procurement	Market Rate	2	each	40590.00	81180.00

S.N.	Particular	Reference UADD SOR 2012	Quantity	Unit	Rate (INR)	Amount (INR)
17	Supply of outdoor rated ground recessed Led fixture SYMMETRICAL, for Exterior application, Shall have fixing to Recessing Tube with Silicone, Having Body in Die cast aluminium, With Cover in 316L Stainless steel, Gaskets: Silicone, Recessing box: Aluminium, Recessing tube: Aluminium, Mounting type: Ground recessed, Load(kn): 5, Screws: 316L Stainless steel External diameter (mm): 135 Cutout diameter (mm): 126 Recessed depth (mm): 101, Aiming: Fixed, Light emission: Indirect, Beam: 10Ű, 25Ű, 40Ű, Diffuser: Clear Glass 4+4 mm (Frosted Glass on request), Lamps description: 9 x 350mA (9W) LED, Number of heads: 1, Number of lamps: 9, Lamp lumen (lm): 449, 680, Transformer availability: Included, Transformer mounting: Integral, Transformer type: Electronic, Cable: Potted 5m 3x0,75 H03 W-F, Voltage (v): 240V A.C (24V AC or DC on request) Total power consumption (w): 9,Total lighting output (lm): 449, 680 Color rendering (cri): >85 Lamp lumen (lm): 680. Make Emfa, Turkey / Ivela - Italy Fixture specifications to be approved by consultant before procurement.	Market Rate	15	each	24369.00	365535.00
18	Electrical Wires/cables etc. as per requirement	Market Rate	1200	RMtr.	300.00	360000.00
19	Electrical Components such as feeder pillar/Servo Stabilizer etc. as per requirement	Market Rate	2	Nos.	70000.00	140000.00
	Sub Total					5258226
	Т	otal				20352317

Note: Bidders will submit rates as % above/below or at par, which will be applicable for all BOQ items. If any item not covered in the BOQ will be paid as per MPUADD SOR (w.e.f.10.5.12) with quoted percentage. If any item has to be executed which is not covered in BOQ items and MPUADD SOR, then it will be paid as per approved rate analysis without any quoted percentage rate

SECTION 5 AGREEMENT FORM AGREEMENT

(On Non Judicial Stamp Paper of Rs. 1000.00)

	This agreement, made on the day ofbetween (name and address of Employer)
	(hereinafter called "the Employer) and(name and address of contractor) hereinafter called "the Contractor" of the other part.
	Whereas the Employer is desirous that the Contractor execute
	(name and identification number of Contract) (hereinafter called "the Works")
	and the Employer has accepted the Bid by the Contractor for the execution and completion of such
	Works and the remedying of any defects therein, at a cost of Rs.
	Transc and the remodyling of any dereste merein, at a cost of rice.
	NOW THIS AGREEMENT WITNESSED as follows:
1.	In this Agreement, words and expression shall have the same meanings as are respectively assigned
	to them in the conditions of contract hereinafter referred to and they shall be deemed to form and be
2	read and construed as part of this Agreement. In consideration of the payments to be made by the Employer to the Contractor as hereinafter
۷.	mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and
	remedy any defects therein in conformity in all aspects with the provisions of the contract.
3.	The Employer hereby covenants to pay the Contractor in consideration of the execution and completion
-	of the Works and the remedying the defects wherein Contract Price or such other sum as may become
	payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.
4.	The following documents shall be deemed to form and be ready and construed as part of this
	Agreement viz.
	i. Letter of Acceptance
	ii. Contractor's Technical & Financial Bid
	iii. Condition of Contract: General and Special
	iv. Contract Data
	v. Bid Data
	vi. Drawings
	vii. Bill of Quantities and _
	viii. Any other documents listed in the Contract Data as forming part of the Contract.
	In witnessed whereof the parties there to have caused this Agreement to be executed the day and
	year first before written.
	The Common Seal of affixed in the presence of:
	Signed, Sealed and Delivered by the said
	In the presence of:
	Witness – 1
	Witness - 2
Bi	nding Signature of Employer
	nding Signature of Contractor
ווט	nuing digitature of contractor