



Smart City Ahmedabad Development Limited

CEO, Smart City Ahmedabad Development Ltd (SCADL), Ahmedabad
Municipal Corporation, Sardar Patel Bhavan, Danapith, Ahmedabad,
Gujarat 380001



Corrigendum 4

Tender No: 1 Smart City Ahmedabad Development Ltd (SCADL) 241853

241853- Notice Inviting RFP for Selection of Implementation Agency for Supply, Installation, Commissioning and operation & maintenance of Pan city ICT Infrastructure and Integrated Command and Control Center for Smart City Ahmedabad (Gujarat) – Smart city Ahmedabad Development Ltd(SCADL)

Post due considerations to the queries received this corrigendum has been consequently released.

#	Information	Details
1	Online Price Bid Submission Date	27/03/2017 up to 17:00 Hrs.
2	Technical Bid Submission (in Hard Copy) Filled-in Technical Bid along with Bid Fee, EMD and other documents	In Sealed envelope strictly by RPAD/ Postal Speed Post/ Courier on or before 29/03/2017 17:00 Hrs. to CEO Smart City Ahmedabad Development Ltd (SCADL), Ahmedabad Municipal Corporation, Sardar Patel Bhavan, Danapith, Ahmedabad, Gujarat 380001 with necessary documents (Tender Fee, EMD, etc.) as mentioned in the RFP
3	Date & Time of opening of Technical & Commercial bid	To be intimated to the qualified bidders
4	Contact person and email id	smartcity@ahmedabadcity.gov.in

Consultant:



Responses to the queries

#	Page No./ Section	Clause Reference	Query	Response to Query
1	Section 18: Technical & Functional Specifications- Indoor Dome Camera	Image sensor : 1/2.7" Progressive Scan CMOS	Request to accept 1/2.8" or better as 1/2.7" is proprietary to one single OEM	Specification Revised as " Image sensor : 1/3" Progressive Scan CMOS"
2	Section 44: Technical & Functional Specifications- Camera Type A	1/ 2.7" or better, CMOS Progressive Scan & Minimum 2 MP or better	Request to accept 1/2.8" or better as 1/2.7" is proprietary to one single OEM	Accepted, Specification Revised as" 1/2.8" or better, CMOS Progressive Scan & Minimum 2 MP or better"
3	Section 44: Technical & Functional Specifications- Camera Type A	Multi Focal Lens 6-60mm Lens	Request to accept 8-50mm as 6-60 mm is not standard lens and is proprietary to one single OEM	Revised Specification "Multi Focal Lens: ≤ 6mm and ≥50 mm "
4	Section 45: Technical & Functional Specifications- Camera Type B	1/ 2.7" or better, CMOS Progressive Scan & Minimum 2 MP or better	Request to accept 1/2.8" or better as 1/2.7" is proprietary to one single OEM	As Per Corrigendum, Its already 1/3"
5	Section 45: Technical & Functional Specifications- Camera Type B	Multi Focal Lens 6-60mm Lens	Request to accept 8-50mm as 6-60 mm is not standard lens and is proprietary to one single OEM	Revised Specification "Multi Focal Lens: ≤ 6mm and ≥50 mm "

#	Page No./ Section	Clause Reference	Query	Response to Query
6	Eligibility Criteria, Point no. 9	<p>OEMs of proposed equipment/components should have their own registered office in India as per the prevalent/ applicable laws of India and be in operation in India for last five years as on the bid issuance date.</p> <p>Registered offices by way of Joint ventures, Franchise, agency, distribution partners will not be considered.</p> <p>a.) OEMs for networking devices at aggregation layer and datacenter layer should be one of the top five from the GARTNER list of top five companies for data center networking</p> <p>b.) OEM for other networking equipment's should be in the top Five positions in terms of market share in India as per latest available IDC report or should be present in latest Gartner magic Quadrant.</p> <p>c.) OEM for storage and servers should be from companies featuring in Gartner magic quadrant in leadership position.</p>	<p>We here by requested to remove the term “Registered offices by way of Joint ventures, Franchise, agency, distribution partners will not be considered.”</p>	<p>No Change, As per revised RFP</p>

#	Page No./ Section	Clause Reference	Query	Response to Query
7	Section 44: Technical & Functional Specification Corrigendum 2	Original Clause44) Camera Type A7) Varifocal Lens- As per requirement of various application like Video Analytics/RLVD/ ANPR/ Speed Detection which suits to size of sensorCorrigendum Clause:44) Camera Type A (Box Cameras)7) Multi Focal - 6 to 60mm, MJPEG or better	Size of lens plays major role in capturing the area of interest as well as costing. It should be decided by Bidder after site survey or should be generalized value which is recommended to be 8~40mm or 05~50mm which is more than sufficient.	Please Refer Sr. No. 3
8	Section 44: Technical & Functional Specification Corrigendum 2	33) Camera Type A 11) IR Illuminator - External Illuminator with visibility should be at least 50m, Power requirement & connectivity should be part of the solution. Illumination (Colour & b/w) should be sufficient to capture Objects/Faces at night time when there is not sufficient illumination at site.	1) If the IR illuminator is in-built wiith box, then the switching between Day and Night mode will be smooth 2) The mentioned lens size can view more than 50m. Thus, recommended to amend at least 100m IR range	No Change
9	Eligibility Criteria, Point no. 9	b.) OEM for other networking equipment's should be in the top Five positions in terms of market share in India as per latest available IDC report or should be present in latest Gartner magic Quadrant.	Gartner evaluate enterprise LAN vendors providing wired and wireless access layer connectivity. Network leaders should evaluate vendors based on their ability to offer the same network applications across both the wired and wireless infrastructure and address new IoT challenges. REQUEST to CONSIDER OUR CONCERN and remove Gartner clause for outdoor switch SO GOBAL KEY PLAYER OF OUTDOOR SWITCHES MFG CAN become the Part of this tender.	No Change

#	Page No./ Section	Clause Reference	Query	Response to Query
10	Section 18: Technical & Functional Specifications- Indoor Fixed Dome	1/2.7" Progressive Scan CMOS 2 MP or better	There is no difference in the amount of light/pixels captured by 1/2.8" sensor. Hence request you to allow 1/2.8. Not allowing will lead to quality players like Axis not able to comply.	Please Refer Sr. No. 1
11	Section 18: Technical & Functional Specifications- Indoor Fixed Dome	Field of View: 37.5°~103.7°(horizontal), 21.6° ~ 71.2° (vertical), 42.6°~111.21° (diagonal)	Horizontal: 100°– 35°; Vertical: 55°–20 Required Specification does not allow renowned players like Axis to bid and appears only few manufacturers can comply.	Agreed, Specification Revised as: Field of View: 35-37.5° ~ 100-103.7° (Horizontal), 20-21.6° ~ 55-71.2° (Vertical), 42° ~ 111.21° (diagonal)
12	Section 44: Technical & Functional Specifications- Camera Type A	1/ 2.7" or better, CMOS Progressive Scan & Minimum 2 MP or better	There is no difference in the amount of light/pixels captured by 1/2.8" sensor. Hence request you to allow 1/2.8. Not allowing will lead to quality players like Axis not able to comply.	Please refer sr. No. 2
13	Section 44: Technical & Functional Specifications- Camera Type A	Minimum Illumination: 0.1 Lux@30 (IRE)f1.2 (Colour) & 0.001 Lux @ 30 (IRE) f1.2(B/w)	Color: 0.25 lux F1.4 B/W: 0.05 lux F1.4 0.001 LUX is too low for megapixel camera to produce image. The camera shifts to IR mode below 0.1 Lux. Required Specification does not allow renowned players like Axis to bid and appears only few manufacturers can comply	Please refer sr. No. 2, as sensor size has been revised
14	Section 44: Technical & Functional Specifications- Camera Type A	High Light & backlight Compensation Required, Camera should adjust HLC and BLC feature automatically depending on the light condition	Remove this: Since WDR is a better feature in terms of extreme light handling (Bright /dark). The said feature is an outdated feature and would not be required. This feature is no longer mentioned on datasheets as WDR is mentioned	Specification Revised as: HLC: High Light Compensation required. This is in context of balancing vehicle light beam against surrounding detail.
15	Section 45: Technical & Functional Specifications- Camera Type B	Minimum Illumination: 0.1 Lux@30 (IRE)f1.2 (Colour) & 0.001 Lux @ 30 (IRE) f1.2(B/w)	Color: 0.25 lux F1.4 B/W: 0.05 lux F1.4 0.001 LUX is too low for megapixel camera to produce image. The camera shifts to IR mode below 0.1 Lux. Required Specification does not allow renowned players like Axis to bid and appears only few manufacturers can comply	No Change

#	Page No./ Section	Clause Reference	Query	Response to Query
16	Section 45: Technical & Functional Specifications- Camera Type B	High Light & backlight Compensation Required, Camera should adjust HLC and BLC feature automatically depending on the light condition	Remove this: Since WDR is a better feature in terms of extreme light handling (Bright /dark). The said feature is an outdated feature and would not be required. This feature is no longer mentioned on datasheets as WDR is mentioned	Specification Revised as: HLC: High Light Compensation required. This is in context of balancing vehicle light beam against surrounding detail.
17	Section 46: Technical & Functional Specifications- Camera Type C PTZ	IR Distance: 100 meters	External IR to be allowed to quote. Kindly allow external IR for quoting. Not only in built IR	Accepted, External IR also allowed
18	Section 46: Technical & Functional Specifications- Camera Type C PTZ	Protocols: PPPOE	Not required, Since most communication happens over secured network PPPOE would be redundant. Required Specification does not allow renowned players like Axis to bid and appears only few manufacturers can comply	Accepted, PPPoE protocol stands deleted
19	Section 47: Technical & Functional Specifications- Camera Type D 180 Degree Camera	Lens: 4 to 5 mm fixed, Combined horizontal angle of view: 180°	Between 1mm to 2mm Required Specification does not allow renowned players like Axis to bid and appears only few manufacturers can comply.	Accepted, Specification revised as" Lens: Between 1 to 2 mm fixed, for 180 ° angle of view
20	Section 44: Technical & Functional Specifications- Camera Type A	Multifocal Lens: 6-60 mm or better	Multi Focal: 8-50 mm, 2 MP, IR Corrected or better	Please refer sr. No. 3
21	Section 45: Technical & Functional Specifications- Camera Type B	Multifocal Lens: 6-60 mm or better	Multi Focal: 8-50 mm, 2 MP, IR Corrected or better	Please refer sr. No. 5

#	Page No./ Section	Clause Reference	Query	Response to Query
22	Specifications Corrigendum 2 - Page No. 2 Point No. 2	Operator Console: The Console Top / working surface should be made of minimum 25 mm thick MDF with High Pressure Laminate finish. The laminate shall be fire retardant, Insulated, Water Proof, Scratch resistant and high hardness. The Table Top should be able to mount three 27 Inches Display monitors for each work station with front edge of the table top should be moulded polyurethane edge(for wrist cushion)	Moulded Polyurethane is an outdated technology which is not been offered by the International Companies like Evans, Knurr, Tresco, Winsted. It is a propitiatory offering that is limited to only one Company in India, which is based in Udaipur - M/s. Pyrotech Workspace. This is a Dated Technology, which cannot be Repaired / Replaced at site (if & when Damaged). This Requires Mechanical Intervention & substantial Download time for repair / replacement, which is not advisable in 24/7 Environments, So we request you to delete this clause	Specification Revised as" The Console Top / working surface should be made of minimum 25 mm thick MDF with High Pressure Laminate finish. The laminate shall be fire retardant, Insulated, Water Proof, Scratch resistant and high hardness. The Table Top should be able to mount three 27 Inches Display monitors for each work station with front edge of the table top should be moulded Urethane edge (for wrist cushion)
23	Specifications Corrigendum 2 - Page No. 2 Point No. 8	Certifications / compliant: ISO 11064 latest revision, BIFMA X5.5, RoHS (UL certificate), Seismic zone IV compliant	"Seismic Zone 4" pre requisites is not generally applicable for Desk Assemblies / Furniture for Control Rooms. "Seismic Zone 4" pre requisites are generally required in Nuclear Application environment. Being a customized Delivery, Seismic Zone 4 Test Report done on any other previous delivery will not be applicable on this requirement. If Seismic Zone 4 Test has to be mandatory then it has to be done on the Desk Assemblies getting supplied for Ahmedabad Smart City Project only and any previous Test report should not be applicable on this or else request you to delete this clause.	Specification revised as: "Certifications / compliant: ISO 11064 latest revision, BIFMA X5.5, RoHS (UL/Intertek), Seismic zone compliant"
24	Section 49: Technical Specs	Certification: CE/FCC/EN/UL	The certifications indicated are CE/FCC/EL/UL. This can be construed as any ONE certification which is not the objective of the RFP. We suggest that the same may be modified as" CE, FCC, EN/UL" making it mandatory for three certifications viz CE, FCC and EN OR UL	Accepted: Specification Revised as "CE, FCC, EL/UL"

#	Page No./ Section	Clause Reference	Query	Response to Query
25	Section 44: Technical & Functional Specifications- Camera Type A	1/ 2.7" or better, CMOS Progressive Scan & Minimum 2 MP or better Multi Focal Lens: 6 to 60 mm	We suggest change of sensor format from 1/2.7" to 1/2" and lens focal range from 6-60mm (1/3") to 12- 50mm (1/2"). With 1/2" format the capability of the lens and sensor to garner more light per pixel is increased to a large extent resulting in much improved image quality. In Applications like ANPR and RLVD where at higher focal distance (say 40mm), The amount of light that enters the camera is very less and hence a larger sensor is required to deliver clarity in the details. To accommodate a 1/2" format, the 6-60mm lens must be changed to the optimal 12-50mm range (Which is a standard VF range for 1/2"format lenses). Summary: change sensor to 1/2" minimum and lens to 12~50mm 1/2"	Please Refer Sr. 2 & 3
26	Section 45: Technical & Functional Specifications- Camera Type B	Multi Focal Lens: 6 to 60 mm	While the format of 1/3" is in line with the objective of RFP, we suggest that lens range may be changed from 6-60mm to 5-50mm as the specified range of 6- 60 mm is restrictive in manufacturing and costlier whereas a 5-50mm range is standard range available with multiple Reputed Lens manufacturers and will result in more healthy and equitable competition and price benefit to the government. Summary: change lens to 12~50mm 1/3"	Please Refer Sr. 5

#	Page No./ Section	Clause Reference	Query	Response to Query
27	Section 46: Technical & Functional Specifications- Camera Type C PTZ	Focal Length :4.3 to 129mm: WDR: True WD 100 db or better	The mentioned lens module 4.3~129mm corresponds to 30X not 20X, It is recommended to change the lens module to 5.2~104mm, the same will comply with 20x and give a fair depth of view with the 104mm lens as well. We recommend changing the requirement of “True WDR 100db” to “WDR 70 DB”, The same is in line with the objective for outdoor surveillance, and additionally this will fetch a significant financial surplus to the Government with optimal technically balanced specifications suitable to the Junction surveillance application. Summary: change lens to 5.2~104mm and WDR to 70db.	1.) Revised Specification Focal Length : 5.2 ~ 104 mm 2.) Revised Specification WDR: True WDR 70db
28	Section 7: Technical Specs	Junction Box: IP Rating 67	All IT active component required air circulation and hot air must be exhaust from the cabinet. If we use IP 65 cabinet, the air circulation is not possible. And if we put fan filter unit for air circulation, the IP rating changes to IP55. Requested you to look this technically and change it to IP 55. Also request you to ask ISO certification for the OEM.	Specification Revised as: IP Rating: IP 55 rated

#	Page No./ Section	Clause Reference	Query	Response to Query
29	Section 2 : Selection Criteria : PQ Point No. 3 Page No. 14	<p>The bidder must have annual turnover of at least Rs. 500 Crores (for the lead bidder in case of consortium) for each of the last three financial years as on 31st March, 2016.</p> <p>Annual Turnover of the bidder generated solely from Networking (setting up or O&M) and Data Centre (setting up or O&M) during each of the last three financial years, should be at least Rs. 250 crores.</p> <p>In case Bidder is a wholly owned / 100 % subsidiary, the turnover of Parent company would be considered for eligibility</p>	<p>Turn over from ICT, IT or System Integration should be considered In PQ criteria and all other criteria related to bidder, the experience has been asked in Networking/ Datacenter. It must be noted that a smart city project is an integration of various different systems into a single platform, hence it is much more relevant to System Integration rather than just Networking or Data Centre. Request you to add system integration in this clause.</p>	<p>Specification Revised as "The bidder must have annual turnover of at least Rs. 500 Crores (for the lead bidder in case of consortium) for each of the last three financial years as on 31st March, 2016.</p> <p>"Annual Turnover of the bidder generated solely from System Integration, Networking (setting up or O&M) and Data Centre (setting up or O&M) during each of the last three financial years, should be at least Rs. 250 crores"</p> <p>In case Bidder is a wholly owned / 100 % subsidiary, the turnover of Parent company would be considered for eligibility</p>
30	Page 122 : Payment Terms	<p>Hardware/Equipment as per Schedule - I</p> <ul style="list-style-type: none"> * 20% of Sum total on Commissioning & FAT on the central Infrastructure (CCC, TCC and DC) * 15% of Sum total on Commissioning & FAT on 25% site equipment (CCTV, Wi-Fi, LED Display Etc.,) * 10% of Sum total on Commissioning & FAT on 100% site equipment (CCTV, Wi-Fi, LED Display Etc.,) * Balance 10% on quarterly payment along with O&M <p>O&M As per Schedule –II 20 equal installment payable at each quarter for 5 yrs.</p>	<p>For Schedule I - 100% payment is not mentioned and only 55% payment been mentioned, we feel that its typo error and need revision on the same. Also Cash flow is negative for longer period for any organization for current revised payment terms, hence request you to release payment against delivery of the equipment.</p>	<p>Its 100% only; please see below explanation: 15% of Schedule-I on successful Installation, commissioning, and FAT of each 25% of the Site equipment (camera, Wi-Fi Hotspot, LED Display screens etc.). Note: this implies on completion of each 25% of quantum, bidder is eligible for claiming 15% of the sum total of Schedule-1 of price bid.</p>

#	Page No./ Section	Clause Reference	Query	Response to Query
31	Scope of Work	Cloud based Controller	We need to know whether this is a public cloud (meaning controller will be installed at bidder NOC) of private cloud (controller will be installed at your NOC that will come up as part of this project)?	Bidders NOC
32	Section 44 & 45: Technical & Functional Specifications- Camera Type A & B	Multi Focal Lens: 6 to 60 mm	We have gone through the corrigendum, where the fixed camera lens is 6-60mm (only available with one lens manufacturer) is asked. As of now if we combine this lens with the newly added clause of zooming facility then this solution is available with only one camera manufacture – Axis (18X fixed zoom IR camera). If the objective of the fixed lens camera is to change the field of view then we request you to change the lens to 9-22mm Motorized camera which is available with multiple OEMs or amend the lens to 5-50 mm vari focal as standard solution in all city surveillance tenders. In extreme practical scenario also not more than 20mm focal length view is used.	Please refer sr. No 3 & 5
33	Section 18,44 & 45: Technical & Functional Specifications- Camera Indoor, Type A , B, C & D	POINT No. 14: Camera should supplied with appropriate capacity of Micro SD/SDHC for recording of up to 24 Hours)	We request for the following “Camera should supplied with minimum capacity of 32GB Micro SD/SDHC for recording ”; given the current processing capability available in cameras this is the most appropriate and functionally demonstrable sizing	Specification Revised as "Camera should supplied with 32GB Micro SD/SDHC

#	Page No./ Section	Clause Reference	Query	Response to Query
34	Section 44 : Technical & Functional Specifications- Camera Type A	1/ 2.7" or better, CMOS Progressive Scan & Minimum 2 MP or better	<p>We request 1/3.2" or better be permitted.</p> <p>A 1/2.8" sensor has approximate dimension of 4.788mm X 3.528mm. A 1/3.2" sensor has approximate dimension of 4.536mm X 3.146mm. The diagonal difference in comparing 1/3.2" sensor to 1/2.8" sensor is of 0.267mm.</p> <p>Hence, it is evident that there is not much size difference in both the imager and sensor size. Also, the 1/3.2" sensor is smaller in size which Arecont Vision utilizes in 1080p WDR model. This is because this is a true 100dB capable special sensor and it produces lesser heat. This is in accordance to the Field Programmable Gate array logic design based on which camera circuitry works. In a 70dB 1080p sensor, Arecont Vision utilizes 1/2.7" sensor because such sensors are normal as used by many other camera manufacturers who them using their multiple electronic ways extends the dynamic range of the sensor. However, as mentioned above, Arecont Vision uses special 100dB sensors to offer true wide dynamic range capabilities.</p>	Please refer Sr. No.2
35	Section 44 & 45: Technical & Functional Specifications- Camera Type A & B	Multi Focal Lens: 6 to 60 mm	We request for consideration of 9-36mm Motorized; Remote Zoom/Remote focus capable Varifocal telephoto Lens ; this is required from a site perspective	Please refer sr. No 3 & 5
36	Bid Due Date	Bid Due date : 14/03/2017 up to 1700 Hrs.	The Bid Submission due date is required to be extended for at least 7-8 weeks for better preparation with solution and commercials and in view of project size and importance.	Bid Submission date extended till 27th March 2017

#	Page No./ Section	Clause Reference	Query	Response to Query
37	Eligibility Criteria	<p>The bidder must have annual turnover of at least Rs. 500 Crores (for the lead bidder in case of consortium) for each of the last three financial years as on 31st March, 2016.</p> <p>Annual Turnover of the bidder generated solely from Networking (setting up or O&M) and Data Centre (setting up or O&M) during each of the last three financial years, should be at least Rs. 250 crores.</p> <p>In case Bidder is a wholly owned / 100 % subsidiary, the turnover of Parent company would be considered for eligibility</p>	<p>Criteria should be average annual turnover of Rs. 200 Crore for last three financial years from overall business of IT/ITES/ICT/Telecom. This should not be limited to data center and networking. This will lead to have healthy competition and enable experienced and technically capable SI.</p>	No Change
38	Project Implementation Timeline		<p>Project implementation timeline has to be revised with at least 575 days</p>	No Change
39	Eligibility Criteria	<p>The Consortium Partner (non-lead bidder) should have average annual turnover of at least Rs. 30 crores from ICT or ITES in last three financial years (ending 31 March 2016) For a 100% subsidiary, parent company average annual turnover would be considered for evaluation purposes.</p>	<p>As these are the emerging technology and many of niche, focused and qualitative company should be accommodate. We request to revise consortium turnover criteria at 10 Crores.</p>	No Change

#	Page No./ Section	Clause Reference	Query	Response to Query
40	Delivery Schedule	Delivery of hardware/software Equipment at a central location/Vendors Warehouse (Within 120 calendar days from the date of issuance of LOI/ Work order (for corresponding request orders))	Delivery of hardware to be scheduled in phased manner according to project mile stones.	No Change
41	(Clause 10.2 - Page 40)	Installation and Commissioning and FAT of hardware/software at Site Location (Within 150 calendar days from the date of issuance of LOI/ Work order (for corresponding request orders))	Total project duration should be revised with 575 days. No provision or guideline for delay of work due to conditions beyond control like permission, access of location, festivals & force measures.	No Change
42	Eligibility Criteria	Annual Turnover of the bidder generated solely from Networking (setting up or O&M) and Data Centre (setting up or O&M) during each of the last three financial years, should be at least Rs. 250 crores.	Criteria should be average annual turnover of Rs. 200 Crore for last three financial years from overall business of IT/ITES/ICT/Telecom. This should not be limited to data centre and networking.	No Change

#	Page No./ Section	Clause Reference	Query	Response to Query
43	General Terms & conditions: Clause 76 Page 135	<p>WORK/SUB CONTRACT TO START-UPS AS PER POLICY GUIDELINES OF DEPT. OF S&T, GOVT. OF GUJARAT</p> <p>As per the provision in Electronics & IT/ITeS Start-up Policy Resolution No. ITS/10/2015/5284/IT dated 6th June, 2016 issued by Department of Science & Technology; in e-Governance project undertaken by Government Departments or its Boards, Corporations or parastatal bodies getting grants from the Government, the chosen solution provider or system integrator will pass on job work or will outsource part of the work of a value ranging between 5% to 10% of the contract value to the eligible start-ups/SME's and to students of short listed Technical Colleges in Gujarat with their firm registered in the state of Gujarat . In such arrangements, the responsibility of meeting SLAs (Service Level Agreements) will continue to belong to the solution provider or the system integrator.</p>	SI should have the liberty for sub contracting to meet the SLA. Alternatively, there should be back-to-back SLA agreement.	No Change

#	Page No./ Section	Clause Reference	Query	Response to Query
44	SLA & Penalties	SLA & Penalties' Availability/Uptime of End Points like CCTV camera/ Wi-Fi APs/ Sensors/LED Display panel/ etc. SLA Target - 99.00%	SLA Target should be re-evaluated, that seems on higher side of practical ground.	No Change
45	Payment Schedule	Payment Milestones based on activity schedules	Payment milestone should be revised as below 1. Total contract cost should be bifurcated in CAPEX and OPEX. 1. 10% of total Capex value should be paid to SI in advance as a mobilization cash 2. 60% of total contract value should be paid against the delivery of materials 3. 30% of total capex should be paid against successful completion/Go-live of the project. 4. Opex should be paid in equated quarterly installment during O & M.	No Change
46	Section 65: Technical & Functional Specs: LED Luminaries	The OEM of Smart Street Lighting system must have executed minimum 3 Smart Street lighting Projects with individual control anywhere in India and the proof of the same shall be enclosed in the bid in the form of order copies/completion certificates.	The OEM of smart street lighting system must have executed minimum 3 Smart street lighting with Individual / group network control in India and/or abroad with Min amount of 10000 nos. Quantity installed in a single project. Along with the proof of the same.	This Clause stands deleted, Not required

#	Page No./ Section	Clause Reference	Query	Response to Query
47	Section 65: Technical & Functional Specs: LED Luminaries	High Reliable and Robust Communication Network: Lighting Controllers installed on Individual LED Luminaries must communicate with the Gateway over a wireless network which could use a standard Zigbee Pro/ 6 Lowpan mesh network protocol which is an open and interoperable standard that is based on IEEE 802.15.4	In technology mentioned for the lighting controller installed on LED luminaire, we request you to consider proven technology GPRS/ GSM which is highly reliable and good uptime.	In technology mentioned for the lighting controller installed on LED luminaire, we request you to consider proven technology GPRS/ GSM which is highly reliable and good uptime. Any additional recurring charges owing to GPRS/GSM shall be borne by bidder for the for the entire duration of the contract
48	Section 65: Technical & Functional Specs: LED Luminaries	Uniformity ratio (E min/ E avg)	Only longitudinal uniformity is mentioned in the tender , Traverse uniformity (E min/ E max) should be included and should be more than .4 to avoid dark and Bright patches	No Change
49	Section 65: Technical & Functional Specs: LED Luminaries	Housing: High quality Aluminum Die Cast body with extruded aluminum heat sink and with separate driver Compartment. The compartment should be such that driver can be maintained / replaced without Disturbing the LED module. The housing should have capability of installing Control Node on top of the fixture along with a NEMA Receptacle	The luminaire housing should be of Single Piece High pressure die cast aluminum alloy LM6 with integrated heat sink	Revised Clause: Housing: High quality Aluminum Die Cast body with extruded aluminum heat sink and with separate driver Compartment. The compartment should be such that driver can be maintained / replaced without Disturbing the LED module. The housing should have capability of installing Control Node on top of the fixture along with a NEMA Receptacle or any better arrangement with single piece to hold the LED Module
50	Section 65: Technical & Functional Specs: LED Luminaries	Over Voltage cutoff: Greater than 280VAC	Regular voltage varies in evening and night hour's from 240 – 290 V. Over voltage cutoff keep switching the luminaire ON & OFF. We recommend to have voltage cutoff at Feeder Pillar level and not at individual luminaire level.	No Change

#	Page No./ Section	Clause Reference	Query	Response to Query
51	Section 65: Technical & Functional Specs: LED Luminaries	Optics : Each LED should be equipped with UV protected secondary lens to bring about the required uniformity as mentioned above	The LEDs should be provided with individual optical lenses on lens plate designed to meet the uniformity parameters and should be bolted to MCPCB. Sticking and pasting is not acceptable.	Revised clause : Optics : Each LED should be equipped with UV protected secondary lens to bring about the required uniformity parameters
52	Section 65: Technical & Functional Specs: LED Luminaries	Ingress Protection & Impact protection: IP 65	The luminaire should have Ingress protection of IP 66 and Impact protection of >IK05	Revised clause : Ingress Protection & Impact protection: IP 66
53	Section 65: Technical & Functional Specs: LED Luminaries	Day light Harvesting: Ambient light sensors can be integrated for day light harvesting	Clarification required and node is having the LDR.	This is an optional (non-mandatory) requirement
54	Section 11: Technical & Functional Spec: Workstation	Ports 6 Nos. or Higher USB (min 2 USB3.0), 1XHDMI port, 1 VGA Port.	HDMI port is not be available in professional graphic card in workstations. HDMI is normally part of consumer graphic cards in desktop product category and <u>hence we request to delete the word HDMI port.</u> Request to amend as: 6 Nos. or Higher USB (min 2 USB3.0), 1 VGA Port.	No Change
55	Section 11: Technical & Functional Spec: Workstation	Storage 2 TB , SATA III HDD 7200 RPM with Flash Cache of 64GB SSD.	64GB flash cache technology is EOL technology (Earlier generation hardware , SSD modules are expensive and storage options was given with SATA and SSD combination and 64GB SSD modules are EOL). <u>Request to amend the specs as "2TB SATA III with 7200 RPM HDD".</u>	Specification Revised as 1.) "Storage: 1TB, SATA III HDD 7200 RPM" 2.) Video: Integrated Graphic controller with minimum 2 GB video memory (non- shared) , NVIDIA GeForce/AMD Radeon

#	Page No./ Section	Clause Reference	Query	Response to Query
56	Section 11: Technical & Functional Spec: Workstation	Monitor 27 Inches or Higher, Wide LED Touch Screen , Resolution- 1920x1080, Aspect Ratio-16:9 , refresh rate 5ms or better	27" Touch display is not available with any leading workstation manufacturer. Also the space occupied by 27" will be very high and not suitable for close proximity viewing. <u>We request you to please amend the size 27" or higher with 23" or higher</u>	No Change
57	Section 12: Technical & Functional Spec: Desktops	Minimum 4 GB DDR3 or higher expandable up to 16 GB or more	For future expandability it should be expandable up to 32GB or more. Request to amend the clause accordingly.	No Change
58	Section 12: Technical & Functional Spec: Desktops	Ports 4 Nos. or Higher USB (min 2 USB3.0), 1XHDMI port, 1 VGA Port	To accommodate more USB Devices, it should be 8 Nos or higher USB (min 2 USB 3.0) Video should not be limited to HDMI and it should be <u>1 VGA standard & Either one of the Display/HDMI/DVI Port</u> <u>Request to amend as : 8 Nos. or Higher USB (min 2 USB3.0), 1 VGA Port and either of Display/DVI/HDMI</u>	Specification Revised as: 1.) Ports: 4 Nos. or Higher USB (min 2 USB 3.0), 1XHDMI/DVI port, 1 VGA Port 2.) Video: Integrated Graphic controller with minimum 2 GB video memory (non- shared) , NVIDIA GeForce/Intel /AMD Radeon
59	Section 12: Technical & Functional Spec: Desktops	Storage 1 TB , SATA II HDD 7200 RPM	Current industry standard is sata III, hence request to amend the clause as <u>1 TB , SATA III HDD 7200 RPM</u>	Specification Revised as "Storage 1 TB , SATA III HDD 7200 RPM"
60	Section 12: Technical & Functional Spec: Desktops	Certification RoHS, ENERGY STAR/Gold rating	Please confirm if gold rating is for EPEAT ?	Specification revised as" RoHS, Energy Star/BEE
61	Section 14: Technical & Functional Spec: Network Laser Printer	Min. 10 ppm for A3, 25 PPM for letter/ A4	We request you to please amend it to <u>Min. 10 ppm for A3, 20 PPM for letter/ A4</u>	Laser Printer stands removed from the scope of work of this RFP
62	Section 15: Technical & Functional Spec: Multifunction Printer	10000 pages/ cartridge	we request to please amend it to <u>9000 pages or higher/ cartridge</u>	Laser Printer stands removed from the scope of work of this RFP

#	Page No./ Section	Clause Reference	Query	Response to Query
63			<p>Request your Kind attention to the Corrigendum released for "Ahmedabad Smart City Surveillance? which does NOT have Tape Technology for Storing Data on Secondary Storages?. Regarding that we would request you to kindly consider the following point which may help Govt of Gujarat to Build a strong and Scalable Solution</p> <p>Long Term Vision and Solution to help Govt to Preserve Data for Legal and Other References Valuable Data to be protected which is related to Life of Citizens</p> <p>Cost and Scalable Solution</p> <p>Interoperability with Various Storages (SAN) and Tape Library.</p> <p>Flexibility from IT point of View to add more Camera or Improve the Quality of Camera</p> <p>We Believe that there is NO Transparent decision made while Considering ONLY DISK Technology and making Tape Technology out of tender Scope .</p> <p>There are many Case Examples where GOV Organisations in INDIA are Using Tape Workflow Solution to store Video Data (RISL Rajasthan , Hyd City Surv -Police Deptt , Doordarshan .. etc) . There are Many Other Enterprise Customer in India & Word wide using same technology</p>	No Change
64	Additional Clarifications		<p>1) All types of Printers, Projectors: Stands removed from the scope of this Bid as they are not required.</p> <p>2) Internet Router for End Points Type-1 and Type-2: Stands removed from the scope of this Bid as they are not required.</p> <p>3) Backup Software: Stands removed from the scope of this Bid as they are not required.</p> <p>4) Wi-Fi Hotspot at Public places (Page no. 31; Tender Document):</p> <p>a. Cloud based controller need not to be a single controller instead it may be a stake of controller supporting different make and model of Access points will also be an acceptable solution.</p> <p>b. Cloud based controller should support Access points of multiple OEMs featuring in Gartner magic quadrant for Wired and Wireless LAN access Infrastructure.</p>	

#	Page No./ Section	Clause Reference	Query	Response to Query
		5) Spares (ref point no '2' on page no. 79 of tender document): a. For CCTV Camera and Wi-Fi Access Points: Successful bidder is required to maintain Minimum 5% of the quantity deployed as spare parts b. For other items: The successful Bidder shall have to adequate spare parts and components to ensure the uptime commitment as per terms and conditions of Service level agreement.		
		6) Storage for Applications: Revised Specs: P Disk Should be of minimum 1TB SAS drives P The Proposed storage should have 6 Gbps Drives (it should support SSD, SAS and NL-SAS types) or higher P SAN Switch: May be proposed as per the solution requirement compatible with the storage		
		7) Storage for Video Feeds: Revised Specs: P Storage Period of 30days P The storage Capacity: 5.5 PB Useable for CCC and 5.5 PB useable for TCC, (both extendable upto 10PB or more) P The Proposed storage should have 6 Gbps Drives (it should support SSD, SAS and NL-SAS types) or higher		
		8) Additional Item: Joystick for operation of PTZ camera (Qty-25nos) P PTZ speed dome control for IP cameras P Minimum 10 programmable buttons P Multi-camera operations P Compatible with all the camera models offered in the solution P Compatible with VMS /Monitoring software offered		
		9) Internet Router for End Point Type-3 has been renamed as "Edge Router Type-3"		

#	Page No./ Section	Clause Reference	Query	Response to Query																				
		<p>10) Additional Item: Indoor Access Point (Qty-300 nos): Technical Specifications as below:</p> <table border="1" data-bbox="464 264 1976 868"> <thead> <tr> <th data-bbox="464 264 552 306">S/N</th> <th data-bbox="552 264 1976 306">Minimum Specification</th> </tr> </thead> <tbody> <tr> <td data-bbox="464 306 552 407">1</td> <td data-bbox="552 306 1976 407">Access Points proposed must include radios for both 2.4 GHz and 5 GHz with 802.11n/ac or newer. The same Access Point must also include 1 no of 10/100/1000 Base-T auto sensing RJ45 based Ethernet ports.</td> </tr> <tr> <td data-bbox="464 407 552 482">2</td> <td data-bbox="552 407 1976 482">It should be compatible and be able to integrate with the Cloud based Controller. Must support SSH & SNMP protocol</td> </tr> <tr> <td data-bbox="464 482 552 524">3</td> <td data-bbox="552 482 1976 524">Should support Proactive Key Caching or other methods for Fast and Secure Roaming.</td> </tr> <tr> <td data-bbox="464 524 552 566">4</td> <td data-bbox="552 524 1976 566">Each AP Should support 4 WLANs for SSID deployment flexibility.</td> </tr> <tr> <td data-bbox="464 566 552 651">5</td> <td data-bbox="552 566 1976 651">AP's Should support Minimum 50 feet radial coverage & Minimum 50 concurrent users @ each radio channel</td> </tr> <tr> <td data-bbox="464 651 552 693">6</td> <td data-bbox="552 651 1976 693">AP's Should support "802.3 af" or better standards i.e. of Power over Ethernet</td> </tr> <tr> <td data-bbox="464 693 552 768">7</td> <td data-bbox="552 693 1976 768">Access point shall support Pole, Wall, and roof mounting options. And should be supplied with its mounting brackets</td> </tr> <tr> <td data-bbox="464 768 552 826">8</td> <td data-bbox="552 768 1976 826">The Access point shall be rated for operation over an ambient temperature range of 0° to 45°C</td> </tr> <tr> <td data-bbox="464 826 552 868">9</td> <td data-bbox="552 826 1976 868">Should support interference detection and avoidance for both Wi-Fi and non-Wi-Fi interferes</td> </tr> </tbody> </table>	S/N	Minimum Specification	1	Access Points proposed must include radios for both 2.4 GHz and 5 GHz with 802.11n/ac or newer. The same Access Point must also include 1 no of 10/100/1000 Base-T auto sensing RJ45 based Ethernet ports.	2	It should be compatible and be able to integrate with the Cloud based Controller. Must support SSH & SNMP protocol	3	Should support Proactive Key Caching or other methods for Fast and Secure Roaming.	4	Each AP Should support 4 WLANs for SSID deployment flexibility.	5	AP's Should support Minimum 50 feet radial coverage & Minimum 50 concurrent users @ each radio channel	6	AP's Should support "802.3 af" or better standards i.e. of Power over Ethernet	7	Access point shall support Pole, Wall, and roof mounting options. And should be supplied with its mounting brackets	8	The Access point shall be rated for operation over an ambient temperature range of 0° to 45°C	9	Should support interference detection and avoidance for both Wi-Fi and non-Wi-Fi interferes		
S/N	Minimum Specification																							
1	Access Points proposed must include radios for both 2.4 GHz and 5 GHz with 802.11n/ac or newer. The same Access Point must also include 1 no of 10/100/1000 Base-T auto sensing RJ45 based Ethernet ports.																							
2	It should be compatible and be able to integrate with the Cloud based Controller. Must support SSH & SNMP protocol																							
3	Should support Proactive Key Caching or other methods for Fast and Secure Roaming.																							
4	Each AP Should support 4 WLANs for SSID deployment flexibility.																							
5	AP's Should support Minimum 50 feet radial coverage & Minimum 50 concurrent users @ each radio channel																							
6	AP's Should support "802.3 af" or better standards i.e. of Power over Ethernet																							
7	Access point shall support Pole, Wall, and roof mounting options. And should be supplied with its mounting brackets																							
8	The Access point shall be rated for operation over an ambient temperature range of 0° to 45°C																							
9	Should support interference detection and avoidance for both Wi-Fi and non-Wi-Fi interferes																							
		<p>11) Revised Annexures for locations list are as below :</p> <p>a) Annexure A: Locations for AMC/SCADL Cameras b) Annexure B : List of locations for Police Cameras (Zero tolerance) c) Annexure G : List of locations for Surveillance during festivals d) Annexure H: List of locations for Surveillance during Rathyatra</p> <p>Annexure C, D, E and F stand unchanged.</p> <p>For locations under Annexure A, B, C, D, E , F , G and H , please refer to <i>Revised location details-kmz</i></p>																						
		<p>12) Revised specifications for UPS at Junctions/AMC locations</p> <p>a) Point 9 revised to Battery backup : Minimum backup of 15 Minutes b) Point 13 revised to Bypass: Automatic</p>																						
		<p>13) Revised Price bid and BoQ quantities format is uploaded on nProcure portal</p>																						

Annexure A - Locations for AMC/SCADL Cameras

#	Zone	Entity Type	Locations Name
1	South	Ward Office	36_DANILIMDA
2	North	Ward Office	22_INDIA_COLONY
3	East	Ward Office	24_NIKOL
4	East	Ward Office	48_RAMOL_HATHIJAN
5	Central	Ward Office	16_SHAHIBAG
6	South	Ward Office	46_LAMBHA
7	North	Ward Office	23_THAKKARBAPANAGAR
8	Central	Ward Office	28_KHADIA
9	West	Ward Office	18_NAVRANGPURA
10	Central	Ward Office	29_JAMALPUR
11	North	Ward Office	13_SAIJPUR_BOGHA
12	North	Ward Office	14_KUBERNAGR
13	West	Ward Office	31_VASNA
14	West	Ward Office	30_PALDI
15	New West	Ward Office	34_MAKTAMPURA
16	East	Ward Office	43_BHAIPURA
17	South	Ward Office	37_MANINAGAR
18	New West	Ward Office	08_THALTEJ
19	South	Ward Office	44_KHOKHRA
20	New West	Ward Office	07_GHATLODIA
21	West	Ward Office	05_RANIP
22	New West	Ward Office	01_GOTA
23	New West	Ward Office	19_BODAKDEV
24	New West	Ward Office	33_SARKHEJ
25	New West	Ward Office	32_VEJALPUR
26	New West	Ward Office	20_JODHPUR
27	West	Ward Office	10_S_P_STADIUM
28	West	Ward Office	06_NEW_WADAJ
29	West	Ward Office	04_SABARMATI
30	West	Ward Office	03_CHANDKHEDA
31	Central	Ward Office	21_DARIYAPUR
32	North	Ward Office	Runway
33	South	Ward Office	45_ISANPUR
34	South	Ward Office	42_INDRAPURI
35	South	Ward Office	47_VATVA
36	South	Ward Office	35_BAHERAMPURA
37	East	Ward Office	38_GOMTIPUR
38	East	Ward Office	39_AMRAIWADI
39	North	Ward Office	26_BAPUNAGAR
40	East	Ward Office	41_VASTRAL
41	East	Ward Office	40_ODHAV
42	North	Ward Office	12_NARODA
43	Central	Ward Office	15_ASARWA
44	North	Ward Office	27_SARASPUR_RAKHIYAL

#	Zone	Entity Type	Locations Name
45	West	Ward Office	09_NARANPURA
46	Central	Ward Office	17_SHAHPUR
47	New West	Ward Office	02_CHANDLODIA
48	East	Ward Office	25_VIRATNAGAR
49	CCC	Zonal Office	North Zone
50	CCC	Zonal Office	South Zone
51	CCC	Zonal Office	East Zone
52	CCC	Zonal Office	Central Zone
53	CCC	Zonal Office	West zone
54	CCC	Zonal Office	New West Zone
55	New West	UHC	B J MEDICAL COLLEAGE
56	North	UHC	BAPUNAGAR GENERAL HOSPITAL
57	South	UHC	L G HOSPITAL
58	South	UHC	RUKSHMANI HOSPITAL
59	North	UHC	SHARDABEN HOSPITAL
60	West	UHC	V S HOSPITAL
61	East	UHC	VIRATNAGAR
62	East	UHC	BHAIPURA
63	East	UHC	GOMTIPUR
64	East	UHC	RAJPUR
65	East	UHC	RAKHIAL
66	East	UHC	VASTRAL
67	East	UHC	RAMOL
68	North	UHC	BAPUNAGAR
69	East	UHC	AMRAIWADI
70	East	UHC	NIKOL
71	Central	UHC	DARIAPUR
72	Central	UHC	MADHUPURA
73	Central	UHC	KALUPUR
74	Central	UHC	KHADIA
75	Central	UHC	RAIKHAD
76	Central	UHC	JAMALPUR
77	New West	UHC	SHAHPUR
78	Central	UHC	DUDHESHWAR
79	Central	UHC	GIRDHARNAGAR
80	South	UHC	BEHRAMPURA
81	South	UHC	DANILIMDA
82	South	UHC	KANKARIA
83	South	UHC	LAMBHA
84	South	UHC	VATVA
85	South	UHC	INDRAPURI
86	South	UHC	MANINAGAR
87	South	UHC	GHODASAR
88	South	UHC	ISANPUR
89	South	UHC	KHOKHARA

#	Zone	Entity Type	Locations Name
90	West	UHC	PALDI
91	West	UHC	VASNA
92	West	UHC	AMBAVADI
93	West	UHC	NAVRANGPURA
94	West	UHC	STADIUM
95	West	UHC	NARANPURA
96	West	UHC	OLD WADAJ
97	West	UHC	NAVA WADAJ
98	West	UHC	SABARMATI
99	West	UHC	CHANDKHEDA
100	New West	UHC	GHATLODIA
101	New West	UHC	CHANDLODIA
102	West	UHC	RANIP
103	New West	UHC	THALTEJ
104	New West	UHC	VEJALPUR
105	New West	UHC	BODAKDEV
106	New West	UHC	JODHPUR
107	New West	UHC	SARKHEJ
108	West	UHC	KALI
109	New West	UHC	GOTA
110	North	UHC	SARASPUR
111	Central	UHC	ASARWA
112	North	UHC	SARDARNAGAR
113	North	UHC	THAKKARNAGAR
114	North	UHC	SAJIPUR
115	North	UHC	NARODA MUTHIYA
116	North	UHC	KRISHNANAGAR
117	North	UHC	KUBERNAGAR
118	North	UHC	NARODA ROAD
119	North	UHC	INDIA COLONY
120	North	UHC	NOBALNAGAR
121	South	UHC	VATVA
122	North	UHC	NARODA MUTHIYA
123	New West	UHC	SHAHPUR
124	Central	UHC	MADHUPURA
125	East	UHC	GOMTIPUR
126	New West	UHC	SARKHEJ CHC
127	West	UHC	CHANDKHEDA CHC
128	East	Dumping Ground	Gomtipur DR Pumping Station
129	Central	Dumping Ground	Shaiking Tower DR.Pumping Station
130	East	Dumping Ground	Rakhial Drainage Pumping Staion
131	South	Dumping Ground	Bag E Firdos Drainage Pumping Station
132	East	Dumping Ground	Nikol Drainage Pumping Station
133	East	Dumping Ground	Odhav_B Drainage Pumping Station
134	East	Dumping Ground	Odhav-E Drainage Pumping Station

#	Zone	Entity Type	Locations Name
135	East	Dumping Ground	Odhav-A Drainage Pumping Station
136	West	BRTS Depot	Chandkheda,
137	South	BRTS Depot	ITO
138	South	BRTS Depot	Chandola Talab
139	East	BRTS Depot	Odhav
140	New West	Fire Stations	Bodakdev Fire Station
141	East	Fire Stations	Gomtipur Fire Station
142	Central	Fire Stations	Jamalpur Fire Station
143	South	Fire Stations	Jasodanagar Fire Station
144	South	Fire Stations	Maninagar Fire Station
145	South	Fire Stations	Memnagar Fire station
146	Central	Fire Stations	Danapith Fire Station
147	North	Fire Stations	Naroda Fire Station
148	East	Fire Stations	Odhav Fire Station
149	Central	Fire Stations	Panchkuva Fire Station
150	West	Fire Stations	Sabarmati Fire Station
151	Central	Fire Stations	Shahpur Fire Station
152	Central	Municipal Parks	lokmanya tilak garden
153	Central	Municipal Parks	tirthankar udhyan
154	Central	Municipal Parks	late jethabhai parmar
155	Central	Municipal Parks	hitendra desai
156	Central	Municipal Parks	rajendra park
157	Central	Municipal Parks	dariyakhan ghumat garden
158	Central	Municipal Parks	Astodiya garden
159	Central	Municipal Parks	jagannath temple
160	Central	Municipal Parks	Asavalli garden
161	Central	Municipal Parks	madhubaugh
162	Central	Municipal Parks	hajipura garden
163	Central	Municipal Parks	raghnathji purohit garden
164	East	Municipal Parks	late ramlal rupala
165	North	Municipal Parks	bhimrav garden
166	North	Municipal Parks	soneria garden
167	East	Municipal Parks	late manubhai parmar
168	North	Municipal Parks	bapunagar post office garden
169	East	Municipal Parks	hathikhai garden
170	East	Municipal Parks	Madhuvan Garden, Nr.Sugyan School, Viratnagar
171	East	Municipal Parks	Gayatri Vatika Udhyan, Opp.Ambica Nagar School
172	East	Municipal Parks	Shree Public Park, Nr.Khodiya Mandir
173	East	Municipal Parks	Shrijee Public Park
174	East	Municipal Parks	Sad Guru Garden, Nikol
175	East	Municipal Parks	Dhruv Public Park, Vastral gate
176	East	Municipal Parks	Kailash Van, Nr.Gor na Kuva, Maninagar (East)
177	East	Municipal Parks	Nr. Jain Derasar Garden
178	West	Municipal Parks	Sheth T B Park (Parimal garden), Nr.Chadavad Police chowki
179	West	Municipal Parks	Dus Bungla Garden, Gulbai Tekra

#	Zone	Entity Type	Locations Name
180	West	Municipal Parks	Dr.Vanikar Udhyan (Mithakhali garden), Mithakhali Gam
181	West	Municipal Parks	Sheth B G Park (Bhikhabhai garden), Nr.Ellisbridge
182	West	Municipal Parks	Sachivalay Garden, Gulbai Tekra
183	West	Municipal Parks	Prahladbhai Patel Joggers Park, Ishvar Bhuvan
184	West	Municipal Parks	Gitabaug, Nr.Gitabaug Tubewell St.
185	West	Municipal Parks	Late Atmaram Mancharam Gujjar Udhyan (Fatehpura garden), Nr.Fatehpura Tubewell St.
186	West	Municipal Parks	Sheth Manjulal S Udhyan, Paldi Char Rasta, Paldi
187	West	Municipal Parks	Sharda Mandir Garden, Sharda Mandir Road, Paldi
188	West	Municipal Parks	Dhanvantari Arurvedic Udhyan, Opp.Prashan Park Soc.
189	West	Municipal Parks	Chandra Shekhar Azad Garden, Nr.Azad Soc.
190	West	Municipal Parks	Saurabh Garden, Nr.St.Xavier Loyla School
191	West	Municipal Parks	Late Popatlal Chotalal Dani Udhyan, Shreyas Crossing
192	West	Municipal Parks	Bansidhar Garden, Nr.Bansidhar Soc.
193	West	Municipal Parks	Prof.Chaitanya Khambholja Udhyan (Prajaapati garden), Nr.Vasna Bus-Stand
194	West	Municipal Parks	Vasna Telephone Exchange Garden
195	West	Municipal Parks	Usmanpura Garden, Nr.Usmanpura Zonal Off.
196	West	Municipal Parks	Maharshi Arvind Ghosh Udhyan, Kameshvar Mahadev, Ankur
197	West	Municipal Parks	Pragatinagar Garden, Opp.Guj.Housing Board Off.
198	West	Municipal Parks	Vande Matram Udhyan, Nr.Swastik School
199	West	Municipal Parks	Senior Citizen Park, Bhimjipura
200	West	Municipal Parks	Lalabhai Chaganbhai Patel Udhyan, Nr.Tiger Flats
201	West	Municipal Parks	Late Shyamaldas Lallubhai Patel Udhyan, Ramnagar
202	West	Municipal Parks	Motera Lake
203	North	Municipal Parks	Sant Shree Santram Das Udhyan, B/h. Urvashi Bunglow,
204	North	Municipal Parks	Madhav Udhyan, Nr.Payalnagar Soc.
205	North	Municipal Parks	Sardar Patel Udhyan, Nr.Saurashtra Soc.
206	North	Municipal Parks	Oxizon Park,Behind Satyam Drainage Pumping Station
207	North	Municipal Parks	Garden Nr. Vraj Bhumi Soc. Nr. Kubernagar ITI Under Bridge
208	North	Municipal Parks	Sant Shree Kanvararam Saheb Mu. Udhyan
209	North	Municipal Parks	Late Revabhai Parmar Garden (Manchani Masjid garden), Opp.Ambar Cinema
210	Central	Municipal Parks	Sumel-5, Under Chamunda Bridge, Nr. Chamanpura Cross Road
211	South	Municipal Parks	Behrampura Udhyan, Nr. S.T.Workshop
212	South	Municipal Parks	Garden Nr.Ghodasar Smruti Mandir
213	South	Municipal Parks	Garden Opp. Pandit Din Dayal Circle
214	South	Municipal Parks	Garden Opp. Pandit Din Dayal Circle
215	South	Municipal Parks	Late Ramniklal V Bhatt Udhyan, Gordhanwadi Tekra
216	South	Municipal Parks	Dr.Baba Saheb Ambedkar Udhyan, Nr.Jogni Mata Mandir, Majur Gam
217	South	Municipal Parks	Chandubhai Bhavsar Muni. Udhyan Nr.Best High School
218	South	Municipal Parks	Rashmi Shukla Udhyan, Gordhanwadi
219	South	Municipal Parks	Tusharbhai Deshmukh Muni. Udhyan, Opp.Sakriba Party Plot, Nr.C.T.M.Char Rasta
220	South	Municipal Parks	Garden Opp. Girivar Bunglows, Nr. CTM

#	Zone	Entity Type	Locations Name
221	South	Municipal Parks	Late Shambhubhai Jagabhai Udhyan
222	South	Municipal Parks	Laxminarayan Garden
223	South	Municipal Parks	Garden Nr. Partheshvar Appt. Nr. Sitabaug Soc.
224	New West	Municipal Parks	Sadipani Public Park, Opp. Chayaghar Chavni
225	New West	Municipal Parks	Chitra Public Park, Opp.Ghoyel Plaza
226	New West	Municipal Parks	Rohini Public Park, B/h.Jude Bunglows
227	New West	Municipal Parks	Ashvini Public Park, Nr.Simandhar Tower
228	New West	Municipal Parks	Sarvan Public Park, Nr.Shrijee dairy
229	New West	Municipal Parks	Panchamrut Public Park, Nr.Soham Tower
230	New West	Municipal Parks	Surbhi Public Park, Ghoyal Tower, Nr.Sandesh Press
231	New West	Municipal Parks	Swastik Public Park, Ghoyal Tower, Nr.Sandesh Press
232	New West	Municipal Parks	Indra Public Park, Sarkari Vasahat
233	New West	Municipal Parks	Bodakdev Garden
234	New West	Municipal Parks	Nova Village Lake
235	New West	Municipal Parks	Saptrushi Public Park, B/h.I.O.C. Petrol Pump
236	New West	Municipal Parks	Keval Public Park, B/h.Bhagyoday Bank
237	New West	Municipal Parks	Utsav Public Park, Nr.Rahul Tower
238	New West	Municipal Parks	Parth Public Park, Nr.Hetvi Tower
239	New West	Municipal Parks	Varahi Public Park, Riddhi Tower
240	New West	Municipal Parks	Visvamitra Public Park, B/h.Vasraj Tower
241	New West	Municipal Parks	Dhyani Public Park, Opp.Malav Talav
242	New West	Municipal Parks	Vidur Public Park, Opp.Malav Talav
243	New West	Municipal Parks	Kirtan Public Park, Revti Tower, Ramdev Nagar Cross Rd.
244	New West	Municipal Parks	Pujan Public Park, B/h.Rudra Bunglows, Nr.Ashish School
245	New West	Municipal Parks	Mukta Public Park, Nr.Ashvamegh Bunglows No.6
246	New West	Municipal Parks	Swami Public Park
247	New West	Municipal Parks	Amrut Public Park
248	New West	Municipal Parks	Pacha Lake
249	New West	Municipal Parks	Bhairavi Public Park, Visramnagar
250	New West	Municipal Parks	Pandav Public Park, Nr.Nand Bunglows
251	New West	Municipal Parks	Kautilya Public Park, Nr.Water Tank
252	New West	Municipal Parks	Sadhna Public Park, Nr.Nalanda School
253	New West	Municipal Parks	Sargam Public Park, Nr.Nalanda School
254	New West	Municipal Parks	Meghanand Public Park, Nr.K.K.Nagar
255	New West	Municipal Parks	Kalptaru Public Park, Nr.Mandir
256	New West	Municipal Parks	Parijat Public Park, Vasoya Park
257	New West	Municipal Parks	Vivekanand Public Park, Viveka Chowk
258	West	Municipal Parks	River front Garden (East)
259	New West	Municipal Parks	Memnagar Lake
260	New West	Municipal Parks	R.C.Technical Garden (Transist Pond)
261	New West	Municipal Parks	Sarthi Public Park, Nr.Memnagar Lake
262	New West	Municipal Parks	Upasna Public Park, Opp.Shiv Temple
263	New West	Municipal Parks	Chandan Public Park, Nr.Umang School
264	New West	Municipal Parks	Palas Public Park, Nr.Lov-Kush Tower
265	New West	Municipal Parks	Tulshi Public Park, Nr.Surdhara Bunglows

#	Zone	Entity Type	Locations Name
266	New West	Municipal Parks	Kandarb Public Park, Nr.Jay Ambe Nagar
267	New West	Municipal Parks	Vaman Public Park, Gulab Tower Road
268	New West	Municipal Parks	Lake Garden on Sola-Science City Rd.
269	New West	Municipal Parks	Altiyas Garden
270	New West	Municipal Parks	Virat Public Park, Nr.Balolnagar
271	New West	Municipal Parks	Vaibhai Public Park, Nr.School
272	New West	Municipal Parks	Vedant Public Park, Nr.Nagar Palika Off.
273	New West	Municipal Parks	Vidhata Public Park, Nr.Kamdhanu Soc.
274	New West	Municipal Parks	Varun Public Park, Nr.Railway Track
275	New West	Municipal Parks	Vedant Public Park, Opp.Jivandhara Soc.
276	New West	Municipal Parks	Mahara Public Park, Nr.Keshav Bunglows
277	New West	Municipal Parks	Vasisth Public Park, Nr.Novex Soc.
278	New West	Municipal Parks	Marichi Public Park, Nr.Maulik Tenament
279	New West	Municipal Parks	Jodhpur Plot
280	New West	Municipal Parks	Garden Opp. Vidhyanagar School, Nr. Vraj Dham, Prerna Tirth Drasar Road
281	New West	Municipal Parks	Bhakti Public Park, Taranga Hill Soc.
282	New West	Municipal Parks	Pancham Public Park, Nr.Chandlodia bridge
283	New West	Municipal Parks	Chandlodia Public Park-I, Nr.Chandlodia Nagar Palika
284	New West	Municipal Parks	Sarkhej Roja Garden, Nr.Roja Lake
285	New West	Municipal Parks	Lake Garden Nr.Dev City
286	New West	Municipal Parks	Garden Nr. SIMS Hospital, Scince City Road
287	East	Bus Depot (GSRTC)	Bapunagar
288	South	Bus Depot (GSRTC)	Chandola
289	South	Bus Depot (GSRTC)	Bareja
290	Central	Bus Depot (GSRTC)	Geeta Mandir GSRTC Bus Depots
291	West	Bus Depot (GSRTC)	Ranip GSRTC Bus Depots
292	North	Bus Depot (GSRTC)	Krishnanagar GSRTC Bus Depots
293	South	Bus Depot (GSRTC)	Maninagar GSRTC Bus Depots
294	West	Bus Depot (GSRTC)	Paldi GSRTC Bus Depots
295	West	Bus Depot (GSRTC)	Nehru Nagar GSRTC Bus Depots
296	Central	Railway Station	Kalupur Railway station
297	West	Railway Station	Sabarmati Railway station
298	South	Railway Station	Maninagar Railway station
299	Central	Railway Station	Ahmedabad Junction, Laxmi Bazar, Khadia, Ahmedabad, Gujarat 380002
300	North	Sensors-Water:WDS	Bhilvas (Old)
301	New West	Sensors-Water:WDS	Vaishnodevi MBR
302	South	Sensors-Water:WDS	Moni Hotel
303	New West	Sensors-Water:WDS	Nava Vanzar
304	South	Sensors-Water:WDS	Vatva-EWS
305	South	Sensors-Water:WDS	Lambha-Indira Nagar_V-2
306	South	Sensors-Water:WDS	Lambha-Gamtal
307	North	Sensors-Water:WDS	Shrenam Resi.
308	South	Sensors-Water:WDS	Sohang Hills
309	South	Sensors-Water:WDS	Danilimda-Jalghar

#	Zone	Entity Type	Locations Name
310	East	Sensors-Water:WDS	Vivekanand Nagar
311	East	Sensors-Water:WDS	Hattijan
312	East	Sensors-Water:WDS	Vinoba Bhav Nagar
313	East	Sensors-Water:WDS	Vinzol
314	East	Sensors-Water:WDS	Ramol-Sattalvdi
315	East	Sensors-Water:WDS	Odhav-FB-81
316	East	Sensors-Water:WDS	Odhav-Jogeshwar
317	East	Sensors-Water:WDS	Odhav-Panchayat
318	North	Sensors-Water:WDS	New Potaliya
319	New West	Sensors-Water:WDS	Mahatma Gandhi
320	New West	Sensors-Water:WDS	Science City
321	New West	Sensors-Water:WDS	Bhadaj
322	New West	Sensors-Water:WDS	Shilaj
323	New West	Sensors-Water:WDS	Bodakdev Torrent
324	New West	Sensors-Water:WDS	Mamtpura
325	West	Sensors-Water:WDS	Narmanpura
326	New West	Sensors-Water:WDS	Fatehwadi
327	New West	Sensors-Water:WDS	Royal
328	New West	Sensors-Water:WDS	Muskan Garden
329	New West	Sensors-Water:WDS	TP. 204
330	South	Sensors-Water:WDS	J.Gaonthan
331	New West	Sensors-Water:WDS	Satellite
332	New West	Sensors-Water:WDS	Sayona City
333	New West	Sensors-Water:WDS	Gajraj
334	New West	Sensors-Water:WDS	Vande Mataram
335	West	Sensors-Water:WDS	BAPS
336	West	Sensors-Water:WDS	Akash
337	New West	Sensors-Water:WDS	Jagatpura
338	West	Sensors-Water:WDS	AMC (Sadar Patel)
339	North	Sensors-Water:WDS	Kalapi Nahar
340	Central	Sensors-Water:WDS	Civil
341	Central	Sensors-Water:WDS	MES
342	Central	Sensors-Water:WDS	Barfiwala Bhavan (Shahpur)
343	North	Sensors-Water:WDS	Noble Nagar
344	North	Sensors-Water:WDS	Naroda Memco
345	East	Sensors-Water:WDS	Odhav-2 (Fire)
346	East	Sensors-Water:WDS	Odhav-Varigruh
347	East	Sensors-Water:WDS	Odhav-1 (Ambika)
348	East	Sensors-Water:WDS	Muktidham
349	East	Sensors-Water:WDS	Nikol-Krishna Park
350	North	Sensors-Water:WDS	Bapunagar-Anand Flat
351	North	Sensors-Water:WDS	Bapu Nagar
352	North	Sensors-Water:WDS	Thakarbappa Nagar
353	East	Sensors-Water:WDS	Nikol-102
354	East	Sensors-Water:WDS	Nikol-101

#	Zone	Entity Type	Locations Name
355	North	Sensors-Water:WDS	Naroda TP-2
356	North	Sensors-Water:WDS	Naroda Jalpa
357	North	Sensors-Water:WDS	Hanspura
358	West	Sensors-Water:WDS	Vyaswadi
359	North	Sensors-Water:WDS	Naroda Gam
360	North	Sensors-Water:WDS	Saijpur Old
361	North	Sensors-Water:WDS	Krisna Nagar
362	East	Sensors-Water:WDS	Nikol Lilanagar
363	North	Sensors-Water:WDS	Asarva Housing
364	North	Sensors-Water:WDS	Sonariya
365	North	Sensors-Water:WDS	Potliya
366	North	Sensors-Water:WDS	Naroda-TP 12
367	North	Sensors-Water:WDS	Naroda Fire
368	North	Sensors-Water:WDS	Meghaninagar
369	North	Sensors-Water:WDS	Gurukrupa Nagar
370	North	Sensors-Water:WDS	Saijpur New
371	North	Sensors-Water:WDS	Bangla Area
372	North	Sensors-Water:WDS	C-Ward
373	North	Sensors-Water:WDS	G-Ward
374	Central	Sensors-Water:WDS	Batata Mill Dariapur
375	Central	Sensors-Water:WDS	Krishna Cinema (Relief Road)
376	Central	Sensors-Water:WDS	Jaganath
377	Central	Sensors-Water:WDS	Madhubag
378	Central	Sensors-Water:WDS	Aastodia
379	Central	Sensors-Water:WDS	Prem Darwaja
380	Central	Sensors-Water:WDS	Lal Darwaja
381	Central	Sensors-Water:WDS	Ranchhodpura
382	Central	Sensors-Water:WDS	Shahibag
383	South	Sensors-Water:WDS	Saptrushi
384	South	Sensors-Water:WDS	Kankria Football Ground
385	South	Sensors-Water:WDS	Jashoda Nagar
386	South	Sensors-Water:WDS	Rajeshwari
387	South	Sensors-Water:WDS	Prakash Nagar
388	South	Sensors-Water:WDS	Ram Rahim Tekra
389	South	Sensors-Water:WDS	New Suburban
390	South	Sensors-Water:WDS	Dhor Bazar
391	South	Sensors-Water:WDS	Meera Pragati
392	South	Sensors-Water:WDS	Pilot Dairy
393	Central	Sensors-Water:WDS	Kantodia Vas
394	North	Sensors-Water:WDS	Saraspur S.C.L. Housing
395	North	Sensors-Water:WDS	Chamanpura
396	North	Sensors-Water:WDS	Asarva Village
397	West	Sensors-Water:WDS	Panchasheel
398	West	Sensors-Water:WDS	Vasana Shahvadi
399	West	Sensors-Water:WDS	Keshavnagar

#	Zone	Entity Type	Locations Name
400	West	Sensors-Water:WDS	Dharamnagar
401	West	Sensors-Water:WDS	Navarangpura
402	West	Sensors-Water:WDS	Sharda
403	West	Sensors-Water:WDS	Azad Society
404	West	Sensors-Water:WDS	Nagari
405	West	Sensors-Water:WDS	Ellisbridge
406	West	Sensors-Water:WDS	Fatehpura
407	West	Sensors-Water:WDS	Sahidvan
408	West	Sensors-Water:WDS	Jawahar Nagar
409	West	Sensors-Water:WDS	Niyojan Nagar
410	New West	Sensors-Water:WDS	Mem Nagar
411	West	Sensors-Water:WDS	S.P. Stadium
412	New West	Sensors-Water:WDS	Sola Road
413	West	Sensors-Water:WDS	Ankur
414	West	Sensors-Water:WDS	Pragati Nagar
415	West	Sensors-Water:WDS	Usmanpura
416	West	Sensors-Water:WDS	Nava Vadaj
417	West	Sensors-Water:WDS	Sreenath
418	West	Sensors-Water:WDS	Harijanashram
419	West	Sensors-Water:WDS	Gitabaug
420	West	Sensors-Water:WDS	Gulbaitekra
421	East	Sensors-Water:WDS	Odhav-Arbuda Nagar
422	East	Sensors-Water:WDS	Kasiba Nagar
423	East	Sensors-Water:WDS	Bhaipura-Jogeshwari
424	South	Sensors-Water:WDS	Isanpur-Gulkomasol
425	South	Sensors-Water:WDS	Narol TCIDS
426	South	Sensors-Water:WDS	Vatva Rly Crossing
427	South	Sensors-Water:WDS	Bag-E-firdos-CTM
428	East	Sensors-Water:WDS	Bag-E-Firdos (Vastral)
429	South	Sensors-Water:WDS	Narol-Gam
430	South	Sensors-Water:WDS	Shahvadi
431	South	Sensors-Water:WDS	Vatva Gam
432	South	Sensors-Water:WDS	Vatva Nigam
433	South	Sensors-Water:WDS	Smurti Mandir
434	South	Sensors-Water:WDS	Ghodaser
435	North	Sensors-Water:WDS	Sardar Nagar (Hansol)
436	North	Sensors-Water:WDS	Bhilvas New
437	East	Sensors-Water:WDS	Gomtipur-Rajpur
438	East	Sensors-Water:WDS	Daxini Society
439	East	Sensors-Water:WDS	Gomtipur-Drainage
440	East	Sensors-Water:WDS	Khokhra
441	East	Sensors-Water:WDS	Silver Cotton Mill
442	East	Sensors-Water:WDS	Sukhram Nagar
443	East	Sensors-Water:WDS	TP.10
444	East	Sensors-Water:WDS	Gomtipur-Hathikhai

#	Zone	Entity Type	Locations Name
445	East	Sensors-Water:WDS	Rakhiyal Housing
446	East	Sensors-Water:WDS	Laxmi Narayan
447	East	Sensors-Water:WDS	Subhash Market
448	East	Sensors-Water:WDS	Satyam Nagar
449	East	Sensors-Water:WDS	Rakhiyal Village
450	West	Sensors-Water:WDS	Chand-GHB
451	West	Sensors-Water:WDS	Sailganga
452	West	Sensors-Water:WDS	Chand-Sreenath
453	West	Sensors-Water:WDS	Chand-Motera
454	New West	Sensors-Water:WDS	Vejalpur-Devas
455	New West	Sensors-Water:WDS	Vejalpur-Sharddha
456	New West	Sensors-Water:WDS	Jodhpur-Pramukh
457	New West	Sensors-Water:WDS	Vejalpur-Suryanagar
458	New West	Sensors-Water:WDS	Ambli-ADB
459	New West	Sensors-Water:WDS	Jhodhpur-ADB
460	New West	Sensors-Water:WDS	Bodakdev ADB
461	New West	Sensors-Water:WDS	Thaltej ADB
462	New West	Sensors-Water:WDS	Sola ADB
463	New West	Sensors-Water:WDS	Ghatlodiya-Jantanagar
464	New West	Sensors-Water:WDS	Gota Bandhan (Sola_Fb-91)
465	New West	Sensors-Water:WDS	Sarkhej-Khumbharvas
466	New West	Sensors-Water:WDS	Sanklit Nagar
467	New West	Sensors-Water:WDS	Vejalpur-Baldevnagar
468	New West	Sensors-Water:WDS	Vejalpur-Shaivali
469	New West	Sensors-Water:WDS	Vejalpur-Salpara
470	New West	Sensors-Water:WDS	Vejalpur-Gamtal
471	New West	Sensors-Water:WDS	Vejalpur-Sarabhai
472	New West	Sensors-Water:WDS	Vejalpur-Prahaladnagar
473	New West	Sensors-Water:WDS	Anandnagar
474	New West	Sensors-Water:WDS	Jhodhpur-Gokulwas
475	New West	Sensors-Water:WDS	Vastrapur (Payal)
476	New West	Sensors-Water:WDS	Bodakdev Zonal Office
477	New West	Sensors-Water:WDS	Bodakdev Trilok
478	West	Sensors-Water:WDS	Memnagar
479	New West	Sensors-Water:WDS	Sola LT (Chanakyapuri)
480	New West	Sensors-Water:WDS	Thaltej Nilkanth Mahadev
481	New West	Sensors-Water:WDS	Ghatlodiya-Sattadhar
482	New West	Sensors-Water:WDS	Ghatlodia-Gamtal
483	New West	Sensors-Water:WDS	Ghatlodiya-Vidhata
484	New West	Sensors-Water:WDS	Gota KCT
485	New West	Sensors-Water:WDS	Kali Gamtal
486	New West	Sensors-Water:WDS	Nirnaynagar-Chandlodia
487	West	Sensors-Water:WDS	New Ranip-Balolnagar
488	New West	Sensors-Water:WDS	Kali-Santosh Nagar
489	New West	Sensors-Water:WDS	Kali-Bhut Bangla

#	Zone	Entity Type	Locations Name
490	East	Sensors-Water:Pumping Station	Gomtipur DR Pumping Station
491	Central	Sensors-Water:Pumping Station	Shaiking Tower DR.Pumping Station
492	East	Sensors-Water:Pumping Station	Rakhial Drainage Pumping Staion
493	South	Sensors-Water:Pumping Station	Bag E Firdos Drainage Pumping Station
494	East	Sensors-Water:Pumping Station	Nikol Drainage Pumping Station
495	East	Sensors-Water:Pumping Station	Odhav_B Drainage Pumping Station
496	East	Sensors-Water:Pumping Station	Odhav-E Drainage Pumping Station
497	East	Sensors-Water:Pumping Station	Odhav-A Drainage Pumping Station
498	North	Sensors-Water:Pumping Station	Naroda Muthiya Sewage Pumping Station
499	North	Sensors-Water:Pumping Station	Naroda GIDC Sewage Pumping Station
500	North	Sensors-Water:Pumping Station	Naroda Gayatri Sewage Pumping Station
501	North	Sensors-Water:Pumping Station	Naroda Satyam Sewage Pumping Station
502	North	Sensors-Water:Pumping Station	Saijpur Sewage Pumping Station
503	West	Sensors-Water:Pumping Station	Meghaninagar Sewage Pumping Station
504	Central	Sensors-Water:Pumping Station	Chamanpura Sewage Pumping Station
505	North	Sensors-Water:Pumping Station	Kubernagar G ward Sewage Pumping Station
506	North	Sensors-Water:Pumping Station	Kubernagar Maya Cenema Sewage Pumping Station
507	North	Sensors-Water:Pumping Station	Sardar Nagar Sewage Pumping Station

#	Zone	Entity Type	Locations Name
508	West	Sensors-Water:Pumping Station	Ambavadi (Bhadreshwar) Sewage Pumping Station
509	North	Sensors-Water:Pumping Station	Chiloda Sewage Pumping Station
510	East	Sensors-Water:Pumping Station	East Zone
511	East	Sensors-Water:Pumping Station	Odhav(new) Sewage Pumping Station
512	East	Sensors-Water:Pumping Station	Odhav Ambikanagar Sewage Pumping Station
513	East	Sensors-Water:Pumping Station	Odhav Rabarivasahat Sewage Pumping Station
514	East	Sensors-Water:Pumping Station	Odhav Chhotalal Sewage Pumping Station
515	East	Sensors-Water:Pumping Station	Arbudanagar Sewage Pumping Station
516	East	Sensors-Water:Pumping Station	Amraivadi Sewage Pumping Station
517	North	Sensors-Water:Pumping Station	Rakhiyal Sewage Pumping Station
518	East	Sensors-Water:Pumping Station	Gomtipur Sewage Pumping Station
519	East	Sensors-Water:Pumping Station	Hathijan Sewage Pumping Station
520	East	Sensors-Water:Pumping Station	Viratnagar Sewage Pumping Station
521	East	Sensors-Water:Pumping Station	Nikol(New) Jivanvadi Sewage Pumping Station
522	South	Sensors-Water:Pumping Station	South Zone
523	South	Sensors-Water:Pumping Station	Bagefirdosh Sewage Pumping Station
524	South	Sensors-Water:Pumping Station	Indrapuri Sewage Pumping Station(New)
525	South	Sensors-Water:Pumping Station	Vatva Nigam Sewage Pumping Station

#	Zone	Entity Type	Locations Name
526	South	Sensors-Water:Pumping Station	Vatva Navana Sewage Pumping Station
527	South	Sensors-Water:Pumping Station	Isanpur (1)Mony Hotel Sewage Pumping Station
528	South	Sensors-Water:Pumping Station	Isanpur (2)Sewage Pumping Station
529	South	Sensors-Water:Pumping Station	Maninagar Sewage Pumping Station
530	South	Sensors-Water:Pumping Station	Baherampura Sewage Pumping Station
531	South	Sensors-Water:Pumping Station	New Suburban Sewage Pumping Station
532	South	Sensors-Water:Pumping Station	Narol Shahvadi Suburban Sewage Pumping Station
533	South	Sensors-Water:Pumping Station	Danilimda Sewage Pumping Station
534	Central	Sensors-Water:Pumping Station	Central Zone
535	Central	Sensors-Water:Pumping Station	Jamalpur Sewage Pumping Station
536	Central	Sensors-Water:Pumping Station	Dariyapur Sewage Pumping Station
537	Central	Sensors-Water:Pumping Station	Girdharnagar Sewage Pumping Station
538	Central	Sensors-Water:Pumping Station	Shahpur Sewage Pumping Station
539	Central	Sensors-Water:Pumping Station	Shahibag Sewage Pumping Station
540	West	Sensors-Water:Pumping Station	West Zone
541	West	Sensors-Water:Pumping Station	Keshavnagar Sewage Pumping Station
542	West	Sensors-Water:Pumping Station	Shantivan Sewage Pumping Station, Paldi
543	West	Sensors-Water:Pumping Station	Sharda Sewage Pumping Station, Paldi

#	Zone	Entity Type	Locations Name
544	West	Sensors-Water:Pumping Station	Terminal Pumping
545	West	Sensors-Water:Pumping Station	Vasana Terminal Sewage Pumping Station(for 78 MLD STP)
546	West	Sensors-Water:Pumping Station	Vasana Terminal Sewage Pumping Station(for 126 MLD STP)
547	West	Sensors-Water:Pumping Station	Pirana Terminal Sewage Pumping Station (For 181 MLD Lagun STP)
548	West	Sensors-Water:Pumping Station	Pirana Terminal Sewage Pumping Station (For 180 MLD ASB STP)
549	South	Sensors-Water:Pumping Station	Vinzol Terminal Sewage Pumping Station (For 70 MLD STP)
550	West	Sensors-Water:Pumping Station	Vasana Terminal Sewage Pumping Station (For 240 MLD STP)
551	West	Sensors-Water:Pumping Station	Pirana Terminal Sewage Pumping Station (For GIDC)
552	Central	Junctions/Cross Roads	ACB Cut
553	West	Junctions/Cross Roads	Acher Cross road
554	North	Junctions/Cross Roads	Airport Colony
555	West	Junctions/Cross Roads	Ambawadi Circle
556	North	Junctions/Cross Roads	Ambikamil Cross road
557	South	Junctions/Cross Roads	Amikunj Cross Road
558	South	Junctions/Cross Roads	Amraiyawadi Cross road
559	West	Junctions/Cross Roads	Ankur Cross Road
560	South	Junctions/Cross Roads	Anmol Tower Cut
561	South	Junctions/Cross Roads	Anupan Cross Road
562	Central	Junctions/Cross Roads	APMC Junction
563	South	Junctions/Cross Roads	Apsara Cinema Cross road
564	North	Junctions/Cross Roads	Asarwa Chakla
565	North	BRT Route Traffic Signal	Ashirwad Estate
566	West	Junctions/Cross Roads	Ashok vihar circle
567	West	BRT Route Traffic Signal	Avani Bhavan
568	South	Junctions/Cross Roads	Avkar Hall Cross road
569	North	Junctions/Cross Roads	Badiyakaka Cross road
570	Central	BRT Route Traffic Signal	Bahucharaji Mataji nu Mandir
571	North	Junctions/Cross Roads	Bajrang Ashram Teen rasta
572	South	Junctions/Cross Roads	BB lake Cross road
573	East	Junctions/Cross Roads	Bhadbanjan Cross Road
574	North	Junctions/Cross Roads	Bhagav Cross Road

#	Zone	Entity Type	Locations Name
575	South	BRT Route Traffic Signal	Bhairavnath
576	West	BRT Route Traffic Signal	Bhavasara Hostel
577	East	BRT Route Traffic Signal	Bhikshuk Gruha
578	West	Junctions/Cross Roads	Bhimjipura Junction
579	South	Junctions/Cross Roads	Bhulabhai Park Cross road
580	Central	Junctions/Cross Roads	BJ Medical College T
581	South	BRT Route Traffic Signal	Brahmakumari Chowk
582	West	Junctions/Cross Roads	C N Vidhalaya/ Excise Chowki Junction
583	Central	Junctions/Cross Roads	Canton Mant Junction
584	North	Junctions/Cross Roads	Chamanpur Chakla
585	North	BRT Route Traffic Signal	Chamunda
586	New West	Junctions/Cross Roads	Chanakyapuri Bridge
587	West	BRT Route Traffic Signal	Chandranagar
588	New West	Junctions/Cross Roads	Chirag auto/ Kargil Cross road Junction
589	East	BRT Route Traffic Signal	Chotalal ni Chali
590	Central	Junctions/Cross Roads	Civil Chawki Teen rasta
591	South	Junctions/Cross Roads	Cozy Hotel Cross road
592	Central	Junctions/Cross Roads	CP Office Shahibag Junction
593	North	Junctions/Cross Roads	CSD Depo T
594	South	Camera: CSITMS	CTM
595	Central	BRT Route Traffic Signal	Dhal ni Pol
596	East	Junctions/Cross Roads	Dmart Cross Road
597	Central	BRT Route Traffic Signal	Dudheshwar Bridge
598	West	BRT Route Traffic Signal	Dungarshi Nagar
599	East	Junctions/Cross Roads	Everest Cinema Cross Road
600	West	Junctions/Cross Roads	Excise Chowki
601	Central	Junctions/Cross Roads	FSL Cross Road
602	North	Junctions/Cross Roads	Galaxy Cross Road
603	West	BRT Route Traffic Signal	Ganesh Bunglow
604	West	Junctions/Cross Roads	Ganthiyad Chandkheda
605	South	Junctions/Cross Roads	Gautamnagar cross road
606	Central	Junctions/Cross Roads	Gevar Circle
607	Central	Junctions/Cross Roads	Girdhar nagar Junction
608	South	BRT Route Traffic Signal	Gokulnath/ Mira Cinema
609	East	BRT Route Traffic Signal	Gomtipur
610	South	Junctions/Cross Roads	Govindwadi Cross road
611	West	Junctions/Cross Roads	GST Railway Crossing Cross road

#	Zone	Entity Type	Locations Name
612	North	Junctions/Cross Roads	Gujarat Bottling Cross road
613	West	BRT Route Traffic Signal	Gulbai Tekra
614	North	Junctions/Cross Roads	Hansol Cross Road
615	North	Junctions/Cross Roads	Hansol Lavadi
616	Central	BRT Route Traffic Signal	Hanumanpura
617	East	BRT Route Traffic Signal	Haraniyawas
618	East	Junctions/Cross Roads	Haribhai Gopani Cross road
619	West	Junctions/Cross Roads	Havmore Cross Road
620	New West	Junctions/Cross Roads	Hebatpur Circle
621	New West	Junctions/Cross Roads	Himalaya Mall Junction
622	West	BRT Route Traffic Signal	Himmatlal Park
623	North	Junctions/Cross Roads	Hirawadi cross road
624	New West	BRT Route Traffic Signal	Hotel Landmark
625	North	Junctions/Cross Roads	Indika pava Teen rasta
626	North	Camera- Police Surveillance	Indira Bridge Circle
627	West	Junctions/Cross Roads	Indra residency Junction
628	West	Junctions/Cross Roads	IOC Junction
629	South	Tourist Spot	Kankaria Lake
630	West	Tourist Spot	Gandhi Ashram
631	New West	BRT Route Traffic Signal	ISRO Colony
632	New West	BRT Route Traffic Signal	ISRO Gate
633	Central	Junctions/Cross Roads	Jamalpur ST Depo, Cross road opposite BSNL Office
634	South	BRT Route Traffic Signal	Jay hind
635	West	BRT Route Traffic Signal	Jay Mangal
636	South	Junctions/Cross Roads	Jayamala Junction
637	New West	BRT Route Traffic Signal	Jodhpur Char Rasta
638	East	BRT Route Traffic Signal	Jogeshwari Road
639	New West	BRT Route Traffic Signal	Jyantilal Park (Adiraj Bunglow)
640	South	Junctions/Cross Roads	Kabristan Circle
641	South	BRT Route Traffic Signal	kankaria 2
642	South	Junctions/Cross Roads	Kankariya -3 Junction
643	North	Junctions/Cross Roads	Keval Kantha Cross Road
644	East	BRT Route Traffic Signal	Kharikat Canal
645	South	Junctions/Cross Roads	Khodiyar Mandir Cross road
646	South	BRT Route Traffic Signal	Khodiyarnagar

#	Zone	Entity Type	Locations Name
647	South	Junctions/Cross Roads	Khokhra Circle
648	North	Junctions/Cross Roads	Kotarpur Waterworks teen rasta
649	South	BRT Route Traffic Signal	Krishna bhaug
650	New West	BRT Route Traffic Signal	Labour Colony
651	West	Junctions/Cross Roads	Lakhudi Lavadi
652	South	Junctions/Cross Roads	Little Star Junction
653	West	Junctions/Cross Roads	Lodge Cross Road
654	Central	BRT Route Traffic Signal	Majur Gam
655	East	Junctions/Cross Roads	Manchani Masjid
656	South	BRT Route Traffic Signal	Maninagar Char Rasta
657	South	BRT Route Traffic Signal	Maninagar Railway Crossing
658	East	Junctions/Cross Roads	Mariyam BB Cross Road
659	New West	Junctions/Cross Roads	Mehmadpura T Junction
660	Central	BRT Route Traffic Signal	Mehndi Kuva
661	West	Junctions/Cross Roads	Memnagar Fire station
662	North	Junctions/Cross Roads	Mohan Cinema Cross Road
663	West	BRT Route Traffic Signal	Motera Cross Road
664	West	Junctions/Cross Roads	Motera Stadium Cross road
665	West	Junctions/Cross Roads	Mount Carmel Junction
666	South	BRT Route Traffic Signal	Mukesh Industry
667	North	Junctions/Cross Roads	Nana Chiloda Gam Cross road
668	North	BRT Route Traffic Signal	Naroda Fire Station
669	North	Junctions/Cross Roads	Naroda Gam Circle
670	South	BRT Route Traffic Signal	National Cloth Factory
671	West	Junctions/Cross Roads	Navrangpura Cross Road
672	West	Junctions/Cross Roads	Navrangpura railway crossing cross road
673	South	Junctions/Cross Roads	Neel Telecom T
674	West	BRT Route Traffic Signal	New CG Road
675	South	Junctions/Cross Roads	New Cotton Cross Road
676	West	Junctions/Cross Roads	NID Junction
677	South	Junctions/Cross Roads	Nikol SP Ring Road
678	North	Junctions/Cross Roads	Nirmalpur Cross Road near chamunda bridge
679	Central	BRT Route Traffic Signal	NR Patel Park
680	East	BRT Route Traffic Signal	Odhav Fire Station
681	Central	Junctions/Cross Roads	Old High Court
682	West	BRT Route Traffic Signal	ONGC

#	Zone	Entity Type	Locations Name
683	West	Junctions/Cross Roads	opposite Chadawad Chowki
684	South	Junctions/Cross Roads	Opposite RAF Camp
685	New West	UHC	Gota
686	West	UHC	S.P.Stadium
687	East	UHC	vastral
688	West	UHC	Paldi
689	South	UHC	lambha
690	South	UHC	baherampura
691	West	UHC	kali
692	North	UHC	Sardarnagar
693	South	UHC	khokhra
694	South	UHC	arbudanagar
695	New West	UHC	bodakdev
696	South	UHC	lambha
697	South	UHC	lambha
698	South	UHC	vatva
699	East	UHC	amraiwadi
700	New West	UHC	ambawadi
701	South	UHC	baherampura
702	West	UHC	naranpura
703	West	UHC	vasna
704	Central	UHC	DUDHESHWAR
705	West	UHC	SABARMATI
706	South	UHC	BEHRAMPURA
707	South	UHC	DANILIMDA
708	East	UHC	Vastral
709	East	Sensors-Water:WDS	Adinath Nagar (Bhavani Nagar)
710	Central	Sensors-Water:WDS	Dudheshwar
711	East	Sensors-Water:WDS	Vastral
712	South	Sensors-Water:WDS	FP. 204
713	Central	Sensors-Water:WDS	Jamalpur
714	South	Sensors-Water:WDS	Behrampura
715	North	Junctions/Cross Roads	Palm Hotel SP Ring Road
716	West	Junctions/Cross Roads	Panchshil Cross Road Junction
717	New West	School	CHANDLODIYA - 1 PRIMARY SCHOOL
718	New West	School	GHATLODIYA - 1 PRIMARY SCHOOL
719	New West	School	GHATLODIYA - 2 PRIMARY SCHOOL
720	South	School	GYASPUR PRIMARY SCHOOL
721	South	School	GYASPUR BHATHA PRIMARY SCHOOL
722	New West	School	JODHPUR PRIMARY SCHOOL - 1
723	New West	School	JODHPUR PRIMARY SCHOOL - 2
724	New West	School	RAMDEVNAGAR PRIMARY SCHOOL
725	New West	School	MEMADPURA PRIMARY SCHOOL
726	New West	School	MAKARABA PRIMARY SCHOOL -2
727	New West	School	NEHRUNAGAR PRIMARY SCHOOL

#	Zone	Entity Type	Locations Name
728	New West	School	MAKTAMPUR PRIMARY SCHOOL
729	West	School	MEMNAGAR PRI. SCHOOL - 2
730	West	School	NIRYANNAGAR PRIMARY SCHOOL]
731	South	School	PIPALJ PRIMARY SCHOOL
732	West	School	RANIPI PRI. SCHOOL - 2
733	West	School	RANIP PRI. SCHOOL - 8
734	West	School	RANIPI PRI. SCHOOL - 3
735	West	School	RANIPI PRI. SCHOOL - 4
736	West	School	SABARMATI JAIL PRIMARY SCHOOL
737	New West	School	SARKHEJ BRANCH SCHOOL - 2
738	New West	School	SARKHEJ KANYA SCHOOL - 2
739	New West	School	SARKHEJ KUMAR SCHOOL - 1
740	New West	School	GHELJIPURA PRI. SCHOOL -
741	North	School	SAJJPUR PRIMARY SCHOOL
742	New West	School	SARKARI VASAHAT VASTRAPUR PRI
743	New West	School	VASTRAPUR PRI. SCHOOL - 2
744	New West	School	PAY CENTER SCHOOL VEJALPUR
745	New West	School	VASTRAPUR RAILWAY STATION
746	New West	School	VEJALPUR PRIMARY SCHOOL 2
747	New West	School	RAVINAGAR PRIMARY SCHOOL - 2
748	New West	School	SANKLITNAGAR PRIMARY SCHOOL -2
749	New West	School	SANKLITNAGAR URDU PRI.SCH-18
750	East	School	NIKOL PRI.SCHOOL
751	East	School	VIDHYANAGAR PRI SCHOOL
752	East	School	NAVA NARODA GUJ PRI SCHOOL
753	East	School	NAVA NARODA HINDI PRI SCHOOL
754	East	School	ADINATH NAGAR PRI SCHOOL
755	Central	School	KHADIYA-2
756	Central	School	KHADIYA-10
757	Central	School	KHADIYA-14
758	Central	School	KHADIYA-28
759	Central	School	MUNICIPLE GIRLS HIGH SCHOOL
760	Central	School	JAMALPUR-2
761	Central	School	JAMALPUR-24
762	Central	School	MADHABAG-1
763	Central	School	KALUPUR-2
764	Central	School	KALUPUR-6
765	Central	School	KALUPUR-19
766	Central	School	KALUPUR-22
767	Central	School	KALUPUR H.2
768	Central	School	KALUPUR-17
769	Central	School	DARIYAPUR -U 2
770	Central	School	DARIYAPUR-8
771	Central	School	DARIYAPUR-16
772	Central	School	DARIYAPUR-18

#	Zone	Entity Type	Locations Name
773	Central	School	SHAHPUR U-4
774	Central	School	SHAHPUR U-5
775	Central	School	SHAHPUR-1
776	Central	School	SHAHPUR-4
777	Central	School	SHAHPUR-5
778	Central	School	SHAHPUR-7
779	Central	School	SHAHPUR-11
780	Central	School	SHAHPUR-15
781	Central	School	SHAHPUR-U-1-
782	Central	School	SHAHPUR-U-10-
783	Central	School	RAIKHAD-4
784	Central	School	RAIKHAD-8
785	Central	School	RAIKHAD-10
786	Central	School	BAHERAMPURA-5
787	Central	School	RAIKHAD U.6
788	Central	School	MAHALAXMI PRAYOGIK SCHOOL
789	Central	School	JAMALPUR PRIMARY SCHOOL - 4
790	Central	School	JAMALPUR PRIMARY SCHOOL - 7
791	Central	School	JAMALPUR PRIMARY SCHOOL - 16
792	Central	School	JAMALPUR URDU - 1
793	Central	School	JAMALPUR URDU - 4
794	Central	School	JAMALPUR URDU - 6
795	Central	School	JAMALPUR URDU - 8
796	Central	School	JAMALPUR URDU - 10
797	Central	School	JAMALPUR URDU - 14
798	Central	School	JAMALPUR GUJ SCHOOL - 9
799	Central	School	JAMALPUR GUJ SCHOOL - 11
800	West	School	ELISBRIDGE - 2
801	West	School	ELISBRIDGE - 6
802	West	School	ELISBRIDGE -12
803	West	School	ELISBRIDGE -14
804	West	School	ELISBRIDGE - 22
805	West	School	ELISBRIDGE - 28
806	West	School	VASANA -1
807	West	School	VASANA -3
808	West	School	VASANA -5
809	West	School	VASANA SCHOOL NO 7
810	West	School	VEJALPUR GUJ PUBLIC SCHOOL
811	West	School	ELISBRIDGE - 17
812	West	School	ELISBRIDGE - 26
813	West	School	ELLISBRIDGE - 29
814	West	School	ELISBRIDGE - 4
815	West	School	ELISBRIDGE - 7
816	West	School	ELISBRIDGE - 10
817	West	School	NARANPURA GUJ - 4

#	Zone	Entity Type	Locations Name
818	West	School	NARANPURA HINDI 1
819	West	School	NARANPURA HINDI 3
820	West	School	NARANPURA - 1
821	West	School	NARANPURA - 6
822	West	School	NAVA VADAJ - 1
823	West	School	NAVA VADAJ - 3
824	West	School	NAVA VADAJ - 9
825	West	School	NAVA VADAJ HINDI - 1
826	West	School	GANDHINAGAR GUJ - 2
827	West	School	SABARMATI - 2
828	West	School	SABARMATI - 3
829	West	School	SABARMATI - 5
830	West	School	SABARMATI - 7
831	West	School	SABARMATI - 10
832	West	School	SABARMATI HINDI - 1
833	West	School	SABARMATI HINDI - 3
834	West	School	SABARMATI TAMIL - 2
835	Central	School	DUDHESHWAR - 3
836	Central	School	DUDHESHWAR - 6
837	Central	School	DUDHESHWAR - HINDI 1
838	Central	School	DUDHESHWAR - URDU - 1
839	West	School	VADAJ - 1
840	West	School	VADAJ - 3
841	West	School	MAHATMA GANDHI - 1
842	West	School	KESHAVNAGAR - 1
843	West	School	USMANPURA - 2
844	West	School	VADAJ HINDI 1
845	West	School	RAMDEVPRJI TEKARA SCHOOL
846	Central	School	SHAHIBAUG - 1
847	Central	School	SHAHIBAUG - 4
848	Central	School	SHAHIBAUG - 6
849	Central	School	BARDOLPURA - 1
850	Central	School	SHAHIBAUG HINDI - 1
851	Central	School	AMARPURA HINDI - 1
852	Central	School	SHAHIBAUG URDU - 1
853	Central	School	PRITAMPURA - 1
854	Central	School	JAHANGIRPURA GUJ - 1
855	Central	School	MEGHANINAGAR HINDI - 1
856	Central	School	ASARWA HINDI 5
857	Central	School	PRITAMNAGAR GUJ - 3
858	Central	School	ASARWA HINDI 9
859	Central	School	PRITAMPURA HINDI - 1
860	Central	School	ASARWA - 4
861	Central	School	ASARWA - 8
862	Central	School	ASARWA - 11

#	Zone	Entity Type	Locations Name
863	Central	School	ASARWA - 15
864	Central	School	ASARWA - 18
865	Central	School	ASARWA PRI SCHOOL-3
866	Central	School	ASARWA GUJRATI SCHOOL NO 23
867	North	School	ASARWA - 9
868	North	School	ASARWA HINDI - 1
869	North	School	ASARWA MARATHI - 2
870	North	School	MEGHANINAGAR - 1
871	North	School	MEGHANINAGAR - 3
872	North	School	NARODA ROAD - 1
873	Central	School	SARASPUR - 1
874	Central	School	SARASPUR - 3
875	Central	School	SARASPUR - 9
876	Central	School	SARASPUR - 13
877	Central	School	AMDUPURA - 1
878	Central	School	SARASPUR URDU - 1
879	Central	School	SARASPUR URDU - 3
880	Central	School	SARASPUR URDU - 5
881	Central	School	SARASPUR - 19
882	Central	School	SARASPUR - 6
883	Central	School	SARASPUR -7
884	Central	School	SARASPUR -11
885	Central	School	SARASPUR -21
886	Central	School	SARASPUR HINDI - 4
887	Central	School	SARASPUR HINDI - 6
888	North	School	KUBERNAGAR AMB G - 1
889	North	School	KUBERNAGAR AMB H - 1
890	North	School	KUBERNAGAR AMB M - 1
891	North	School	KUBERNAGAR ENGLISH - 1
892	North	School	KUBERNAGAR GUJ 4
893	North	School	KUBERNAGAR ENGLISH - 4
894	North	School	KUBERNAGAR HINDI SHALA NO 4
895	North	School	SARDAR HINDI SHALA NO - 1
896	North	School	HANSOL GUJ SH NO-1
897	North	School	SARDAR ENG NO - 1
898	North	School	SADARNAGAR GUJ-1
899	North	School	KOTARPUR SHALA NO. 1
900	North	School	SAIJPUR GUJ SHALA NO 1
901	North	School	SAIJPUR GUJ SHALA NO 5
902	North	School	SAIJPUR GUJ SHALA NO 6
903	North	School	SAIJPUR HINDI SHALA NO1
904	North	School	THAKKARBAPA GUJ SHALA - 1
905	North	School	KRUSHNANAGAR GUJ SHALA 1
906	North	School	KRUSHNANAGAR HINDI SHALA 1
907	North	School	S.R.P. MA. S.N. 1

#	Zone	Entity Type	Locations Name
908	North	School	THAKKARBAPA NAGAR ENG 1
909	North	School	S.R.P. GUJ. SCH. NO. 1
910	North	School	CHHARA GUJ SHALA 1
911	North	School	NARODA GUJ 1
912	North	School	MUTHIYA GUJ 1
913	North	School	NOBAL NAGAR GUJ 1
914	North	School	NOBAL NAGAR GUJ 3
915	North	School	NARODA GUJ 4
916	North	School	NOBALNAGAR HINDI SCHOOL 2
917	North	School	BAPUNAGAR - 1
918	North	School	BAPUNAGAR - 3
919	North	School	BAPUNAGAR - 7
920	North	School	BAPUNAGAR - 9
921	North	School	BAPUNAGAR - 13
922	North	School	BAPUNAGAR HINDI - 4
923	North	School	BAPUNAGAR HINDI - 5
924	North	School	BAPUNAGAR HINDI - 8
925	North	School	RAKHIYAL - 1
926	North	School	SARASPUR HINDI - 1
927	North	School	BAPUNAGAR HINDI - 1
928	North	School	BAPUNAGAR URDU - 5
929	North	School	BAPUNAGAR URDU - 7
930	North	School	BAPUNAGAR URDU - 9
931	North	School	RAKHIYAL ENGLISH - 1
932	North	School	BAPUNAGAR - 5
933	North	School	RAKHIYA HINDI SCH NO. 1
934	East	School	GOMTIPUR - 2
935	East	School	GOMTIPUR - 4
936	East	School	GOMTIPUR - 6
937	East	School	RAJPUR - 1
938	East	School	RAJPUR - 3
939	East	School	RAJPUR - 9
940	East	School	GOMTIPUR H - 1
941	East	School	GOMTIPUR U - 1
942	East	School	GOMTIPUR U - 3
943	East	School	RAJPUR - 7
944	East	School	RAJPUR - 11
945	East	School	RAJPUR - 17
946	East	School	RAJPUR -H - 1
947	East	School	RAJPUR H - 2
948	East	School	RAJPUR H - 5
949	East	School	RAJPUR U - 1
950	East	School	RAJPUR U - 3
951	East	School	RAJPUR U - 7
952	East	School	RAKHIYAL URDU - 1

#	Zone	Entity Type	Locations Name
953	East	School	SUNDARAMNAGAR URDU SCHOOL NO 2
954	East	School	AMRAIWADI - 1
955	East	School	AMRAIWADI - 5
956	East	School	AMRAIWADI - 9
957	East	School	AMRAIWADI - 11
958	East	School	AMRAIWADI - 16
959	East	School	AMRAIWADI HINDI - 5
960	East	School	AMRAIWADI HINDI - 7
961	East	School	KHOKHARA HINDI - 4
962	East	School	KHOKHARA GUJ - 12
963	East	School	KHOKHARA MARATHI - 3
964	East	School	AMRAIWADI HINDI - 4
965	East	School	AMRAIWADI TAMIL - 1
966	East	School	AMRAIWADI MARATHI - 4
967	East	School	AMRAIWADI GUJ - 7
968	East	School	PURUSHO. NAGAR HINDI - 1
969	East	School	THAKKAR HI SCHOOL - 1
970	East	School	PURSHOTTAM PRI SCHOOL 1
971	East	School	ODHAV GUJ SHALA NO 1
972	East	School	ODHAV GUJ SHALA NO 4
973	East	School	KARSANNAGAR GUJ - 1
974	East	School	G.I.D.C. GUJ SCHOOL NO - 2
975	East	School	AMBIKA GUJ SCH. NO - 1
976	East	School	ODHAV HINDI 1
977	East	School	G.I.D.C. HINDI SCHOOL NO - 1
978	East	School	AMBIKA HINDI SCHOOL NO - 1
979	East	School	ODHAV GUJ. SCHOOL - 3
980	East	School	KARSHANNAGAR HINDI SCH 1
981	East	School	ODHAV HINDI-3
982	East	School	KARSHAN NAGAR GUJ-3
983	South	School	KHOKHARA - 2
984	South	School	KHOKHARA - 4
985	South	School	KHOKHARA HINDI - 2
986	South	School	KHOKHARA MARATHI - 2
987	South	School	KHOKHARA TAMIL - 1
988	South	School	AMRAIWADI HINDI - 1
989	South	School	MANINAGAR - 1
990	South	School	MANINAGAR - 4
991	South	School	MANINAGAR - 6
992	South	School	KANKARIA - 4
993	South	School	MILLATNAGAR GUJ - 1
994	South	School	KANKARIYA-1
995	South	School	KANKARIYA-6
996	South	School	KANKARIYA-8
997	South	School	KANKARIYA-9

#	Zone	Entity Type	Locations Name
998	South	School	KANKARIYA URDU-3
999	South	School	KANKARIYA URDU- 5
1000	South	School	BAHERAMPURA-1
1001	South	School	BAHERAMPURA-3
1002	South	School	BAHERAMPURA-9
1003	South	School	BAHERAMPURA-11
1004	South	School	BAHERAMPURA-13
1005	South	School	BAHERAMPURA-15
1006	South	School	BAHERAMPURA-17
1007	South	School	BAHERAMPURA H-1
1008	South	School	BAHERAMPURA URDU-1
1009	South	School	BAHERAMPURA URDU-5
1010	South	School	DANLIMDA-1
1011	South	School	DANLIMDA-3
1012	South	School	MILLATNAGAR URDU-1
1013	South	School	DANLIMDA URDU-1
1014	South	School	CHANDOLA URDU SCH 1
1015	South	School	CHANDOLA GUJ SCH 1
1016	South	School	DANILIMDA GUJ SCH 5
1017	South	School	DANILIMDA URDU SCH 3
1018	South	School	BAGEPHIRDOSH-1
1019	South	School	AMRAIWADI-4
1020	South	School	GHODASAR-2
1021	South	School	AMRAIWADI-H.9
1022	South	School	BAGEPHIRDOSH-H.1
1023	South	School	BAGEPHIRDOS M.2
1024	South	School	AMRAIWADI GUJ SCH -13
1025	South	School	JASODANAGAR GUJARATI-1
1026	South	School	VIVEKA NAGARGUJARTI-1
1027	South	School	HATHIJAN GUJARATI S.N.2
1028	South	School	VINZOL-2
1029	South	School	VINOBABHAVE-1
1030	South	School	VINOBABHAVE M.2
1031	South	School	VINOBABHAVE H.1
1032	South	School	SHAHVADI-2
1033	South	School	RANIPUR-2
1034	South	School	ISHANPUR-1
1035	South	School	VATAVA-1
1036	South	School	VATAVA H-1
1037	South	School	VATAVA URDU-2
1038	South	School	NAROL GUJ SCH NO. 1
1039	South	School	VATVA SCHOOL NO. 5
1040	South	School	VATVA SCHOOL NO. 3
1041	South	School	GANESHNAGAR PIPALAJ GUJ SCHOOL NO 1
1042	South	School	KUMARI HINA VORA PRI. SCHOOL

#	Zone	Entity Type	Locations Name
1043	South	School	VATVA HINDI SCHOOL NO.4
1044	South	School	ISHANPUR PUBLIC SCHOOL
1045	West	Junctions/Cross Roads	Parasnagar Teen Rasta
1046	South	BRT Route Traffic Signal	Pasabhai ni Chali
1047	East	BRT Route Traffic Signal	Patel Mill
1048	South	BRT Route Traffic Signal	Pir Kamal Masjid
1049	South	Junctions/Cross Roads	Pirana Cross road
1050	North	Junctions/Cross Roads	Potaliya Cross Road
1051	West	BRT Route Traffic Signal	PRL
1052	North	Junctions/Cross Roads	Raghunath Party Plot. Bajrang Supermarket Cross Road
1053	New West	Junctions/Cross Roads	Rahul Tower Junction
1054	East	Junctions/Cross Roads	Raipur Mill Cross Road
1055	Central	Junctions/Cross Roads	Rajashana Hospital
1056	East	Junctions/Cross Roads	Rajpur Toll naka cross road
1057	Central	Junctions/Cross Roads	Raksha Shakti Circle
1058	Central	BRT Route Traffic Signal	Ramapir no tekro
1059	Central	Junctions/Cross Roads	Rameshwar Junction
1060	East	Junctions/Cross Roads	Ramol SP Ring Road(Adani Circle)
1061	East	BRT Route Traffic Signal	Ramrajya Nagar
1062	South	BRT Route Traffic Signal	Ranipur Paitya
1063	New West	Junctions/Cross Roads	Ratnasagar Junction
1064	Central	BRT Route Traffic Signal	Raykhad
1065	Central	Junctions/Cross Roads	Rentiyavadi Shahpur
1066	West	Junctions/Cross Roads	Sabarmati Police Station Cut
1067	New West	Junctions/Cross Roads	Sachin Tower Junction
1068	West	BRT Route Traffic Signal	Sahjanad Char Rasta
1069	Central	Junctions/Cross Roads	Sarkari litho Press Junction
1070	New West	Junctions/Cross Roads	Sarkhej Dhal
1071	New West	BRT Route Traffic Signal	Satadhar Char Rasta
1072	West	Junctions/Cross Roads	Saurabh Cross Road
1073	Central	Junctions/Cross Roads	Shahibaug Chowki
1074	Central	Junctions/Cross Roads	Sheela Lekh Cross road
1075	New West	BRT Route Traffic Signal	Shivanand Ashram
1076	East	Junctions/Cross Roads	Silver Mill Cross road
1077	New West	Junctions/Cross Roads	Silver Star Cross Road
1078	East	BRT Route Traffic Signal	Soma Textile
1079	South	Junctions/Cross Roads	Sonal Cinema cross road

#	Zone	Entity Type	Locations Name
1080	West	BRT Route Traffic Signal	St. Xaviers Corner
1081	New West	Junctions/Cross Roads	Subhash Chowk Cross Road
1082	East	Junctions/Cross Roads	Sukharam Nagar Cross road
1083	East	BRT Route Traffic Signal	Sulekhram Mill
1084	West	BRT Route Traffic Signal	Supath Bunglow
1085	New West	Junctions/Cross Roads	Suradhara cross road Junction
1086	West	Junctions/Cross Roads	Swastik Cross Road Junction
1087	East	BRT Route Traffic Signal	Tejendra Complex
1088	North	Junctions/Cross Roads	Thakkar nagar cross road
1089	West	Junctions/Cross Roads	Thakor Bhai Hall Cross road
1090	East	Junctions/Cross Roads	Topi Mill dhal Cross Road
1091	New West	Junctions/Cross Roads	Ujala Circle
1092	Central	Junctions/Cross Roads	Under Bridge circle
1093	East	Junctions/Cross Roads	Untwadi Chali ST Stand Road near Water tank
1094	East	Junctions/Cross Roads	Vaikunth Dham Cross road
1095	New West	Junctions/Cross Roads	Valinath Chowk Junction
1096	South	BRT Route Traffic Signal	Vallabhwadi
1097	East	Junctions/Cross Roads	vastral Cross Road
1098	Central	Junction/Cross Road	Gandhi Bridge In
1099	Central	Junction/Cross Road	Gandhi Bridge Out
1100	Central	Junction/Cross Road	Master Colony In
1101	Central	Junction/Cross Road	Master Colony Out
1102	Central	Junction/Cross Road	Dadhichi Bridge In
1103	Central	Junction/Cross Road	Dadhichi Bridge Out
1104	Central	Junction/Cross Road	Picnic House Tran Rasta
1105	East	Junction/Cross Road	Keshavnagar Railway Bridge
1106	West	Junction/Cross Road	Vadaj Samshangruh Riverfront Entry
1107	West	Junction/Cross Road	Towards Subhas Bridge to Kehsavnagar Road
1108	West	Junction/Cross Road	Darpan Academy Tran Rasta (Riverfront Entry)
1109	West	Junction/Cross Road	Usmanpura Garden Tran Rasta
1110	West	Junction/Cross Road	Riverfront Walkway (Both Sides of River) Entries
1111	West	Junction/Cross Road	Flower Garden In
1112	West	Junction/Cross Road	Flower Garden Out
1113	West	Junctions/Cross Roads	Vijayanagar Cross Road
1114	West	Junctions/Cross Roads	Vishwakarma college
1115	Central	Junctions/Cross Roads	Vithalanagar Junction
1116	New West	Junctions/Cross Roads	YMCA Cut
1117	New West	Tourist Spot	Science City

Note: In addition to the above, AMC Surveillance will be required at 20 Locations in the Bopal Area. These additional 20 location will be shared with the successful bidder.

Annexure B - List of locations for Police Cameras (Zero Tolerance)

#	Zone	Entity Type	Locations Name
1	West	BRT Route Traffic Signal	AEC
2	North	Junctions/Cross Roads	Airport Circle
3	East	BRT Route Traffic Signal	Ajit Mill
4	West	BRT Route Traffic Signal	Akhbarnagar
5	New West	Junctions/Cross Roads	Ambli Circle
6	South	Junctions/Cross Roads	Anandwadi Circle
7	West	BRT Route Traffic Signal	Andhjanmamdal
8	West	Camera: CSITMS	Anjali Cross Roads
9	West	Junctions/Cross Roads	Asharm Road Bata
10	South	Camera: CSITMS	Aslali Circle
11	Central	BRT Route Traffic Signal	Astodia Darwaja
12	North	Junctions/Cross Roads	Bapunagar cross road Junction
13	East	Junctions/Cross Roads	Barcelona Circle
14	New West	BRT Route Traffic Signal	Bhuyang Dev Char Rasta
15	New West	Camera: CSITMS	Bopal Circle
16	West	BRT Route Traffic Signal	Chandkheda
17	South	Camera: CSITMS	CTM
18	West	BRT Route Traffic Signal	Dada Saheb na Pagla
19	Central	Junctions/Cross Roads	Dadhichi Bridge U-Turn
20	South	BRT Route Traffic Signal	Danilimda
21	North	Camera: CSITMS	Dastan Circle
22	North	Camera: CSITMS	Dehgam Circle
23	Central	BRT Route Traffic Signal	Delhi Darwaja
24	West	Junctions/Cross Roads	Delight cross road Junction
25	West	BRT Route Traffic Signal	Dharninagar
26	West	Junctions/Cross Roads	Dhodka Badarkha Circle
27	Central	Junctions/Cross Roads	Ellisbridge River Front T
28	Central	Junctions/Cross Roads	Ellisbridge U-Turn
29	South	BRT Route Traffic Signal	Express Highway Junction
30	East	Junctions/Cross Roads	Garibanagar Junction
31	Central	Camera: CSITMS	Geeta mandir ST Stand
32	Central	Junctions/Cross Roads	Ghee kanta Junction
33	South	BRT Route Traffic Signal	Ghodasar
34	West	Junctions/Cross Roads	Girish Colddrinks Junction
35	Central	BRT Route Traffic Signal	Gol Limda (AMC Office)
36	New West	Junctions/Cross Roads	Gurudwara Teen Rasta
37	East	Camera: CSITMS	Hatkeshwar Circle
38	New West	Junctions/Cross Roads	Hebatpur Circle
39	West	BRT Route Traffic Signal	Helmet
40	West	Junctions/Cross Roads	Income Tax Junction
41	North	Camera- Police Surveillance	Indira Bridge Circle
42	South	BRT Route Traffic Signal	Isanpur
43	New West	Camera: CSITMS	Iscon Cross Road
44	Central	Camera: CSITMS	Jamalpur circle

#	Zone	Entity Type	Locations Name
45	West	Camera: CSITMS	Janpath T
46	South	BRT Route Traffic Signal	Jashodanagar
47	South	BRT Route Traffic Signal	Jawahar Chowk
48	New West	Junctions/Cross Roads	Jivaraj Park cross road Junction
49	New West	Junctions/Cross Roads	Judges Bunglow cross road Junction
50	West	Junctions/Cross Roads	Juna Vadaj Circle
51	Central	Junctions/Cross Roads	Kadgdapith Police Station T
52	Central	Camera- Police Surveillance	Kalupur Railway Station Entry-Exit Gate
53	Central	Junctions/Cross Roads	Kalupur railway station Junction
54	South	Camera: CSITMS	Kamod Circle
55	New West	Junctions/Cross Roads	Kargil Cross road Junction
56	North	Junctions/Cross Roads	Katwada GIDC Circle
57	West	BRT Route Traffic Signal	Keshavbaug
58	Central	Camera: CSITMS	Khamasa Circle - Khamasa
59	Central	Junctions/Cross Roads	Khanpur darvaja
60	North	BRT Route Traffic Signal	Krishna nagar
61	South	Junctions/Cross Roads	Lal Gebi Hathijan Circle
62	North	Junctions/Cross Roads	Limbadiya Gam Circle
63	Central	Junctions/Cross Roads	Madhupura Dhobighat T
64	West	Junctions/Cross Roads	Mahalakshmi Cross Road Junction
65	West	BRT Route Traffic Signal	Manekbag Hall
66	New West	Junctions/Cross Roads	Mansi Cross Road Junction
67	West	Junctions/Cross Roads	Mithakali Six roads
68	North	Camera: CSITMS	Mother Dairy Circle
69	East	Junctions/Cross Roads	Nagar well hanuman Junction
70	Central	Junctions/Cross Roads	Naran Ghat
71	West	Junctions/Cross Roads	Naranpura Gaon Teen Rasta (Mata Mandir ke pas)
72	North	BRT Route Traffic Signal	Naroda Paitya
73	South	Junctions/Cross Roads	Narol Junction
74	West	Junctions/Cross Roads	Nehru Bridge Junction
75	West	BRT Route Traffic Signal	Nehru Circle
76	West	BRT Route Traffic Signal	New CG Road
77	New West	Junctions/Cross Roads	NFD Cross Road Junction
78	East	Junctions/Cross Roads	Odhav Ring road Cross road
79	New West	Camera: CSITMS	Ognaj Circle
80	New West	Camera: CSITMS	Pakwan Cross Road
81	West	Junctions/Cross Roads	Paldi Junction
82	West	Junctions/Cross Roads	Panchwati Junction
83	East	Camera- Police Surveillance	Panjra pol Cross Road, Ramol
84	West	Junctions/Cross Roads	Pari Cross Road Junction
85	West	Junctions/Cross Roads	Powerhouse Circle
86	North	Junctions/Cross Roads	Prabodra Raval Circle
87	West	BRT Route Traffic Signal	Pragati Nagar
88	New West	Junctions/Cross Roads	Prahalanagara T. Points Junction

#	Zone	Entity Type	Locations Name
89	Central	Junctions/Cross Roads	Prem Darwaja
90	East	BRT Route Traffic Signal	Rabari Colony
91	Central	Camera: CSITMS	Raipur Cross Road
92	Central	Junctions/Cross Roads	Relief Cinema Junction
93	Central	Junctions/Cross Roads	Revdi Bajar Char Rasta
94	New West	Camera: CSITMS	Sanand Circle
95	New West	Camera: CSITMS	Sanathal Circle
96	Central	Camera: CSITMS	Sarangpur Circle
97	West	Junctions/Cross Roads	Sardar Patel statue Junction
98	West	Junctions/Cross Roads	Sarkehj Circle
99	New West	Camera: CSITMS	Science City Circle
100	South	BRT Route Traffic Signal	Shah Alam
101	Central	Camera: CSITMS	Shahibaug under Bridge T
102	Central	Camera- Police Surveillance	ShahibaugDafnala Cross Road
103	Central	Junctions/Cross Roads	Shantipura Circle
104	West	BRT Route Traffic Signal	Sharstri nagar
105	West	BRT Route Traffic Signal	Shivranjini
106	West	Junctions/Cross Roads	Shyamal Cross road Junction
107	New West	Junctions/Cross Roads	Sola Bhagvat Circle
108	East	Camera: CSITMS	Soni ni Chali Cross Road
109	West	Junctions/Cross Roads	Stadium Junction
110	Central	Junctions/Cross Roads	Subhash Bridge Circle
111	West	Junctions/Cross Roads	Swastik Cross Road Junction
112	East	Junctions/Cross Roads	T.B. Nagar Circle
113	West	Camera: CSITMS	Tapovan Circle
114	New West	Camera: CSITMS	Thaltej Circle
115	West	Junctions/Cross Roads	Usmanpura Junction
116	New West	Camera: CSITMS	Vaishnodevi Circle
117	West	Junctions/Cross Roads	Vasna Junction
118	Central	BRT Route Traffic Signal	Victoria Garden
119	West	Junctions/Cross Roads	Vijay Cross road Junction
120	Central	Junctions/Cross Roads	Vijli Ghar Junction
121	East	BRT Route Traffic Signal	Virat Nagar
122	West	Camera: CSITMS	Visat teen Rasta
123	West	Junctions/Cross Roads	Vishala Junction
124	West	BRT Route Traffic Signal	Vyas Vadi
125	West	Junctions/Cross Roads	Zundal Circle
126	West	Junction/Cross Road	APM City
127	North	Junction/Cross Road	Daimond Circle Bapunagar
128	Central	Junction/Cross Road	Chakli Circle Law Garden
129	West	Junction/Cross Road	Sai Baba Char Rasta Vastapur Police Station
130	Central	Junction/Cross Road	Kalgi Char Rasta

Annexure G - List of locations for Surveillance during Festivals

#	Zone	Points	PTZ Camera (Qty.)	Local Monitoring	Central Monitoring	Festival
1	North	Malek Shah Stadium	2	Bapunagar	CC TV Control Room CP Office	Eid and Tajia
2	North	hardasnagar Chowki	2	Bapunagar	CC TV Control Room CP Office	Eid and Tajia
3	South	Saptrisi No aro	2	Danilimda	CC TV Control Room CP Office	Ganesh Visarjan
4	South	Behrampur Police Chowki	2	Danilimda	CC TV Control Room CP Office	Ganesh Visarjan
5	Central	Ellisbridge	2	Ellisbridge	CC TV Control Room CP Office	Ganesh Visarjan
6	Central	Sardar Bridge	2	G Haveli	CC TV Control Room CP Office	Ganesh Visarjan
7	Central	Gita mandir - Jamalpur Bridge Middle AMTS Work Shop T	2	G Haveli	CC TV Control Room CP Office	Ganesh Visarjan
8	East	Usha Cross	2	Gomtipur	CC TV Control Room CP Office	Eid and Tajia
9	East	Hoz vali masjid Cross	2	Gomtipur	CC TV Control Room CP Office	Eid and Tajia
10	East	Huseni Masjid Cross	2	Gomtipur	CC TV Control Room CP Office	Eid and Tajia
11	East	Kamdar Medan	2	Gomtipur	CC TV Control Room CP Office	Eid and Tajia
12	East	Under Sarangpur Bridge	2	Gomtipur	CC TV Control Room CP Office	Eid and Tajia
13	East	Patharwali masjid	2	Gomtipur	CC TV Control Room CP Office	Eid and Tajia
14	East	chatursing cross	2	Gomtipur	CC TV Control Room CP Office	Eid and Tajia
15	East	Kalidas Cross	2	Gomtipur	CC TV Control Room CP Office	Eid and Tajia
16	South	Geban Shah Dargah	2	Ishanpur	CC TV Control Room CP Office	Eid and Tajia
17	Central	H B Kapadia T	2	Kagdapith	CC TV Control Room CP Office	Ganesh Visarjan
18	Central	Kakaria Police Chowki Cross	2	Kagdapith	CC TV Control Room CP Office	Ganesh Visarjan
19	Central	P R Training College Raykhad Cross	2	Karanj	CC TV Control Room CP Office	Eid and Tajia
20	Central	Bhadra Plaza	2	Karanj	CC TV Control Room CP Office	Eid and Tajia
21	Central	Dinbai Tawar	2	Karanj	CC TV Control Room CP Office	Eid and Tajia
22	Central	Pathar Kuwa Chowki	2	Karanj	CC TV Control Room CP Office	Eid and Tajia
23	South	Gayatri Dairy	2	khokhara	CC TV Control Room CP Office	Ganesh Visarjan
24	South	Anupam Cinema	2	khokhara	CC TV Control Room CP Office	Ganesh Visarjan

#	Zone	Points	PTZ Camera (Qty.)	Local Monitoring	Central Monitoring	Festival
25	South	Anupam Bridge	2	khokhara	CC TV Control Room CP Office	Ganesh Visarjan
26	Central	Narayan Ghat	2	Madhavpura	CC TV Control Room CP Office	Ganesh Visarjan
27	Central	Shilalekh Apartment, Naranghat	2	Madhavpura	CC TV Control Room CP Office	Ganesh Visarjan
28	South	Swami Narayan College Cross Road	2	Maninagar	CC TV Control Room CP Office	Ganesh Visarjan
29	South	Idgah Masjid-Kakariya	2	Maninagar	CC TV Control Room CP Office	Ganesh Visarjan
30	South	football Ground T	2	Maninagar	CC TV Control Room CP Office	Ganesh Visarjan
31	East	Rakhiyal Fish market	2	Rakhiyal	CC TV Control Room CP Office	Eid and Tajia
32	East	Rajab Ali masjid	2	Rakhiyal	CC TV Control Room CP Office	Eid and Tajia
33	East	Kalandari masjid Cross	2	Rakhiyal	CC TV Control Room CP Office	Eid and Tajia
34	East	Lal Mil Cross	2	Rakhiyal	CC TV Control Room CP Office	Eid and Tajia
35	East	Gujarat Bekari	2	Rakhiyal	CC TV Control Room CP Office	Eid and Tajia
36	West	Rakhiyal Cross	2	Rakhiyal	CC TV Control Room CP Office	Eid and Tajia
37	West	Kesavnagar-sabarmati	2	Ranip	CC TV Control Room CP Office	Ganesh Visarjan
38	Central	Bhadreswar no aro	2	Sardarnagar	CC TV Control Room CP Office	Ganesh Visarjan
39	Central	Gujarat Samachar - J P Chowk	2	Shahpur	CC TV Control Room CP Office	Eid and Tajia
40	Central	Mirzapur Cross	2	Shahpur	CC TV Control Room CP Office	Eid and Tajia
41	Central	Tran Khuniya Bagicha	2	Shahpur	CC TV Control Room CP Office	Eid and Tajia
42	Central	Khanpur Darwaja	2	Shahpur	CC TV Control Room CP Office	Eid and Tajia
43	South	Bibi Talav Cross	2	Vatva	CC TV Control Room CP Office	Eid and Tajia
44	New West	Fatehwadi T - Juhapura	2	Vejalpur	CC TV Control Room CP Office	Eid and Tajia
45	New West	haji baba T - Juhapura	2	Vejalpur	CC TV Control Room CP Office	Eid and Tajia

Annexure H - List of locations for Surveillance during Rath Yatra

#	Zone	Location Name	PTZ Camera (Qty.)	Local Monitoring	Central Monitoring
1	Central	JAGANNATH MANDIR JAMALPUR	4	Jamalpur Police Chowki	CC TV Control Room CP Office
2	Central	HANUMAN MANDIR FRUT MARKET	2	Dariyapur Police Station	CC TV Control Room CP Office
3	Central	LIMDI CHOWK	2	Dariyapur Police Station	CC TV Control Room CP Office
4	Central	MANPASAND ZIMKHANA	2	Dariyapur Police Station	CC TV Control Room CP Office
5	Central	KADIYA NAKA	2	Dariyapur Police Station	CC TV Control Room CP Office
6	Central	RATIO HOTEL	2	Dariyapur Police Station	CC TV Control Room CP Office
7	Central	SURTI LOJ FARKI HOTEL	2	Dariyapur Police Station	CC TV Control Room CP Office
8	Central	DARIYAPUR POLICE STATION	2	Dariyapur Police Station	CC TV Control Room CP Office
9	Central	SAJJAN JAMADAR NO MAHOLLO	2	Dariyapur Police Station	CC TV Control Room CP Office
10	Central	CHOKHABAZAAR TRAN RASTA	2	Dariyapur Police Station	CC TV Control Room CP Office
11	Central	PUNJAB HAKIM NI GALI	2	Dariyapur Police Station	CC TV Control Room CP Office
12	Central	JAMALPUR GATE	3	G Haveli Police Station	CC TV Control Room CP Office
13	Central	VAISHV SABHA	2	G Haveli Police Station	CC TV Control Room CP Office
14	Central	JAWAHAR CHOWK	2	G Haveli Police Station	CC TV Control Room CP Office
15	Central	JAMALPUR PAGATHIYA	2	G Haveli Police Station	CC TV Control Room CP Office
16	Central	PANCHKUVA GATE	2	Kalupur Police Station	CC TV Control Room CP Office
17	Central	MOTI MAHEL HOTEL	2	Kalupur Police Station	CC TV Control Room CP Office
18	Central	KALUPUR VIJAYA BANK	2	Kalupur Police Station	CC TV Control Room CP Office
19	Central	MUNICIPAL KOTHA	2	Karanj Police Station	CC TV Control Room CP Office
20	Central	GHEEKANTA CHOWKI	2	Karanj Police Station	CC TV Control Room CP Office
21	Central	PANKOR NAKA	2	Karanj Police Station	CC TV Control Room CP Office
22	Central	PIRAMSHAH ROJA ROAD	2	Karanj Police Station	CC TV Control Room CP Office
23	Central	SAKDI SHERI	2	Khadia Police Station	CC TV Control Room CP Office
24	Central	GUJARAT GOLD PALACE NR MUHRAT POLE	2	Khadia Police Station	CC TV Control Room CP Office
25	Central	DHALGARWAD NAKA	2	Khadia Police Station	CC TV Control Room CP Office

#	Zone	Location Name	PTZ Camera (Qty.)	Local Monitoring	Central Monitoring
26	Central	MINI BALA HANUMAN	2	Khadia Police Station	CC TV Control Room CP Office
27	Central	RAIPUR CHAKLA	2	Khadia Police Station	CC TV Control Room CP Office
28	Central	SARANGPUR CHAKLA	2	Khadia Police Station	CC TV Control Room CP Office
29	Central	KHADIYA CHAR RASTA	2	Khadia Police Station	CC TV Control Room CP Office
30	Central	KALUPUR BRIDGE MIDDLE	2	Shaherkotda Police Station	CC TV Control Room CP Office
31	Central	ITWADA CIRCLE SARASPUR BRIDGE Corner	2	Shaherkotda Police Station	CC TV Control Room CP Office
32	Central	AMBEDKAR HALL	2	Shaherkotda Police Station	CC TV Control Room CP Office
33	Central	JAGNATH MANDIR SARASPUR	2	Shaherkotda Police Station	CC TV Control Room CP Office
34	Central	NR SHARDABEN HOSPITAL	3	Shaherkotda Police Station	CC TV Control Room CP Office
35	Central	JAJ SAHEB NI CHALI	2	Shaherkotda Police Station	CC TV Control Room CP Office
36	Central	MITHA PANI NA DARWAJA	2	Shaherkotda Police Station	CC TV Control Room CP Office
37	Central	HAJI BUILDING	2	Shahpur Police Station	CC TV Control Room CP Office
38	Central	SHAHPUR DARWAJA	2	Shahpur Police Station	CC TV Control Room CP Office
39	Central	SHAHPUR DARWAJA TRIPATHI HALL	2	Shahpur Police Station	CC TV Control Room CP Office
40	Central	SHAHPUR DARWAJA MASJID	2	Shahpur Police Station	CC TV Control Room CP Office
41	Central	SHAHPUR MUN SCHOOL 7 ,8 PASE	2	Shahpur Police Station	CC TV Control Room CP Office
42	Central	SHAHPUR ADDA	2	Shahpur Police Station	CC TV Control Room CP Office
43	Central	MADHYAMIK SCHOOL PANJRA POLE	2	Shahpur Police Station	CC TV Control Room CP Office
44	Central	AUTAM POLE	2	Shahpur Police Station	CC TV Control Room CP Office
45	Central	OM COMPLEX	2	Shahpur Police Station	CC TV Control Room CP Office