




PLAN AT BOTTOM LEVEL




PLAN AT ROAD LEVEL



SECTION AT B-B



SECTION AT A-A



SECTION AT C-C

NOTE:-




1. ALL DIMENSIONS ARE IN MM.
2. GRADE OF CONCRETE M30
3. GRADE OF STEEL Fe-415 AS PER IS:1786-1985.
4. THE GAPS BETWEEN COVER SLAB SHOULD BE FILLED WITH WATER PROOF MATERIAL .
5. THE ERECTION OF HDPE PIPES IN SIDE WALLS SHOULD BE DECIDED BASED ON PIPE CONDUIT DIAMETER.
6. THE ERECTION OF RCC NP4 PIPES IN SIDE WALLS SHOULD BE DECIDED BASED ON NUMBER OF PIPE CONDUITS.
7. FINISHES FOR ALL INNER WALLS AND FLOOR SURFACES SHALL CONFORM TO U2 CLASS.
8. ALL PIPE CONDUITS SHOULD BE CLOSED WITH HDPE DUMMIES

NOTE:-

1. THIS INFORMATION MAY NOT CONTAIN ALL DETAILS REQUIRED FOR CONSTRUCTION.
2. APPROPRIATE MODIFICATIONS MAY BE REQUIRED TO ENSURE SUITABILITY OF THIS DRAWING FOR THE SPECIFIC APPLICATION.

FOR TENDER DRAWINGS

Rev	Description	By	Verified	Date	Scales	Consultants	Client	Drawn	Project	Drawing Title	Drawing No	Rev
					AS SHOWN	aarvee associates architects engineers & consultants pvt. ltd.	Andhra Pradesh Amaravati Development Corporation Ltd. (ADCL)	SURYA	SMART INTEGRATED INFRASTRUCTURE MASTER PLAN AND DETAILED PROJECT REPORTS FOR PHASE-I INFRASTRUCTURE WORKS FOR/AT AMARAVATI CAPITAL CITY	TYPICAL MANHOLE DRAWINGS FOR POWER 33KV HDPE CONDUITS COMING IN JUNCTION & ALONG THE ROAD	AG-1957-DDR-AM-PW-SD-MH-001	R0
R0	ISSUED FOR TENDER	SPR	KSP	03.08.2017	SCALES SHOWN ARE FOR AN A1 SIZE ORIGINAL DRAWING	GIIC 贵州海上丝路国际投资有限公司 GUANGDONG INTERNATIONAL INVESTMENT CORPORATION		Checked RAMARAJU				
								Designed SUDHIR				
								Approved KSSVV PRASAD				
								Date 03.08.2017				




- NOTE:-
1. ALL DIMENSIONS ARE IN MM.
 2. GRADE OF CONCRETE M30
 3. GRADE OF STEEL Fe-415 AS PER IS:1786-1985.
 4. THE GAPS BETWEEN COVER SLAB SHOULD BE FILLED WITH WATER PROOF MATERIAL .
 5. THE ERECTION OF HDPE PIPES IN SIDE WALLS SHOULD BE DECIDED BASED ON PIPE CONDUIT DIAMETER.
 6. THE ERECTION OF RCC NP4 PIPES IN SIDE WALLS SHOULD BE DECIDED BASED ON NUMBER OF PIPE CONDUITS.
 7. FINISHES FOR ALL INNER WALLS AND FLOOR SURFACES SHALL CONFORM TO U2 CLASS.
 8. ALL PIPE CONDUITS SHOULD BE CLOSED WITH HDPE DUMMIES


- NOTE:-
1. THIS INFORMATION MAY NOT CONTAIN ALL DETAILS REQUIRED FOR CONSTRUCTION.
 2. APPROPRIATE MODIFICATIONS MAY BE REQUIRED TO ENSURE SUITABILITY OF THIS DRAWING FOR THE SPECIFIC APPLICATION.

FOR TENDER DRAWINGS


Rev	Description	By	Verified	Date	Scales	Consultants	Client	Drawn	Project	Drawing Title	Drawing No	Rev
					AS SHOWN	aarvee associates architects engineers & consultants pvt. ltd.	Andhra Pradesh Amaravati Development Corporation Ltd. (ADCL)	SURYA	SMART INTEGRATED INFRASTRUCTURE MASTER PLAN AND DETAILED PROJECT REPORTS FOR PHASE-I INFRASTRUCTURE WORKS FOR/AT AMARAVATI CAPITAL CITY	TYPICAL MANHOLE DRAWINGS FOR POWER 33KV HDPE CONDUITS COMING IN JUNCTION & ALONG THE ROAD	AG-1957-DDR-AM-PW-SD-MH-002	R0
R0	ISSUED FOR TENDER	SPR	KSP	03.08.2017	SCALES SHOWN ARE FOR AN A1 SIZE ORIGINAL DRAWING	GIIC 贵州海上丝路国际投资有限公司 GUANGDONG INTERNATIONAL INVESTMENT CORPORATION		SUDHIR				
								RAMARAJU				
								Designed				
								Approved				
								KSSVV PRASAD				
								Date				
								03.08.2017				




PLAN AT BOTTOM LEVEL



PLAN AT ROAD LEVEL



SECTION AT B-B



SECTION AT A-A

NOTE:-

1. ALL DIMENSIONS ARE IN MM.
2. GRADE OF CONCRETE M30
3. GRADE OF STEEL Fe-415 AS PER IS:1786-1985.
4. THE GAPS BETWEEN COVER SLAB SHOULD BE FILLED WITH WATER PROOF MATERIAL .
5. THE ERECTION OF HDPE PIPES IN SIDE WALLS SHOULD BE DECIDED BASED ON PIPE CONDUIT DIAMETER.
6. THE ERECTION OF RCC NP4 PIPES IN SIDE WALLS SHOULD BE DECIDED BASED ON NUMBER OF PIPE CONDUITS.
7. FINISHES FOR ALL INNER WALLS AND FLOOR SURFACES SHALL CONFORM TO U2 CLASS.
8. ALL PIPE CONDUITS SHOULD BE CLOSED WITH HDPE DUMMIES

NOTE:-

1. THIS INFORMATION MAY NOT CONTAIN ALL DETAILS REQUIRED FOR CONSTRUCTION.
2. APPROPRIATE MODIFICATIONS MAY BE REQUIRED TO ENSURE SUITABILITY OF THIS DRAWING FOR THE SPECIFIC APPLICATION.

FOR TENDER DRAWINGS

Rev	Description	By	Verified	Date
R0	ISSUED FOR TENDER	SPR	KSP	03.08.2017

By	Verified	Date

AS SHOWN


SCALES SHOWN ARE FOR AN A1 SIZE ORIGINAL DRAWING

Consultants
 aarvee associates architects engineers & consultants pvt. ltd.
 GIC 贵州海上丝路国际投资有限公司 GUANGDONG INTERNATIONAL INVESTMENT CORPORATION



Client
 Andhra Pradesh Amaravati Development Corporation Ltd. (ADCL)

Drawn
SURYA
Checked
RAMARAJU
Designed
SUDHIR
Approved
KSSVV PRASAD
Date
03.08.2017


Project
SMART INTEGRATED INFRASTRUCTURE MASTER PLAN AND DETAILED PROJECT REPORTS FOR PHASE-I INFRASTRUCTURE WORKS FOR/AT AMARAVATI CAPITAL CITY
Drawing Title
TYPICAL MANHOLE DRAWINGS FOR POWER 33KV HDPE CONDUITS COMING IN JUNCTION & ALONG THE ROAD
Drawing No
AG-1957-DDR-AM-PW-SD-MH-003
Rev
R0




PLAN AT BOTTOM LEVEL
SCALE - 1:30




PLAN AT ROAD LEVEL
SCALE - 1:30



SECTION AT A-A
SCALE - 1:30



SECTION AT B-B
SCALE - 1:30



SECTION AT C-C
SCALE - 1:30

NOTE:-

1. ALL DIMENSIONS ARE IN MM.
2. GRADE OF CONCRETE M30
3. GRADE OF STEEL Fe-415 AS PER IS:1786-1985.
4. THE GAPS BETWEEN COVER SLAB SHOULD BE FILLED WITH WATER PROOF MATERIAL .
5. THE ERECTION OF HDPE PIPES IN SIDE WALLS SHOULD BE DECIDED BASED ON PIPE CONDUIT DIAMETER.
6. THE ERECTION OF RCC NP4 PIPES IN SIDE WALLS SHOULD BE DECIDED BASED ON NUMBER OF PIPE CONDUITS.
7. FINISHES FOR ALL INNER WALLS AND FLOOR SURFACES SHALL CONFORM TO U2 CLASS.
8. ALL PIPE CONDUITS SHOULD BE CLOSED WITH HDPE DUMMIES

NOTE:-

1. THIS INFORMATION MAY NOT CONTAIN ALL DETAILS REQUIRED FOR CONSTRUCTION.
2. APPROPRIATE MODIFICATIONS MAY BE REQUIRED TO ENSURE SUITABILITY OF THIS DRAWING FOR THE SPECIFIC APPLICATION.

FOR TENDER DRAWINGS

Rev	Description	By	Verified	Date
R0	ISSUED FOR TENDER	MSP	KSP	03.08.2017





Scales
AS SHOWN
SCALES SHOWN ARE FOR AN A1 SIZE ORIGINAL DRAWING

Consultants
aarvee associates architects engineers & consultants pvt. ltd.
GHC 贵州海上丝路国际投资有限公司 GUANGDONG HAI SHANG SILK ROAD INTERNATIONAL INVESTMENT CORPORATION

Client
Andhra Pradesh Amaravati Development Corporation Ltd. (ADCL)

Drawn
SURYA
Checked
RAMARAJU
Designed
SUDHIR
Approved
KSSVV PRASAD
Date
03.08.2017

Project
SMART INTEGRATED INFRASTRUCTURE MASTER PLAN AND DETAILED PROJECT REPORTS FOR PHASE-I INFRASTRUCTURE WORKS FOR/AT AMARAVATI CAPITAL CITY
Drawing Title
TYPICAL MANHOLE DRAWINGS FOR POWER 33KV HDPE CONDUITS COMING IN MEDIAN
Drawing No
AG-1957-DDR-AM-PW-SD-MH-004
Rev
R0



NOTE:-

1. ALL DIMENSIONS ARE IN MM.
2. GRADE OF CONCRETE M30
3. GRADE OF STEEL Fe-415 AS PER IS:1786-1985.
4. THE GAPS BETWEEN COVER SLAB SHOULD BE FILLED WITH WATER PROOF MATERIAL .
5. THE ERECTION OF HDPE PIPES IN SIDE WALLS SHOULD BE DECIDED BASED ON PIPE CONDUIT DIAMETER.
6. THE ERECTION OF RCC NP4 PIPES IN SIDE WALLS SHOULD BE DECIDED BASED ON NUMBER OF PIPE CONDUITS.
7. FINISHES FOR ALL INNER WALLS AND FLOOR SURFACES SHALL CONFORM TO U2 CLASS.
8. ALL PIPE CONDUITS SHOULD BE CLOSED WITH HDPE DUMMIES

NOTE:-

1. THIS INFORMATION MAY NOT CONTAIN ALL DETAILS REQUIRED FOR CONSTRUCTION.
2. APPROPRIATE MODIFICATIONS MAY BE REQUIRED TO ENSURE SUITABILITY OF THIS DRAWING FOR THE SPECIFIC APPLICATION.

FOR TENDER DRAWINGS

Rev	Description	By	Verified	Date
R0	ISSUED FOR TENDER	MSP	KSP	03.08.2017





Rev	Description	By	Verified	Date
R0	ISSUED FOR TENDER	MSP	KSP	03.08.2017

Rev	Description	By	Verified	Date
R0	ISSUED FOR TENDER	MSP	KSP	03.08.2017

Rev	Description	By	Verified	Date
R0	ISSUED FOR TENDER	MSP	KSP	03.08.2017

Rev	Description	By	Verified	Date
R0	ISSUED FOR TENDER	MSP	KSP	03.08.2017

Rev	Description	By	Verified	Date
R0	ISSUED FOR TENDER	MSP	KSP	03.08.2017



NOTE:-

1. ALL DIMENSIONS ARE IN MM.
2. GRADE OF CONCRETE M30
3. GRADE OF STEEL Fe-415 AS PER IS:1786-1985.
4. THE GAPS BETWEEN COVER SLAB SHOULD BE FILLED WITH WATER PROOF MATERIAL .
5. THE ERECTION OF HDPE PIPES IN SIDE WALLS SHOULD BE DECIDED BASED ON PIPE CONDUIT DIAMETER.
6. THE ERECTION OF RCC NP4 PIPES IN SIDE WALLS SHOULD BE DECIDED BASED ON NUMBER OF PIPE CONDUITS.
7. FINISHES FOR ALL INNER WALLS AND FLOOR SURFACES SHALL CONFORM TO U2 CLASS.
8. ALL PIPE CONDUITS SHOULD BE CLOSED WITH HDPE DUMMIES

NOTE:-

1. THIS INFORMATION MAY NOT CONTAIN ALL DETAILS REQUIRED FOR CONSTRUCTION.
2. APPROPRIATE MODIFICATIONS MAY BE REQUIRED TO ENSURE SUITABILITY OF THIS DRAWING FOR THE SPECIFIC APPLICATION.

FOR TENDER DRAWINGS

Rev	Description	By	Verified	Date
R0	ISSUED FOR TENDER	MSP	KSP	03.08.2017

Rev	Description	By	Verified	Date
R0	ISSUED FOR TENDER	MSP	KSP	03.08.2017

Rev	Description	By	Verified	Date
R0	ISSUED FOR TENDER	MSP	KSP	03.08.2017

Rev	Description	By	Verified	Date
R0	ISSUED FOR TENDER	MSP	KSP	03.08.2017

Rev	Description	By	Verified	Date
R0	ISSUED FOR TENDER	MSP	KSP	03.08.2017

Rev	Description	By	Verified	Date
R0	ISSUED FOR TENDER	MSP	KSP	03.08.2017