

SECTION 1-1



DETAIL - A

NOTES:-

1. ALL DIMENSIONS ARE IN MILLIMETRES AND LEVELS ARE IN METRES, UNLESS OTHERWISE SPECIFIED.
2. DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
3. GRADE OF CONCRETE SHALL BE AS FOLLOWS :-
   - LEVELLING COURSE ---------- M15
   - INLET CHAMBER ---------- M30
4. REINFORCEMENT SHALL BE OF HYSD BARS OF GRADE DESIGNATION Fe 500 CONFORMING TO IS : 1786.
5. MINIMUM CLEAR COVER TO ANY REINFORCEMENT SHALL BE 40mm
6. FOR EVERY 20m INTERVAL 20mm STRUCTURE GAP SHALL BE PROVIDED.

ISSUED FOR TENDER

Rev	Description	By	Verified	Date

Scales: NTS

SCALES SHOWN ARE FOR AN A1 SIZE ORIGINAL DRAWING

Consultants: aarvee associates architects engineers & consultants pvt. ltd. – GIIC 贵州海上丝路国际投资有限公司 JV

Client: Andhra Pradesh Amaravati Development Corporation Ltd. (ADCL)

Drawn	A.GOPI
Checked	GOVIND NAIK
Designed	SIVA
Approved	P.K.MURTHY
Date	11-08-2017

Project: SMART INTEGRATED INFRASTRUCTURE MASTER PLAN AND DETAILED PROJECT REPORTS FOR PHASE-I INFRASTRUCTURE WORKS FOR/AT AMARAVATI CAPITAL CITY

Drawing Title: TYPICAL ARRANGEMENT OF INLET CHAMBER

Drawing No: AG-1957-SWD-STR-IC-001

Rev: R0