




ICT FOR 3+5 TRUNK CONFIGURATION
@ E5 & E6 ROADS



ICT FOR 2+6 TRUNK CONFIGURATION
@ E9, E15, E16 & N3B ROADS



ICT FOR 2+5 TRUNK CONFIGURATION
@ E14 ROAD



ICT FOR 2+4 TRUNK CONFIGURATION
@ E11 & N1, N2 & N3A ROADS

ICT DUCTS CONFIGURATION @ 60/50 M ROW				
SL NO.	ROAD NAME	HDPE CORRUGATED PIPE	7-HOLE HONEYCOMB PIPE	TOTAL NO. OF PIPE HOLES
1	E1	4	6	10
2	E2	4	6	10
3	E3	6	8	14
4	E4	3	6	9
5	E5	3	5	8
6	E6	3	5	8
7	E7	3	6	9
8	E8	3	7	10
9	E9	2	6	8
10	E10	3	6	9
11	E11	2	4	6
12	E12	4	7	11
13	E13	4	7	11
14	E14	2	5	7
15	E15	2	6	8
16	E16	2	6	8
17	N1	2	4	6
18	N2	2	4	6
19	N3A	2	4	6
20	N3B	2	6	8
21	N4	3	6	9
22	N5	4	7	11
23	N6	4	7	11
24	N7	4	8	12
25	N8	4	7	11
26	N9	6	8	14
27	N10	4	8	12
28	N11	4	7	11
29	N12	4	6	10
30	N13	4	6	10
31	N14	4	7	11
32	N15	4	8	12
33	N16	4	7	11
34	N17	3	6	9
35	N18	4	6	10

- NOTES-
1. ALL DIMENSIONS ARE IN MM.
 2. THIS INFORMATION MAY NOT CONTAIN ALL DETAILS REQUIRED FOR CONSTRUCTION.
 3. APPROPRIATE MODIFICATIONS MAY BE REQUIRED TO ENSURE SUITABILITY OF THIS DRAWING FOR THE SPECIFIC APPLICATION.
 4. HDPE SPACERS SHALL BE PROVIDED AT 1500 MM INTERVALS.

FOR TENDER DRAWINGS

Rev	Description	By	Verified	Date	Scales	Consultants	Client	Drawn	Project	Drawing Title	Drawing No	Rev
					AS SHOWN	aarvee associates architects engineers & consultants pvt. ltd.	Andhra Pradesh Amaravati Development Corporation Ltd. (ADCL)	SURYA	SMART INTEGRATED INFRASTRUCTURE MASTER PLAN AND DETAILED PROJECT REPORTS FOR PHASE-I INFRASTRUCTURE WORKS FOR/AT AMARAVATI CAPITAL CITY	TYPICAL DETAILS OF ICT HDPE CONDUITS FOR 50 & 60M ROW	AG-1957-DDR-AM-ICT-SD-CS-002 OF 002	R0
R0	ISSUED FOR TENDER	SPR	KSP	03.08.2017	SCALES SHOWN ARE FOR AN A1 SIZE ORIGINAL DRAWING	GIIC 贵州海上丝路国际投资有限公司 JV		Checked MSR SIREESHA Designed CHENGUO Approved KSSVV PRASAD Date 03.08.2017				